

長庚醫療財團法人醫療收費標準

總說明：

- 一、本收費標準為本院自費醫療收費標準，置於收費櫃檯與全球資訊網頁供民眾查閱，並定期更新資料，在本冊更新之前，若有收費標準異動者，以實際計價當時之價格為準。
- 二、各項手術所需之「手術一般材料費」，依手術收費標準之53%計算之。
- 三、以健保身分就診者，悉依「全民健康保險醫療費用支付標準」規定辦理收費，其有不符健保適應症項目，則健保不給付，悉依本院自費收費標準自付醫療費用。
- 四、註記欄有「*」註記者，為健保不給付項目，其費用由民眾自付，但依法令由政府負擔費用之醫療服務項目，則按規定由政府負擔。

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|------|------|----|----|
| 7B-A001 | 白芷 | 2.2 | 勝昌製藥 | | |
| 7B-A002 | 柴胡 | 4.1 | 勝昌製藥 | | |
| 7B-A003 | 防風 | 5.1 | 勝昌 | | |
| 7B-A004 | 葛根 | 2 | 勝昌製藥 | | |
| 7B-A005 | 蒿本 | 2.7 | 勝昌製藥 | | |
| 7B-A006 | 羌活 | 7.6 | 科達 | | |
| 7B-A008 | 木賊 | 1.9 | 勝昌製藥 | | |
| 7B-A009 | 荊芥 | 2.1 | 科達 | | |
| 7B-A010 | 麻黃 | 2.4 | 順天堂 | | |
| 7B-A011 | 細辛 | 11.8 | 勝昌製藥 | | |
| 7B-A013 | 薄荷 | 3.1 | 勝昌製藥 | | |
| 7B-A014 | 牛蒡子 | 3.2 | 科達 | | |
| 7B-A015 | 蒼耳子 | 2.4 | 順天堂 | | |
| 7B-A016 | 蔓荊子 | 5.2 | 勝昌 | | |
| 7B-A017 | 桑葉 | 2.4 | 勝昌 | | |
| 7B-A018 | 紫蘇葉 | 2.9 | 勝昌 | | |
| 7B-A020 | 菊花 | 4.7 | 科達 | | |
| 7B-A021 | 辛夷 | 2.1 | 勝昌 | | |
| 7B-A022 | 桂枝 | 2.1 | 勝昌 | | |
| 7B-A023 | 蟬蛻 | 9.6 | 港香蘭 | | |
| 7B-A024 | 生薑 | 1.9 | 順天堂 | | |
| 7B-C001 | 大黃 | 2.4 | 順天堂 | | |
| 7B-C004 | 火麻仁 | 2.8 | 順天堂 | | |
| 7B-C005 | 芒硝(精粉) | 2 | 勝昌製藥 | * | |
| 7B-E001 | 黨蔘 | 4.2 | 順天堂 | | |
| 7B-E002 | 沙蔘 | 3.2 | 科達 | | |
| 7B-E003 | 黃耆 | 2.3 | 勝昌製藥 | | |
| 7B-E004 | 山藥 | 2.4 | 科達 | | |
| 7B-E005 | 當歸 | 5.7 | 科達 | | |
| 7B-E006 | 白朮 | 3.3 | 勝昌製藥 | | |
| 7B-E007 | 熟地黃 | 2 | 順天堂 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|------|------|----|----|
| 7B-E008 | 牛膝(懷) | 2.4 | 科達 | | |
| 7B-E009 | 巴戟天 | 2.8 | 勝昌製藥 | | |
| 7B-E010 | 白芍 | 3 | 科達 | | |
| 7B-E011 | 甘草 | 2.4 | 科達 | | |
| 7B-E012 | 天門冬 | 2.9 | 勝昌製藥 | | |
| 7B-E013 | 何首烏 | 3.2 | 科達 | | |
| 7B-E014 | 骨碎補 | 2.8 | 勝昌製藥 | | |
| 7B-E015 | 黃精 | 3.4 | 科達 | | |
| 7B-E016 | 麥門冬 | 7.2 | 勝昌製藥 | | |
| 7B-E017 | 肉蓯蓉 | 6.7 | 勝昌製藥 | | |
| 7B-E018 | 狗脊 | 1.9 | 勝昌製藥 | | |
| 7B-E019 | 玉竹 | 2.4 | 科達 | | |
| 7B-E020 | 百合 | 3.8 | 科達 | | |
| 7B-E021 | 續斷 | 1.7 | 勝昌 | | |
| 7B-E022 | 鎖陽 | 3.4 | 勝昌製藥 | | |
| 7B-E023 | 淫羊藿 | 4.5 | 勝昌製藥 | | |
| 7B-E024 | 大棗 | 2.1 | 順天堂 | | |
| 7B-E025 | 枸杞 | 2 | 順天堂 | | |
| 7B-E026 | 益智仁 | 2.9 | 勝昌製藥 | | |
| 7B-E027 | 菟絲子 | 2.9 | 科達 | | |
| 7B-E028 | 女貞子 | 2.1 | 科達 | | |
| 7B-E029 | 補骨脂 | 2.1 | 勝昌製藥 | | |
| 7B-E031 | 扁豆 | 1.9 | 勝昌製藥 | | |
| 7B-E032 | 石斛 | 5.6 | 科達 | | |
| 7B-E033 | 旱蓮草 | 2.1 | 科達 | | |
| 7B-E034 | 杜仲 | 3.9 | 勝昌製藥 | | |
| 7B-E036 | 阿膠 | 7.4 | 勝昌製藥 | | |
| 7B-E037 | 龜板 | 5.6 | 科達 | | |
| 7B-E038 | 鱉甲 | 4.7 | 勝昌製藥 | | |
| 7B-E039 | 炙甘草 | 2.7 | 科達 | | |
| 7B-E041 | 西洋參(粉末) | 10.3 | 科達 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|------|------|----|----|
| 7B-E042 | 刺五加 | 1.9 | 勝昌製藥 | | |
| 7B-E602 | 鹿茸(粉) | 22.4 | 康麗 | * | |
| 7B-E604 | 白參(粉末) | 11.5 | 順天堂 | * | |
| 7B-E606 | 鹿角霜散 | 2.1 | 科達 | * | |
| 7B-F001 | 黃連 | 10.4 | 順天堂 | | |
| 7B-F002 | 黃芩 | 2.2 | 順天堂 | | |
| 7B-F004 | 土茯苓 | 2.7 | 勝昌製藥 | | |
| 7B-F005 | 生地黃 | 2.1 | 勝昌製藥 | | |
| 7B-F007 | 北板藍根 | 2.7 | 順天堂 | | |
| 7B-F008 | 知母 | 2.7 | 科達 | | |
| 7B-F009 | 玄參 | 1.9 | 勝昌製藥 | | |
| 7B-F010 | 苦參根 | 2.6 | 勝昌製藥 | | |
| 7B-F012 | 龍膽 | 3.4 | 勝昌製藥 | | |
| 7B-F014 | 天花粉 | 4 | 勝昌製藥 | | |
| 7B-F015 | 赤芍 | 4.7 | 勝昌製藥 | | |
| 7B-F021 | 大青葉 | 2.1 | 勝昌製藥 | | |
| 7B-F023 | 金銀花 | 7.5 | 勝昌製藥 | | |
| 7B-F025 | 連翹 | 6.8 | 勝昌製藥 | | |
| 7B-F026 | 山梔子 | 2.7 | 科達 | | |
| 7B-F028 | 馬齒莧 | 1.9 | 港香蘭 | | |
| 7B-F029 | 青蒿 | 2 | 勝昌製藥 | | |
| 7B-F031 | 蒲公英 | 2.1 | 勝昌製藥 | | |
| 7B-F032 | 魚腥草 | 3.4 | 勝昌製藥 | | |
| 7B-F033 | 半枝蓮 | 2.7 | 勝昌製藥 | | |
| 7B-F034 | 白花蛇舌草 | 3.3 | 勝昌製藥 | | |
| 7B-F035 | 夏枯草 | 3 | 勝昌製藥 | | |
| 7B-F037 | 黃柏 | 2.8 | 順天堂 | | |
| 7B-F038 | 牡丹皮 | 3.3 | 科達 | | |
| 7B-F040 | 地骨皮 | 4.2 | 勝昌製藥 | | |
| 7B-F041 | 白鮮皮 | 5.6 | 勝昌製藥 | | |
| 7B-F042 | 石膏 | 1.6 | 勝昌製藥 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|------|------|----|----|
| 7B-F046 | 倒地蜈蚣 | 6.9 | 勝昌製藥 | | |
| 7B-F060 | 石膏(粉末) | 1.5 | 順天堂 | * | |
| 7B-G001 | 木香 | 1.6 | 勝昌製藥 | | |
| 7B-G002 | 薤白 | 2 | 勝昌製藥 | | |
| 7B-G003 | 香附 | 2 | 科達 | | |
| 7B-G007 | 枳殼 | 2.3 | 勝昌製藥 | | |
| 7B-G008 | 枳實 | 3.1 | 科達 | | |
| 7B-G009 | 陳皮 | 2.1 | 勝昌製藥 | | |
| 7B-G010 | 川棟子 | 2.7 | 勝昌製藥 | | |
| 7B-G011 | 青皮 | 1.6 | 勝昌製藥 | | |
| 7B-G012 | 大腹皮 | 2.1 | 科達 | | |
| 7B-G014 | 厚朴 | 2.9 | 勝昌製藥 | | |
| 7B-H001 | 川芎 | 2.4 | 勝昌製藥 | | |
| 7B-H003 | 延胡索 | 7.8 | 勝昌製藥 | | |
| 7B-H004 | 三棱 | 1.5 | 勝昌製藥 | | |
| 7B-H005 | 丹參 | 2.3 | 勝昌製藥 | | |
| 7B-H007 | 薑黃 | 2.4 | 勝昌製藥 | | |
| 7B-H008 | 白及 | 8.4 | 勝昌製藥 | | |
| 7B-H009 | 虎杖 | 2.1 | 勝昌製藥 | | |
| 7B-H010 | 茜草(精粉) | 2.7 | 勝昌製藥 | * | |
| 7B-H011 | 地榆 | 2.3 | 科達 | | |
| 7B-H012 | 白茅根 | 2.7 | 勝昌製藥 | | |
| 7B-H014 | 艾葉 | 2.1 | 勝昌製藥 | | |
| 7B-H015 | 側柏葉 | 1.8 | 勝昌製藥 | | |
| 7B-H017 | 紅花 | 5.3 | 科達 | | |
| 7B-H018 | 槐花 | 3.1 | 勝昌製藥 | | |
| 7B-H019 | 蒲黃 | 3.1 | 科達 | | |
| 7B-H020 | 桃仁 | 3.1 | 科達 | | |
| 7B-H021 | 王不留行 | 2 | 勝昌製藥 | | |
| 7B-H022 | 益母草 | 2.1 | 科達 | | |
| 7B-H027 | 蘇木 | 2.3 | 勝昌製藥 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|----------|------|------|----|----|
| 7B-H028 | 雞血藤 | 2.3 | 勝昌製藥 | | |
| 7B-H031 | 五靈脂 | 2.9 | 科達 | | |
| 7B-H032 | 乳香 | 2.6 | 勝昌製藥 | | |
| 7B-H033 | 沒藥 | 3.4 | 勝昌製藥 | | |
| 7B-H034 | 川七 | 9.6 | 勝昌製藥 | | |
| 7B-H035 | 牛膝(川) | 2.3 | 勝昌製藥 | | |
| 7B-H300 | 延胡索(散劑) | 4 | 華昌製藥 | * | |
| 7B-H600 | 三七(粉末) | 10.3 | 順天堂 | * | |
| 7B-K001 | 桔梗 | 2.7 | 勝昌製藥 | | |
| 7B-K003 | 浙貝母 | 6.3 | 科達 | | |
| 7B-K004 | 半夏 | 4.2 | 順天堂 | | |
| 7B-K005 | 天南星 | 2.3 | 勝昌製藥 | | |
| 7B-K007 | 百部 | 2.6 | 科達 | | |
| 7B-K008 | 前胡 | 2.7 | 科達 | | |
| 7B-K010 | 枇杷葉 | 2 | 科達 | | |
| 7B-K011 | 旋覆花 | 2.8 | 莊松榮 | | |
| 7B-K016 | 栝蒌實 | 3 | 勝昌製藥 | | |
| 7B-K017 | 苦杏仁 | 2.8 | 勝昌 | | |
| 7B-K018 | 紫蘇子 | 2.4 | 勝昌製藥 | | |
| 7B-K019 | 白果 | 4 | 勝昌製藥 | | |
| 7B-K020 | 白芥子 | 1.4 | 勝昌製藥 | | |
| 7B-K022 | 紫菀 | 2.3 | 勝昌製藥 | | |
| 7B-K023 | 竹茹 | 2.8 | 勝昌製藥 | | |
| 7B-K024 | 桑白皮 | 2.7 | 科達 | | |
| 7B-K600 | 平貝母(粉) | 5 | 重慶堂 | * | |
| 7B-K602 | 浙貝母散(粉末) | 2.6 | 華昌 | * | |
| 7B-L001 | 山楂 | 2.1 | 科達 | | |
| 7B-L003 | 麥芽 | 1.8 | 勝昌製藥 | | |
| 7B-L004 | 雞內金 | 3.1 | 勝昌製藥 | | |
| 7B-L005 | 神麩 | 4.2 | 勝昌製藥 | | |
| 7B-L006 | 萊菔子 | 2 | 科達 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|------|------|----|----|
| 7B-M001 | 防己 | 3.6 | 勝昌製藥 | | |
| 7B-M002 | 澤瀉 | 2.2 | 順天堂 | | |
| 7B-M003 | 葶藶 | 2.5 | 勝昌製藥 | | |
| 7B-M007 | 茵陳 | 2.8 | 順天堂 | | |
| 7B-M008 | 車前子 | 3.5 | 科達 | | |
| 7B-M009 | 地膚子 | 2.8 | 科達 | | |
| 7B-M012 | 木通 | 2.4 | 勝昌製藥 | | |
| 7B-M013 | 滑石(精粉) | 2 | 科達 | * | |
| 7B-M014 | 茯苓 | 2.3 | 勝昌製藥 | | |
| 7B-M015 | 豬苓 | 7.3 | 勝昌製藥 | | |
| 7B-M017 | 薏苡仁 | 2.3 | 勝昌製藥 | | |
| 7B-M019 | 穀精草 | 4.5 | 勝昌製藥 | | |
| 7B-M020 | 化石草 | 2.1 | 勝昌製藥 | | |
| 7B-N005 | 秦艽 | 3.8 | 勝昌製藥 | | |
| 7B-N006 | 威靈仙 | 3.9 | 科達 | | |
| 7B-N007 | 木瓜 | 1.9 | 勝昌製藥 | | |
| 7B-N008 | 桑寄生 | 1.9 | 勝昌製藥 | | |
| 7B-N010 | 五加皮 | 3.2 | 勝昌製藥 | | |
| 7B-P001 | 炮附子 | 3.1 | 順天堂 | | |
| 7B-P002 | 乾薑 | 2.6 | 勝昌製藥 | | |
| 7B-P003 | 高良薑 | 1.9 | 勝昌製藥 | | |
| 7B-P006 | 吳茱萸 | 7 | 勝昌製藥 | | |
| 7B-P007 | 肉桂(粉末) | 1.2 | 科達 | * | |
| 7B-R001 | 五味子 | 6.8 | 科達 | | |
| 7B-R003 | 肉豆蔻 | 4 | 勝昌製藥 | | |
| 7B-R004 | 山茱萸 | 2.4 | 順天堂 | | |
| 7B-R006 | 訶子 | 1.3 | 勝昌製藥 | | |
| 7B-R007 | 覆盆子 | 7.2 | 勝昌製藥 | | |
| 7B-R008 | 芡實 | 1.9 | 科達 | | |
| 7B-R009 | 烏梅 | 2.3 | 勝昌製藥 | | |
| 7B-R012 | 海螵蛸 | 3 | 勝昌製藥 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|----------|------|------|----|----|
| 7B-R013 | 桑螵蛸 | 8.5 | 港香蘭 | | |
| 7B-R601 | 海螵蛸散(粉末) | 0.9 | 重慶堂 | * | |
| 7B-S001 | 蒺藜 | 2.8 | 勝昌製藥 | | |
| 7B-S002 | 鈎藤 | 3.7 | 勝昌製藥 | | |
| 7B-S004 | 僵蠶 | 3.8 | 港香蘭 | | |
| 7B-S006 | 地龍 | 15.6 | 勝昌製藥 | | |
| 7B-S007 | 天麻 | 7.4 | 勝昌製藥 | | |
| 7B-T001 | 酸棗仁 | 29.4 | 莊松榮 | | |
| 7B-T002 | 柏子仁 | 3.1 | 順天堂 | | |
| 7B-T003 | 遠志 | 3.3 | 科達 | | |
| 7B-T004 | 合歡皮 | 2.5 | 科達 | | |
| 7B-T005 | 牡蠣 | 1.9 | 勝昌製藥 | | |
| 7B-T006 | 龍骨 | 2.6 | 科達 | | |
| 7B-T008 | 夜交藤 | 3 | 勝昌製藥 | | |
| 7B-T301 | 牡蠣散(散劑) | 2 | 科達 | * | |
| 7B-U001 | 蒼朮 | 4.5 | 科達 | | |
| 7B-U002 | 石菖蒲 | 5.1 | 勝昌製藥 | | |
| 7B-U003 | 砂仁 | 4.2 | 科達 | | |
| 7B-U004 | 廣藿香 | 1.7 | 勝昌製藥 | | |
| 7B-X001 | 皂角刺 | 3.7 | 勝昌製藥 | | |
| 7B-Y001 | 鬱金 | 3.1 | 科達 | | |
| 7B-Y002 | 烏藥 | 2.7 | 勝昌製藥 | | |
| 7B-Y003 | 葶藶子 | 1.5 | 勝昌製藥 | | |
| 7B-Y006 | 路路通 | 2.6 | 勝昌製藥 | | |
| 7B-Y007 | 鵝不食草 | 2.3 | 科達 | | |
| 7B-Y008 | 仙鶴草 | 2.1 | 勝昌製藥 | | |
| 7B-Y011 | 茯神 | 2.8 | 科達 | | |
| 7B-Y017 | 冬瓜子 | 2.4 | 科達 | | |
| 7B-Y019 | 玉米鬚 | 2 | 勝昌製藥 | | |
| 7B-Y021 | 蛇床子 | 2.5 | 科達 | | |
| 7B-Y040 | 豨薟草 | 2.5 | 勝昌製藥 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|----------|------|------|----|----|
| 7B-Y056 | 咸豐草 | 2.9 | 勝昌製藥 | | |
| 7B-Y073 | 膽南星散 | 5.7 | 無 | | |
| 7C-A101 | 麻黃湯 | 2.5 | 科達 | | |
| 7C-A102 | 桂枝湯 | 2.3 | 勝昌製藥 | | |
| 7C-A105 | 麻杏薏甘湯 | 2.4 | 勝昌製藥 | | |
| 7C-A106 | 葛根湯 | 2.3 | 順天堂 | | |
| 7C-A108 | 九味羌活湯 | 3.1 | 勝昌製藥 | | |
| 7C-A110 | 香蘇散 | 2.1 | 科達 | | |
| 7C-A111 | 小青龍湯 | 1.7 | 科達 | | |
| 7C-A112 | 川芎茶調散 | 2.9 | 順天堂 | | |
| 7C-A113 | 辛夷散 | 3.2 | 順天堂 | | |
| 7C-A201 | 麻杏甘石湯 | 2.4 | 勝昌 | | |
| 7C-A202 | 柴葛解肌湯 | 2.7 | 順天堂 | | |
| 7C-A203 | 桑菊飲 | 2.9 | 科達 | | |
| 7C-A204 | 銀翹散 | 3.4 | 勝昌製藥 | | |
| 7C-A303 | 人參敗毒散 | 3.5 | 勝昌製藥 | | |
| 7C-A304 | 荊防敗毒散 | 3 | 勝昌製藥 | | |
| 7C-A307 | 十神湯 | 2 | 順天堂 | | |
| 7C-B101 | 大柴胡湯 | 3.2 | 科達 | | |
| 7C-B104 | 防風通聖散(甲) | 2.5 | 科達 | | |
| 7C-B106 | 麻黃附子細辛湯 | 6.4 | 科達 | | |
| 7C-B107 | 沙參麥冬湯 | 2.4 | 勝昌製藥 | | |
| 7C-B201 | 葛根黃連黃芩湯 | 2.9 | 順天堂 | | |
| 7C-B204 | 清上防風湯 | 3.6 | 順天堂 | | |
| 7C-B301 | 五積散 | 2.5 | 勝昌製藥 | | |
| 7C-B302 | 柴胡桂枝湯 | 3.4 | 科達 | | |
| 7C-C101 | 大承氣湯 | 2.4 | 勝昌製藥 | | |
| 7C-C102 | 小承氣湯 | 2.5 | 勝昌製藥 | | |
| 7C-C103 | 調胃承氣湯 | 2.3 | 勝昌製藥 | | |
| 7C-C105 | 木香檳榔丸 | 2.9 | 莊松榮 | | |
| 7C-C301 | 麻子仁丸 | 2.4 | 科達 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|------------|------|------|----|----|
| 7C-D101 | 小柴胡湯(甲) | 4.2 | 勝昌製藥 | | |
| 7C-D102 | 小柴胡湯(乙) | 3.1 | 勝昌製藥 | | |
| 7C-D104 | 柴胡桂枝乾薑湯 | 1.7 | 港香蘭 | | |
| 7C-D201 | 四逆散 | 2.7 | 勝昌製藥 | | |
| 7C-D202 | 逍遙散 | 3 | 勝昌製藥 | | |
| 7C-D203 | 加味逍遙散 | 3.1 | 勝昌製藥 | | |
| 7C-D204 | 芍藥甘草湯 | 2.4 | 科達 | | |
| 7C-D206 | 柴胡疏肝散 | 2.7 | 勝昌製藥 | | |
| 7C-D301 | 半夏瀉心湯 | 4.2 | 科達 | | |
| 7C-E100 | 龜鹿二仙膠(濃縮粉) | 8.4 | 勝昌製藥 | | |
| 7C-E101 | 四君子湯 | 3 | 順天堂 | | |
| 7C-E102 | 香砂六君子湯 | 3.2 | 勝昌製藥 | | |
| 7C-E103 | 參苓白朮散 | 2.9 | 勝昌製藥 | | |
| 7C-E104 | 補中益氣湯 | 3.5 | 勝昌製藥 | | |
| 7C-E106 | 生脈散 | 4.6 | 科達 | | |
| 7C-E107 | 益氣聰明湯 | 5.2 | 勝昌製藥 | | |
| 7C-E108 | 六君子湯(甲) | 3.1 | 科達 | | |
| 7C-E201 | 四物湯 | 2.4 | 勝昌製藥 | | |
| 7C-E202 | 歸脾湯 | 3.6 | 勝昌製藥 | | |
| 7C-E203 | 十全大補湯 | 2.5 | 順天堂 | | |
| 7C-E204 | 人參養榮湯 | 3.1 | 勝昌製藥 | | |
| 7C-E205 | 人參湯 | 3.3 | 順天堂 | | |
| 7C-E206 | 聖愈湯 | 3.1 | 勝昌製藥 | | |
| 7C-E207 | 炙甘草湯 | 3.6 | 勝昌製藥 | | |
| 7C-E209 | 黃耆五物湯 | 3.3 | 科達 | | |
| 7C-E301 | 六味地黃丸 | 2.6 | 勝昌製藥 | | |
| 7C-E302 | 知柏地黃丸 | 1.5 | 勝昌製藥 | | |
| 7C-E303 | 杞菊地黃丸 | 3 | 順天堂 | | |
| 7C-E304 | 大補陰丸 | 3 | 港香蘭 | | |
| 7C-E305 | 秦艽鱉甲散 | 3.7 | 勝昌製藥 | | |
| 7C-E306 | 八味地黃丸 | 1.8 | 順天堂 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|------|------|----|----|
| 7C-E308 | 一貫煎 | 3.2 | 勝昌製藥 | | |
| 7C-E309 | 還少丹 | 3.2 | 勝昌 | | |
| 7C-E311 | 七寶美髯丹 | 3.4 | 科達 | | |
| 7C-E312 | 左歸丸 | 4.9 | 科達 | | |
| 7C-E401 | 濟生腎氣丸 | 2.3 | 勝昌製藥 | | |
| 7C-E402 | 右歸丸 | 4.1 | 勝昌製藥 | | |
| 7C-E502 | 養心湯 | 4.5 | 勝昌製藥 | | |
| 7C-E503 | 升陽益胃湯 | 4.5 | 勝昌製藥 | | |
| 7C-F014 | 白虎加人參湯 | 2.7 | 勝昌製藥 | | |
| 7C-F101 | 白虎湯 | 4.6 | 勝昌製藥 | | |
| 7C-F102 | 竹葉石膏湯 | 2.6 | 勝昌製藥 | | |
| 7C-F202 | 黃連解毒湯 | 4.5 | 勝昌製藥 | | |
| 7C-F203 | 荊芥連翹湯 | 2.8 | 勝昌製藥 | | |
| 7C-F204 | 三黃瀉心湯 | 3.3 | 順天堂 | | |
| 7C-F205 | 柴胡清肝湯 | 3 | 勝昌製藥 | | |
| 7C-F206 | 蒼耳散 | 2.4 | 科達 | | |
| 7C-F207 | 涼膈散(甲) | 1.7 | 勝昌製藥 | | |
| 7C-F210 | 溫清飲 | 3.2 | 科達 | | |
| 7C-F211 | 普濟消毒飲 | 4.2 | 勝昌製藥 | | |
| 7C-F212 | 清咽利膈湯 | 3 | 勝昌製藥 | | |
| 7C-F216 | 當歸六黃湯 | 4.1 | 科達 | | |
| 7C-F301 | 玉女煎 | 2.4 | 科達 | | |
| 7C-F302 | 清心蓮子飲 | 3.5 | 勝昌製藥 | | |
| 7C-F303 | 龍膽瀉肝湯 | 2.9 | 勝昌製藥 | | |
| 7C-F310 | 清胃散 | 3.1 | 勝昌 | | |
| 7C-F311 | 導赤散 | 2.4 | 勝昌製藥 | | |
| 7C-F312 | 瀉黃散 | 2.3 | 勝昌製藥 | | |
| 7C-F313 | 清瘟敗毒飲 | 5.6 | 科達 | | |
| 7C-G101 | 半夏厚朴湯 | 3.7 | 勝昌製藥 | | |
| 7C-G104 | 神秘湯 | 2.6 | 勝昌製藥 | | |
| 7C-G107 | 厚朴溫中湯 | 2.5 | 勝昌製藥 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|-------------|------|------|----|----|
| 7C-G201 | 旋覆花代赭石湯 | 3.1 | 莊松榮 | | |
| 7C-G202 | 定喘湯 | 2.8 | 勝昌製藥 | | |
| 7C-G204 | 蘇子降氣湯 | 2.9 | 勝昌製藥 | | |
| 7C-G205 | 橘皮竹茹湯 | 3.9 | 順天堂 | | |
| 7C-G206 | 補陽還五湯 | 3.5 | 科達 | | |
| 7C-G209 | 膈下逐瘀湯 | 3.1 | 科達 | | |
| 7C-H101 | 桃核承氣湯 | 1.8 | 順天堂 | | |
| 7C-H103 | 桂枝茯苓丸 | 3 | 科達 | | |
| 7C-H104 | 溫經湯 | 5.4 | 勝昌製藥 | | |
| 7C-H105 | 當歸芍藥散 | 2.6 | 順天堂 | | |
| 7C-H115 | 疏經活血湯 | 2.9 | 勝昌製藥 | | |
| 7C-H118 | 血府逐瘀湯 | 3.1 | 勝昌製藥 | | |
| 7C-H119 | 少腹逐瘀湯 | 3.3 | 勝昌製藥 | | |
| 7C-H120 | 復元活血湯 | 3.5 | 莊松榮 | | |
| 7C-H121 | 八味帶下方 | 3 | 勝昌製藥 | | |
| 7C-H122 | 身痛逐瘀湯 | 3.6 | 勝昌製藥 | | |
| 7C-H125 | 調經丸 | 3 | 勝昌製藥 | | |
| 7C-H126 | 芎歸膠艾湯 | 4.7 | 勝昌製藥 | | |
| 7C-H128 | 當歸飲子 | 2.7 | 勝昌製藥 | | |
| 7C-H129 | 正骨紫金丹 | 2.3 | 勝昌製藥 | | |
| 7C-H130 | 槐花散 | 2.1 | 科達 | | |
| 7C-H131 | 通竅活血湯 | 3.7 | 勝昌製藥 | | |
| 7C-H132 | 女科柏子仁丸 | 2.1 | 勝昌製藥 | | |
| 7C-H133 | 大黃蟪蟲丸 | 4.9 | 科達 | | |
| 7C-H135 | 行氣活血(複方丹參片) | 5.2 | 科達 | | |
| 7C-H136 | 過期飲 | 3.6 | 勝昌製藥 | | |
| 7C-H137 | 定經湯 | 2.5 | 順天堂 | | |
| 7C-J101 | 清燥救肺湯 | 3.9 | 勝昌製藥 | | |
| 7C-J103 | 杏蘇散 | 2.2 | 順天堂 | | |
| 7C-J104 | 杏蘇散(小兒) | 2.5 | 勝昌製藥 | | |
| 7C-J105 | 響聲破笛丸 | 2.5 | 科達 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|----------|------|------|----|----|
| 7C-J201 | 麥門冬湯 | 2.9 | 順天堂 | | |
| 7C-J207 | 百合固金湯 | 3 | 勝昌製藥 | | |
| 7C-J209 | 玉泉丸 | 2.7 | 勝昌製藥 | | |
| 7C-K101 | 二陳湯 | 2.8 | 順天堂 | | |
| 7C-K104 | 溫膽湯 | 2.2 | 勝昌製藥 | | |
| 7C-K201 | 金沸草散 | 2.7 | 勝昌製藥 | | |
| 7C-K203 | 清肺湯 | 3.7 | 科達 | | |
| 7C-K205 | 養陰清肺湯 | 3.3 | 勝昌製藥 | | |
| 7C-K206 | 柴陷湯 | 4.5 | 勝昌製藥 | | |
| 7C-K207 | 辛夷清肺湯 | 1.2 | 勝昌製藥 | | |
| 7C-K402 | 苓桂朮甘湯 | 2.5 | 科達 | | |
| 7C-K403 | 苓甘薑味辛夏仁湯 | 4.5 | 勝昌製藥 | | |
| 7C-K501 | 半夏白朮天麻湯 | 3.8 | 勝昌製藥 | | |
| 7C-K502 | 止嗽散 | 2.4 | 科達 | | |
| 7C-K503 | 射干麻黃湯 | 3 | 勝昌製藥 | | |
| 7C-K505 | 寧嗽丸 | 3.7 | 勝昌製藥 | | |
| 7C-L104 | 平胃散 | 2.7 | 順天堂 | | |
| 7C-L107 | 保和丸 | 2.8 | 勝昌製藥 | | |
| 7C-L108 | 安中散 | 2.5 | 勝昌製藥 | | |
| 7C-L109 | 七味白朮散 | 2.7 | 勝昌製藥 | | |
| 7C-L203 | 藿香正氣散 | 2.4 | 順天堂 | | |
| 7C-M101 | 薏苡仁湯 | 2.3 | 勝昌製藥 | | |
| 7C-M103 | 六和湯 | 3.2 | 勝昌製藥 | | |
| 7C-M201 | 五淋散 | 2.8 | 科達 | | |
| 7C-M203 | 八正散 | 2.8 | 勝昌製藥 | | |
| 7C-M204 | 當歸拈痛湯 | 3.2 | 勝昌製藥 | | |
| 7C-M207 | 甘露飲 | 2.4 | 勝昌製藥 | | |
| 7C-M208 | 甘露消毒丹 | 3.6 | 科達 | | |
| 7C-M209 | 二朮湯 | 4.1 | 莊松榮 | | |
| 7C-M301 | 五苓散 | 3 | 科達 | | |
| 7C-M303 | 茵陳五苓散 | 2.6 | 科達 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|-----------------|------|------|----|----|
| 7C-M304 | 豬苓湯 | 6.3 | 勝昌製藥 | | |
| 7C-M306 | 防己黃耆湯 | 3 | 科達 | | |
| 7C-M403 | 腎著湯 | 2.5 | 勝昌製藥 | | |
| 7C-M409 | 三仁湯 | 4.2 | 科達 | | |
| 7C-M501 | 蠲痺湯 | 3.9 | 勝昌 | | |
| 7C-M502 | 羌活勝濕湯 | 3.6 | 科達 | | |
| 7C-M504 | 越婢加朮湯 | 2.4 | 勝昌製藥 | | |
| 7C-N003 | 獨活寄生湯 | 3.4 | 勝昌製藥 | | |
| 7C-N004 | 消風散 | 3.4 | 勝昌製藥 | | |
| 7C-N007 | 桂枝芍藥知母湯(桂芍知母湯) | 2.9 | 勝昌製藥 | | |
| 7C-N008 | 鉤藤散 | 3.1 | 科達 | | |
| 7C-N009 | 通用痛風丸(上中下通用痛風丸) | 2.8 | 勝昌製藥 | | |
| 7C-N010 | 天麻鉤藤散 | 3.7 | 科達 | | |
| 7C-N011 | 清空膏 | 3.3 | 勝昌製藥 | | |
| 7C-N012 | 清上蠲痛湯 | 3.2 | 勝昌製藥 | | |
| 7C-P004 | 小建中湯 | 2.3 | 科達 | | |
| 7C-P005 | 黃耆建中湯 | 2.4 | 勝昌製藥 | | |
| 7C-P007 | 吳茱萸湯 | 4.7 | 勝昌製藥 | | |
| 7C-P008 | 四逆湯 | 2.6 | 順天堂 | | |
| 7C-P012 | 真武湯 | 2.1 | 順天堂 | | |
| 7C-P014 | 當歸四逆湯 | 2.7 | 順天堂 | | |
| 7C-P016 | 小活絡丹 | 7.1 | 勝昌製藥 | | |
| 7C-Q005 | 胃苓湯 | 2.4 | 勝昌製藥 | | |
| 7C-Q006 | 清暑益氣湯 | 3.5 | 勝昌製藥 | | |
| 7C-R005 | 金鎖固精丸 | 2.9 | 勝昌製藥 | | |
| 7C-R006 | 桑螵蛸散 | 6.3 | 勝昌製藥 | | |
| 7C-R007 | 玉屏風散 | 3.4 | 勝昌製藥 | | |
| 7C-R009 | 完帶湯 | 2.9 | 勝昌製藥 | | |
| 7C-R010 | 桂枝龍骨牡蠣湯 | 2.3 | 勝昌 | | |
| 7C-S001 | 真人活命飲 | 3.2 | 勝昌製藥 | | |
| 7C-S002 | 托裏消毒飲 | 3.7 | 勝昌製藥 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|------------------|------|-------|----|----|
| 7C-S003 | 散腫潰堅湯 | 2.9 | 科達 | | |
| 7C-S006 | 大黃牡丹皮湯 | 2.4 | 勝昌製藥 | | |
| 7C-S009 | 乙字湯 | 2.4 | 順天堂 | | |
| 7C-S010 | 十味敗毒散 | 2.8 | 科達 | | |
| 7C-S011 | 十六味流氣飲 | 3.4 | 勝昌製藥 | | |
| 7C-T001 | 柴胡加龍骨牡蠣湯 | 3.4 | 勝昌製藥 | | |
| 7C-T005 | 抑肝散 | 3 | 科達 | | |
| 7C-T006 | 酸棗仁湯 | 16.1 | 莊松榮 | | |
| 7C-T007 | 甘麥大棗湯 | 1.9 | 勝昌製藥 | | |
| 7C-T008 | 天王補心丹 | 3.6 | 勝昌製藥 | | |
| 7C-U001 | 洗肝明目湯 | 3.2 | 科達 | | |
| 7C-U007 | 滋腎明目湯 | 3.4 | 科達 | | |
| 7C-W101 | 烏梅丸 | 5.5 | 科達 | | |
| 7D-E300 | 六味地黃丸(丸劑) | 0.9 | 生春堂 | * | |
| 7D-E400 | 養血狀筋健步丸(丸劑) | 1.9 | 生春堂 | * | |
| 7D-F100 | 牛黃清心丸(丸劑) | 128 | 勸奉堂 | * | |
| 7D-F200 | 木通犀角散(200粒/PC) | 850 | 衛格爾醫藥 | * | |
| 7E-E100 | 龜鹿二仙膠濃縮丸(濃縮丸劑) | 3.5 | 科達 | | |
| 7E-E101 | 精氣神源丸(龜鹿二仙膠濃縮丸劑) | 4.8 | 莊松榮 | | |
| 7E-E200 | 五子衍宗丸(丸劑) | 1.8 | 莊松榮 | * | |
| 7E-E302 | 知柏地黃丸500MG(濃縮丸劑) | 2 | 莊松榮 | | |
| 7E-E303 | 杞菊地黃丸(濃縮丸) | 2.4 | 莊松榮 | | |
| 7E-E309 | 還少丹(濃縮丸劑) | 2.7 | 莊松榮 | | |
| 7E-E312 | 左歸丸(濃縮丸劑) | 3.2 | 莊松榮 | | |
| 7E-E601 | 養肝丸(濃縮丸劑) 500MG | 3 | 莊松榮 | | |
| 7E-F202 | 黃連解毒湯300MG(濃縮丸劑) | 1.6 | 莊松榮 | | |
| 7E-F303 | 龍膽瀉肝湯500MG(濃縮丸劑) | 2.1 | 莊松榮 | | |
| 7G-A017 | 紫蘇葉(飲片打碎) | 4 | 康麗 | * | |
| 7G-E016 | 何首烏(飲片打碎) | 3 | 重慶堂 | * | |
| 7G-F012 | 蘆根(飲片打碎) | 3 | 康麗 | * | |
| 7G-F021 | 荷葉(飲片打碎) | 2 | 重慶堂 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|-----------|------|-----|----|----|
| 7G-F030 | 決明子(飲片打碎) | 1 | 重慶堂 | * | |
| 7G-G008 | 陳皮(飲片打碎) | 2 | 重慶堂 | * | |
| 7G-H041 | 銀杏葉(飲片打碎) | 2 | 重慶堂 | * | |
| 7G-L006 | 山楂(飲片打碎) | 3 | 重慶堂 | * | |
| 7G-M002 | 澤瀉(飲片打碎) | 4 | 重慶堂 | * | |
| 7G-Y018 | 玉米鬚(飲片打碎) | 2 | 重慶堂 | * | |
| 7G-Y031 | 甜菊葉(飲片打碎) | 15 | 科達 | * | |
| 7G-Z100 | 玫瑰花(飲片打碎) | 7 | 重慶堂 | * | |
| 7H-A001 | 白芷(飲片) | 4 | 科達 | * | |
| 7H-A002 | 柴胡(飲片) | 10 | 科達 | * | |
| 7H-A003 | 防風(飲片) | 5 | 科達 | * | |
| 7H-A004 | 葛根(飲片) | 2 | 重慶堂 | * | |
| 7H-A005 | 蒿本(飲片) | 4 | 重慶堂 | * | |
| 7H-A006 | 羌活(飲片) | 13.5 | 科達 | * | |
| 7H-A007 | 升麻(飲片) | 8 | 康麗 | * | |
| 7H-A009 | 荊芥(飲片) | 6 | 科達 | * | |
| 7H-A010 | 麻黃(飲片) | 6 | 科達 | * | |
| 7H-A011 | 細辛(飲片) | 15 | 重慶堂 | * | |
| 7H-A012 | 薄荷(飲片) | 5 | 科達 | * | |
| 7H-A013 | 牛蒡子(飲片) | 3 | 重慶堂 | * | |
| 7H-A014 | 蒼耳子(飲片) | 2 | 重慶堂 | * | |
| 7H-A015 | 蔓荊子(飲片) | 8 | 重慶堂 | * | |
| 7H-A016 | 桑葉(飲片) | 2 | 康麗 | * | |
| 7H-A017 | 紫蘇葉(飲片) | 5 | 重慶堂 | * | |
| 7H-A019 | 菊花(白)(飲片) | 9 | 重慶堂 | * | |
| 7H-A020 | 辛夷(飲片) | 8 | 科達 | * | |
| 7H-A021 | 桂枝(飲片) | 1 | 重慶堂 | * | |
| 7H-A022 | 蟬蛻(飲片) | 48.5 | 康麗 | * | |
| 7H-A023 | 炙麻黃(飲片) | 5 | 重慶堂 | * | |
| 7H-A027 | 生薑(飲片) | 1 | 農會 | * | |
| 7H-A028 | 香薷(飲片) | 2 | 康麗 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|-------|-----|----|----|
| 7H-A029 | 艾絨(飲片) | 23.5 | 重慶堂 | * | |
| 7H-C001 | 生大黃(飲片) | 4 | 科達 | * | |
| 7H-C004 | 芒硝(飲片) | 2 | 重慶堂 | * | |
| 7H-C005 | 酒大黃(飲片) | 6 | 重慶堂 | * | |
| 7H-C007 | 火麻仁(飲片) | 2 | 重慶堂 | * | |
| 7H-E001 | 人蔘(高麗) | 130.5 | 重慶堂 | * | |
| 7H-E002 | 西洋參(飲片) | 34.5 | 重慶堂 | * | |
| 7H-E003 | 太子蔘(飲片) | 6 | 重慶堂 | * | |
| 7H-E004 | 黨參(飲片) | 13.5 | 科達 | * | |
| 7H-E005 | 沙蔘(飲片) | 4 | 科達 | * | |
| 7H-E006 | 黃耆(飲片) | 4 | 重慶堂 | * | |
| 7H-E007 | 山藥(飲片) | 6 | 順天堂 | * | |
| 7H-E008 | 當歸(飲片) | 12 | 重慶堂 | * | |
| 7H-E009 | 白朮(飲片) | 4 | 科達 | * | |
| 7H-E010 | 熟地黃(飲片) | 5 | 重慶堂 | * | |
| 7H-E011 | 懷牛膝(飲片) | 5 | 科達 | * | |
| 7H-E012 | 巴戟天(飲片) | 6 | 重慶堂 | * | |
| 7H-E013 | 白芍(飲片) | 7 | 科達 | * | |
| 7H-E014 | 甘草(飲片) | 5 | 重慶堂 | * | |
| 7H-E015 | 天門冬(飲片) | 6 | 重慶堂 | * | |
| 7H-E016 | 何首烏(飲片) | 4 | 重慶堂 | * | |
| 7H-E017 | 骨碎補(飲片) | 6 | 科達 | * | |
| 7H-E018 | 黃精(飲片) | 5 | 康麗 | * | |
| 7H-E019 | 麥門冬(飲片) | 5 | 重慶堂 | * | |
| 7H-E020 | 肉蓯蓉(飲片) | 13 | 重慶堂 | * | |
| 7H-E021 | 狗脊(飲片) | 10.5 | 康麗 | * | |
| 7H-E022 | 玉竹(飲片) | 6 | 康麗 | * | |
| 7H-E023 | 續斷(飲片) | 4 | 重慶堂 | * | |
| 7H-E025 | 淫羊藿(飲片) | 13.5 | 科達 | * | |
| 7H-E026 | 紅棗(飲片) | 4 | 科達 | * | |
| 7H-E027 | 枸杞(飲片) | 4 | 重慶堂 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------------|------|-----|----|----|
| 7H-E028 | 益智仁(飲片) | 3 | 康麗 | * | |
| 7H-E029 | 菟絲子(飲片) | 3 | 重慶堂 | * | |
| 7H-E030 | 女貞子(飲片) | 2 | 康麗 | * | |
| 7H-E031 | 補骨脂(飲片) | 3 | 科達 | * | |
| 7H-E033 | 扁豆(炒)(飲片) | 2 | 重慶堂 | * | |
| 7H-E034 | 蛇床子(飲片) | 2 | 康麗 | * | |
| 7H-E035 | 鹿茸(飲片) | 84 | 康麗 | * | |
| 7H-E038 | 阿膠(飲片) | 80 | 科達 | * | |
| 7H-E039 | 龜板(飲片) | 9.5 | 康麗 | * | |
| 7H-E040 | 鱉甲(飲片) | 4 | 康麗 | * | |
| 7H-E042 | 石斛(飲片) | 13 | 科達 | * | |
| 7H-E043 | 杜仲(生) | 3 | 重慶堂 | * | |
| 7H-E045 | 吉林參(飲片) | 28 | 重慶堂 | * | |
| 7H-E046 | 吉林參鬚(飲片) | 14 | 重慶堂 | * | |
| 7H-E047 | 鹿角膠(飲片) | 51.5 | 重慶堂 | * | |
| 7H-E048 | 黑棗(飲片) | 2 | 科達 | * | |
| 7H-E050 | 炙黃耆(飲片) | 7 | 科達 | * | |
| 7H-E051 | 炙甘草(飲片) | 6 | 科達 | * | |
| 7H-E052 | 百合(蘇)(飲片) | 5 | 科達 | * | |
| 7H-E053 | 炒白朮(飲片) | 4 | 科達 | * | |
| 7H-E054 | 炒杜仲(飲片) | 3 | 康麗 | * | |
| 7H-E055 | 炒白芍(飲片) | 7 | 科達 | * | |
| 7H-E056 | 甘草梢(飲片) | 2 | 康麗 | * | |
| 7H-E059 | 桂圓(飲片) | 7 | 康麗 | * | |
| 7H-E061 | 靈芝(飲片) | 7 | 康麗 | * | |
| 7H-E065 | 葫蘆巴(飲片) | 2 | 康麗 | * | |
| 7H-E100 | 龜鹿二仙膠(上品)(飲片) | 52 | 華昌 | * | |
| 7H-F001 | 黃連(飲片) | 25 | 重慶堂 | * | |
| 7H-F002 | 黃芩(飲片) | 5 | 科達 | * | |
| 7H-F003 | 土茯苓(飲片) | 3 | 康麗 | * | |
| 7H-F004 | 生地黃(飲片) | 6 | 順天堂 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|-----------|------|-----|----|----|
| 7H-F006 | 板藍根(飲片) | 3 | 康麗 | * | |
| 7H-F007 | 知母(飲片) | 3 | 重慶堂 | * | |
| 7H-F008 | 玄參(飲片) | 3 | 康麗 | * | |
| 7H-F011 | 苦參根(飲片) | 3 | 重慶堂 | * | |
| 7H-F012 | 蘆根(飲片) | 3 | 康麗 | * | |
| 7H-F013 | 漏蘆(飲片) | 5 | 重慶堂 | * | |
| 7H-F014 | 白頭翁(飲片) | 5 | 重慶堂 | * | |
| 7H-F015 | 天花粉(飲片) | 4 | 重慶堂 | * | |
| 7H-F016 | 赤芍(飲片) | 8 | 科達 | * | |
| 7H-F017 | 紫草(飲片) | 20.5 | 重慶堂 | * | |
| 7H-F020 | 射干(飲片) | 7 | 康麗 | * | |
| 7H-F021 | 荷葉(飲片) | 2 | 重慶堂 | * | |
| 7H-F022 | 大青葉(飲片) | 3 | 重慶堂 | * | |
| 7H-F023 | 淡竹葉(飲片) | 2 | 康麗 | * | |
| 7H-F024 | 金銀花(飲片) | 8 | 重慶堂 | * | |
| 7H-F026 | 連翹(飲片) | 8.5 | 科達 | * | |
| 7H-F027 | 焦梔子(飲片) | 4 | 重慶堂 | * | |
| 7H-F030 | 決明子(飲片) | 1 | 康麗 | * | |
| 7H-F033 | 青黛(飲片) | 5 | 重慶堂 | * | |
| 7H-F034 | 青蒿(飲片) | 2 | 重慶堂 | * | |
| 7H-F035 | 地丁(飲片) | 2 | 康麗 | * | |
| 7H-F036 | 蒲公英(飲片) | 4 | 科達 | * | |
| 7H-F037 | 魚腥草(飲片) | 2 | 科達 | * | |
| 7H-F038 | 半枝蓮(飲片) | 4 | 科達 | * | |
| 7H-F039 | 白花蛇舌草(飲片) | 4 | 康麗 | * | |
| 7H-F040 | 夏枯草(飲片) | 5 | 科達 | * | |
| 7H-F042 | 忍冬藤(飲片) | 2 | 康麗 | * | |
| 7H-F043 | 黃柏(飲片) | 7 | 科達 | * | |
| 7H-F044 | 牡丹皮(飲片) | 3 | 重慶堂 | * | |
| 7H-F045 | 地骨皮(飲片) | 7 | 重慶堂 | * | |
| 7H-F046 | 白鮮皮(飲片) | 10.5 | 科達 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------|------|-----|----|----|
| 7H-F049 | 石膏(飲片) | 3 | 科達 | * | |
| 7H-F050 | 山梔子(飲片) | 5 | 重慶堂 | * | |
| 7H-F062 | 馬齒莧 | 2 | 康麗 | * | |
| 7H-F065 | 金線蓮(飲片) | 38 | 重慶堂 | * | |
| 7H-G001 | 木香(飲片) | 4 | 康麗 | * | |
| 7H-G002 | 香附(飲片) | 4 | 科達 | * | |
| 7H-G004 | 佛手(飲片) | 4 | 重慶堂 | * | |
| 7H-G006 | 枳殼(飲片) | 2 | 康麗 | * | |
| 7H-G007 | 枳實(飲片) | 3 | 重慶堂 | * | |
| 7H-G008 | 陳皮(飲片) | 2 | 重慶堂 | * | |
| 7H-G009 | 川棟子(飲片) | 2 | 康麗 | * | |
| 7H-G010 | 青皮(飲片) | 2 | 康麗 | * | |
| 7H-G011 | 大腹皮(飲片) | 3 | 康麗 | * | |
| 7H-G012 | 厚朴(飲片) | 4 | 科達 | * | |
| 7H-H001 | 川芎(飲片) | 4 | 科達 | * | |
| 7H-H002 | 川牛膝(飲片) | 4 | 重慶堂 | * | |
| 7H-H003 | 三七(飲片) | 12 | 康麗 | * | |
| 7H-H004 | 延胡索(飲片) | 9 | 重慶堂 | * | |
| 7H-H005 | 荊三稜(飲片) | 3 | 科達 | * | |
| 7H-H006 | 莪朮(飲片) | 3 | 康麗 | * | |
| 7H-H007 | 薑黃(飲片) | 3 | 康麗 | * | |
| 7H-H008 | 白及(飲片) | 12.5 | 康麗 | * | |
| 7H-H009 | 虎杖(飲片) | 2 | 康麗 | * | |
| 7H-H010 | 茜草(飲片) | 6 | 重慶堂 | * | |
| 7H-H012 | 白茅根(飲片) | 3 | 康麗 | * | |
| 7H-H013 | 藕節(飲片) | 3 | 康麗 | * | |
| 7H-H014 | 艾葉(飲片) | 2 | 重慶堂 | * | |
| 7H-H016 | 紅花(飲片) | 9 | 科達 | * | |
| 7H-H017 | 槐花(飲片) | 3 | 重慶堂 | * | |
| 7H-H018 | 蒲黃(飲片) | 4 | 重慶堂 | * | |
| 7H-H019 | 桃仁(飲片) | 8 | 康麗 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|-----------|-------|-----|----|----|
| 7H-H020 | 王不留行(飲片) | 2 | 重慶堂 | * | |
| 7H-H021 | 益母草(飲片) | 2 | 康麗 | * | |
| 7H-H022 | 澤蘭(飲片) | 4 | 康麗 | * | |
| 7H-H024 | 仙鶴草(飲片) | 2 | 科達 | * | |
| 7H-H027 | 雞血藤(飲片) | 3 | 科達 | * | |
| 7H-H029 | 地鱉虫(飲片) | 5 | 重慶堂 | * | |
| 7H-H030 | 五靈脂(飲片) | 5 | 重慶堂 | * | |
| 7H-H032 | 乳香(飲片) | 3 | 重慶堂 | * | |
| 7H-H033 | 沒藥(飲片) | 4 | 重慶堂 | * | |
| 7H-H034 | 丹參(紫)(飲片) | 5 | 科達 | * | |
| 7H-H037 | 地榆炭 | 3 | 重慶堂 | * | |
| 7H-H038 | 藏紅花 | 215.5 | 重慶堂 | * | |
| 7H-H041 | 銀杏葉(飲片) | 2 | 重慶堂 | * | |
| 7H-K001 | 桔梗(飲片) | 3 | 科達 | * | |
| 7H-K002 | 平貝母(飲片) | 8 | 重慶堂 | * | |
| 7H-K003 | 浙貝母(飲片) | 6 | 重慶堂 | * | |
| 7H-K004 | 薑半夏(飲片) | 8 | 重慶堂 | * | |
| 7H-K005 | 天南星(飲片) | 5 | 重慶堂 | * | |
| 7H-K007 | 百部(飲片) | 4 | 康麗 | * | |
| 7H-K008 | 前胡(飲片) | 6 | 康麗 | * | |
| 7H-K011 | 枇杷葉(飲片) | 4 | 重慶堂 | * | |
| 7H-K012 | 旋覆花(飲片) | 2 | 重慶堂 | * | |
| 7H-K013 | 橘紅(飲片) | 4 | 重慶堂 | * | |
| 7H-K014 | 栝蒌仁(飲片) | 3 | 康麗 | * | |
| 7H-K016 | 栝蒌實(飲片) | 3 | 康麗 | * | |
| 7H-K017 | 苦杏仁(飲片) | 6 | 重慶堂 | * | |
| 7H-K018 | 紫蘇子(飲片) | 3 | 康麗 | * | |
| 7H-K019 | 白果(飲片) | 3 | 重慶堂 | * | |
| 7H-K020 | 白芥子(飲片) | 2 | 康麗 | * | |
| 7H-K021 | 胖大海(飲片) | 5 | 重慶堂 | * | |
| 7H-K022 | 紫菀(飲片) | 9 | 康麗 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|----------|------|-----|----|----|
| 7H-K023 | 竹茹 (飲片) | 2 | 康麗 | * | |
| 7H-K024 | 桑白皮 (飲片) | 5 | 重慶堂 | * | |
| 7H-K028 | 海藻 (飲片) | 3 | 康麗 | * | |
| 7H-K029 | 款冬花 (飲片) | 17 | 重慶堂 | * | |
| 7H-K031 | 法半夏 (飲片) | 10.5 | 康麗 | * | |
| 7H-K034 | 羅漢果(飲片) | 5 | 康麗 | * | |
| 7H-L001 | 萊菔子 (飲片) | 2 | 重慶堂 | * | |
| 7H-L002 | 穀芽 (飲片) | 1 | 康麗 | * | |
| 7H-L003 | 麥芽 (飲片) | 2 | 康麗 | * | |
| 7H-L004 | 雞內金 (飲片) | 6 | 康麗 | * | |
| 7H-L005 | 神麴 (飲片) | 15 | 重慶堂 | * | |
| 7H-L006 | 山楂 (飲片) | 2 | 重慶堂 | * | |
| 7H-L053 | 炒麥芽 (飲片) | 2 | 康麗 | * | |
| 7H-M001 | 防己 (飲片) | 11 | 康麗 | * | |
| 7H-M002 | 澤瀉 (飲片) | 3 | 康麗 | * | |
| 7H-M003 | 萆解 (飲片) | 2 | 康麗 | * | |
| 7H-M004 | 金錢草 (飲片) | 2 | 康麗 | * | |
| 7H-M005 | 瞿麥 (飲片) | 3 | 康麗 | * | |
| 7H-M007 | 綿茵陳 | 4 | 科達 | * | |
| 7H-M008 | 車前子 (飲片) | 4 | 科達 | * | |
| 7H-M009 | 地膚子 (飲片) | 3 | 科達 | * | |
| 7H-M011 | 燈心草 (飲片) | 12 | 康麗 | * | |
| 7H-M012 | 木通 (飲片) | 2 | 科達 | * | |
| 7H-M013 | 茯苓 (飲片) | 5 | 科達 | * | |
| 7H-M014 | 豬苓 (飲片) | 9 | 科達 | * | |
| 7H-M015 | 海金沙 (飲片) | 13 | 重慶堂 | * | |
| 7H-M016 | 薏苡仁 (飲片) | 2 | 重慶堂 | * | |
| 7H-M017 | 滑石 | 1 | 康麗 | * | |
| 7H-N001 | 製川烏 (飲片) | 7 | 重慶堂 | * | |
| 7H-N002 | 製草烏 (飲片) | 6 | 重慶堂 | * | |
| 7H-N003 | 獨活 (飲片) | 4 | 重慶堂 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|-----------|------|-----|----|----|
| 7H-N004 | 秦艽(飲片) | 4 | 康麗 | * | |
| 7H-N005 | 威靈仙(飲片) | 7 | 康麗 | * | |
| 7H-N006 | 木瓜(飲片) | 4 | 科達 | * | |
| 7H-N007 | 桑寄生(飲片) | 3 | 重慶堂 | * | |
| 7H-N008 | 桑枝(飲片) | 2 | 重慶堂 | * | |
| 7H-N009 | 絡石藤(飲片) | 2 | 重慶堂 | * | |
| 7H-N010 | 青風藤(飲片) | 3 | 重慶堂 | * | |
| 7H-N011 | 五加皮(飲片) | 4 | 重慶堂 | * | |
| 7H-N012 | 鐵線透骨草(飲片) | 3 | 康麗 | * | |
| 7H-N015 | 蜈蚣(飲片) | 50.5 | 康麗 | * | |
| 7H-N020 | 伸筋草(飲片) | 2 | 康麗 | * | |
| 7H-N033 | 冇骨消(飲片) | 4 | 重慶堂 | * | |
| 7H-P001 | 附子(炮)(飲片) | 9 | 科達 | * | |
| 7H-P002 | 乾薑(飲片) | 3 | 科達 | * | |
| 7H-P003 | 丁香(飲片) | 5 | 康麗 | * | |
| 7H-P004 | 小茴香(飲片) | 2 | 重慶堂 | * | |
| 7H-P005 | 吳茱萸(飲片) | 3 | 重慶堂 | * | |
| 7H-P007 | 肉桂(飲片) | 7 | 康麗 | * | |
| 7H-P009 | 炮薑(飲片) | 6 | 康麗 | * | |
| 7H-P010 | 花椒(飲片) | 5 | 重慶堂 | * | |
| 7H-R001 | 五味子(飲片) | 8 | 康麗 | * | |
| 7H-R002 | 肉豆蔻(飲片) | 5 | 康麗 | * | |
| 7H-R003 | 山茱萸(飲片) | 4 | 重慶堂 | * | |
| 7H-R004 | 浮小麥(飲片) | 2 | 康麗 | * | |
| 7H-R005 | 訶子(飲片) | 2 | 康麗 | * | |
| 7H-R006 | 覆盆子(飲片) | 9 | 科達 | * | |
| 7H-R007 | 芡實(飲片) | 5 | 康麗 | * | |
| 7H-R008 | 烏梅(飲片) | 3 | 重慶堂 | * | |
| 7H-R009 | 蓮子(飲片) | 3 | 康麗 | * | |
| 7H-R010 | 蓮子心(飲片) | 5 | 康麗 | * | |
| 7H-R013 | 海螵蛸(飲片) | 10.5 | 康麗 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|-----------|------|-----|----|----|
| 7H-R014 | 桑螵蛸 (飲片) | 21 | 重慶堂 | * | |
| 7H-R016 | 牡蠣 (飲片) | 2 | 康麗 | * | |
| 7H-S001 | 天麻 (飲片) | 9 | 康麗 | * | |
| 7H-S002 | 蒺藜 (飲片) | 3 | 重慶堂 | * | |
| 7H-S003 | 鉤藤 (飲片) | 7 | 康麗 | * | |
| 7H-S005 | 全蝎 (飲片) | 61.5 | 康麗 | * | |
| 7H-S006 | 石決明 (飲片) | 2 | 重慶堂 | * | |
| 7H-S007 | 地龍 (飲片) | 10.5 | 重慶堂 | * | |
| 7H-S008 | 珍珠母 (飲片) | 2 | 重慶堂 | * | |
| 7H-T001 | 炒酸棗仁 (飲片) | 42 | 重慶堂 | * | |
| 7H-T002 | 遠志 (飲片) | 12 | 康麗 | * | |
| 7H-T003 | 合歡皮 (飲片) | 2 | 康麗 | * | |
| 7H-T004 | 龍骨 (飲片) | 12 | 重慶堂 | * | |
| 7H-T006 | 柏子仁 (飲片) | 9 | 重慶堂 | * | |
| 7H-T009 | 紫石英(飲片) | 2 | 康麗 | * | |
| 7H-U001 | 蒼朮 (飲片) | 10 | 重慶堂 | * | |
| 7H-U002 | 石菖蒲 (飲片) | 6 | 重慶堂 | * | |
| 7H-U003 | 砂仁 (飲片) | 6 | 重慶堂 | * | |
| 7H-U004 | 草果 (飲片) | 3 | 重慶堂 | * | |
| 7H-U005 | 藿香 (飲片) | 2 | 康麗 | * | |
| 7H-U007 | 白豆蔻 (飲片) | 4 | 重慶堂 | * | |
| 7H-V002 | 冰片 (飲片) | 9 | 康麗 | * | |
| 7H-W002 | 檳榔 (飲片) | 2 | 重慶堂 | * | |
| 7H-X001 | 皂角刺 (飲片) | 4 | 重慶堂 | * | |
| 7H-Y002 | 鬱金 (飲片) | 5 | 康麗 | * | |
| 7H-Y003 | 墨旱蓮 (飲片) | 3 | 康麗 | * | |
| 7H-Y004 | 海蛤粉 (飲片) | 2 | 康麗 | * | |
| 7H-Y005 | 夜交藤 (飲片) | 2 | 重慶堂 | * | |
| 7H-Y008 | 茯神 (飲片) | 3 | 重慶堂 | * | |
| 7H-Y009 | 殭蠶 (飲片) | 9 | 重慶堂 | * | |
| 7H-Y010 | 烏藥 (飲片) | 2 | 重慶堂 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--------------|------|--------|----|----|
| 7H-Y012 | 葶蘆子(飲片) | 3 | 康麗 | * | |
| 7H-Y013 | 韭白(飲片) | 3 | 重慶堂 | * | |
| 7H-Y015 | 茯苓皮(飲片) | 1 | 康麗 | * | |
| 7H-Y016 | 黑大豆(飲片) | 1 | 康麗 | * | |
| 7H-Y018 | 玉米鬚(飲片) | 2 | 重慶堂 | * | |
| 7H-Y021 | 玄明粉(飲片) | 2 | 康麗 | * | |
| 7H-Y023 | 黃臘(飲片) | 6 | 重慶堂 | * | |
| 7H-Y025 | 敗醬草(飲片) | 2 | 康麗 | * | |
| 7H-Y030 | 冬瓜子(飲片) | 3 | 康麗 | * | |
| 7H-Y032 | 龍膽草(飲片) | 8 | 康麗 | * | |
| 7H-Y033 | 路路通(飲片) | 2 | 重慶堂 | * | |
| 7H-Y034 | 積雪草(飲片) | 3 | 康麗 | * | |
| 7H-Y038 | 沙苑蒺藜(飲片) | 21 | 重慶堂 | * | |
| 7H-Y040 | 膽南星(飲片) | 21 | 重慶堂 | * | |
| 7H-Y044 | 故紙花(飲片) | 3 | 康麗 | * | |
| 7H-Y046 | 老梅片(飲片) | 45 | 重慶堂 | * | |
| 7H-Y047 | 血竭(飲片) | 13 | 重慶堂 | * | |
| 7H-Y049 | 狗尾草(飲片) | 3 | 重慶堂 | * | |
| 7H-Y051 | 細本山葡萄(飲片) | 2 | 康麗 | * | |
| 7H-Y053 | 九層塔頭(飲片) | 3 | 康麗 | * | |
| 7H-Y054 | 當歸尾(飲片) | 9 | 科達 | * | |
| 7H-Y056 | 薄荷腦(飲片) | 10.5 | 康麗 | * | |
| 7H-Y059 | 茶葉(紅茶.阿薩姆品種) | 52.5 | 重慶堂 | * | |
| 7H-Z100 | 玫瑰花(紅色含苞) | 7 | 重慶堂 | * | |
| 7K-P008 | 東方植萃乳霜 40ML | 266 | 台塑生醫 | * | |
| 7K-P100 | 靈定優軟膏 40G | 180 | 豐生製藥 | * | |
| 7K-P200 | 長庚益健飲 60ML/包 | 120 | 長庚醫學科技 | * | |
| 7K-W002 | 益氣飲 10包/袋/PC | 120 | 長庚醫學科技 | * | |
| 7K-W003 | 益氣飲 30包/盒/PC | 450 | 長庚醫學科技 | * | |
| 7P-A001 | 白芷(粉末) | 0.9 | 勝昌製藥 | * | |
| 7P-A010 | 麻黃(粉末) | 1.6 | 康麗 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|----------------------|------|------|----|----|
| 7P-A011 | 細辛(粉末) | 2.1 | 重慶堂 | * | |
| 7P-A021 | 桂枝(粉末) | 0.9 | 勝昌製藥 | * | |
| 7P-C001 | 大黃(粉末) | 0.8 | 勝昌製藥 | * | |
| 7P-C002 | 甘遂(粉末) | 3.2 | 重慶堂 | * | |
| 7P-E006 | 黃耆(粉末) | 1.4 | 康麗 | * | |
| 7P-E014 | 甘草(粉末) | 1.4 | 勝昌製藥 | * | |
| 7P-E034 | 蛇床子(粉末) | 1.2 | 科達 | * | |
| 7P-F001 | 黃連(粉末) | 2.8 | 勝昌製藥 | * | |
| 7P-F002 | 黃芩(粉末) | 1.2 | 勝昌製藥 | * | |
| 7P-F011 | 苦參根(粉末) | 1 | 重慶堂 | * | |
| 7P-F043 | 黃柏(粉末) | 1.1 | 勝昌製藥 | * | |
| 7P-F059 | 寒水石(粉末) | 0.4 | 重慶堂 | * | |
| 7P-H004 | 延胡索(粉末) | 3.8 | 康麗 | * | |
| 7P-H032 | 乳香(粉末) | 1.3 | 康麗 | * | |
| 7P-H033 | 沒藥(粉末) | 1.1 | 康麗 | * | |
| 7P-K020 | 白芥子(粉末) | 1 | 重慶堂 | * | |
| 7P-P003 | 丁香(粉末) | 2.1 | 康麗 | * | |
| 7P-R015 | 兒茶(粉末) | 3.2 | 康麗 | * | |
| 7P-R100 | 赤石脂(粉末) | 0.8 | 萬國製藥 | * | |
| 7P-Y047 | 血竭(粉末) | 6.3 | 重慶堂 | * | |
| 7S-E100 | 龜鹿二仙膠(四味膠劑) | 51.5 | 順天堂 | * | |
| 7S-F060 | 水牛角粉 | 4.2 | 重慶堂 | * | |
| 7S-S600 | 珍珠(粉末) | 12.2 | 重慶堂 | * | |
| 7S-Y600 | 養腦散(粉末) 3G/PC | 400 | 腦得生 | * | |
| 7T-C301 | 麻子仁丸(濃縮錠劑) | 1.9 | 勝昌製藥 | | |
| 7T-H101 | 桃核承氣湯(濃縮錠劑) | 1 | 順天堂 | | |
| 7Y-P004 | 紫雲膏 12GM/PC | 180 | 順天堂 | * | |
| 7Y-P008 | 金絲膏水性藥膠布(金絲膏加減味) | 18 | 得生 | * | |
| 7Y-P012 | 中藥膏布 G (1 5 X 1 2) | 8 | 生春堂 | * | |
| 7Y-P015 | 金絲萬應膏35GM | 147 | 生春堂 | * | |
| 7Y-P018 | 止痛散加減味(外用液) | 189 | 生春堂 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|---------|-------------------------------|----|----|
| 7Y-P019 | 金瘡膏(35GM/PC) | 357 | 莊松榮 | * | |
| 7Y-P040 | 解痛青草膏布 | 1 | 泰允藥品 | * | |
| 7Y-S001 | 如意金黃散 | 2 | 勝昌製藥 | * | |
| 7Z-E041 | 冬蟲夏草菌絲體(膠囊)600MG/PC, 1000PCS/瓶 | 15 | 長庚生物科技 | * | |
| 7Z-F002 | 黃連(膠囊500MG/PC) | 4.2 | 華美 | * | |
| 7Z-F204 | 三黃瀉心湯(濃縮膠囊) | 12.4 | 莊松榮 | | |
| 7Z-L001 | 紅麴(膠囊每顆600MG) | 13.2 | 莊松榮 | | |
| 7Z-T200 | 纈草(膠囊) | 5.7 | 天明製藥 | | |
| P2A090M | 兒(磨粉)CAPTOPRIL (25MG), 1/8粒/PC | 0.3 | 健喬信元委優良 | | |
| P2A091M | 兒(磨粉)THYROXINE SODIUM (0.1MG), 1/6粒/PC | 0.7 | 強生 | | |
| P2A092M | 兒(磨粉)CAPTOPRIL (25MG), 1/15粒/PC | 0.1 | 健喬信元委優良 | | |
| P2A093M | 兒(磨粉)THYROXINE SODIUM (0.1MG), 1/8粒/PC | 0.5 | 強生 | | |
| P2A094M | 兒(磨粉)URSODEOXYCHOLIC ACID (100MG), 1/6粒/PC | 0.8 | 政德 | | |
| P2A095M | 兒(磨粉)SPIRONOLACTONE (25MG), 1/10粒/PC | 0.4 | 約克製藥 | | |
| P2A096M | 兒(磨粉)URSODEOXYCHOLIC ACID (100MG), 1/8粒/PC | 0.6 | 政德 | | |
| P2A097M | 兒(磨粉)BENZYL HYDROCHLOROTHIAZIDE (4MG), 1/10粒/PC | 0.5 | 杏林新生 | | |
| P2A098M | 兒(磨粉)PHENOBARBITAL (30MG), 1/6粒/PC | 0.5 | 應元 | | |
| P2A100M | 兒(磨粉)ATENOLOL (100MG), 1/20粒/PC | 0.2 | 健喬信元委優良 | | |
| P2A101M | 兒(磨粉)MOSAPRIDE CITRATE (5MG), 1/6粒/PC | 0.4 | 信東 | | |
| P2A103M | 兒(磨粉)MOSAPRIDE CITRATE (5MG), 1/8粒/PC | 0.3 | 信東 | | |
| P2A104M | 兒(磨粉)PHENOBARBITAL (30MG), 1/8粒/PC | 0.3 | 應元 | | |
| P6A513P | EPINEPHRINE AUTO-INJECTOR 0.15MG/0.3ML/PEN | 4,500 | Meridian Medical Technologies | * | |
| P6A522M | TETRABENAZINE 25MG/TAB (XENAZINE 止蹈錠) | 76 | Astrea Fontaine | | |
| P6A539M | MIGLUSTAT 100MG/CAP | 3,077 | Actelion | | |
| P6A560P | EPINEPHRINE AUTO-INJECTOR 0.3MG/0.3ML/PEN | 4,500 | Meridian Medical Technologies | * | |
| P6A662M | TENOFOVIR(HIV感染專用) DISOPROXIL FUMARATE 300MG/TAB | 179 | Gilead | | |
| P6A677P | IDURSULFASE 6MG/VIAL(罕藥) | 108,899 | Shire | | |
| P6A686P | IMIGLUCERASE 400UNITS/VIAL | 66,362 | Genzyme | | |
| P6A691P | IPILIMUMAB 50MG/10ML/VIAL | 108,465 | 必治妥 | | |
| P6A716P | ECULIZUMAB 10MG/ML, 30ML/VIAL | 169,323 | AstraZeneca | | |
| P6A724P | TREPROSTINIL 1MG/ML, 20ML/VIAL | 49,116 | Ferrer | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|---------|------------------|----|----|
| P6A728P | CABAZITAXEL 60MG/1.5ML/VIAL | 98,824 | Sanofi | * | |
| P6A730P | CEREBROLYSIN CONCENTRATE 215.2MG/ML, 10ML/AMP | 1,000 | EVER Pharma JENA | * | |
| P6A731P | PENICILLIN G BENZATHINE (IM) 240萬IU/4ML/SYRINGE | 1,082 | Pfizer | | |
| P6A743P | BACILLUS CALMETTE-GUERIN(灌注) 2-8*100000000 CFU/VIAL | 5,200 | MSD | | |
| P6A746P | TRIPTORELIN ACETATE 0.1MG/ML/PREFILL SYRINGE | 504 | Ferring | * | |
| P6A766P | PERFLUOROBUTANE 8UL/ML, POWDER AND SOLVENT FOR INJECTION | 6,240 | GE Healthcare | * | |
| P6A769M | STIRIPENTOL 250MG/CAP | 178 | BIOCODEX | | |
| P6A770P | NAB-PACLITAXEL(ABRAXAN) 100MG/VIAL | 8,820 | Celgene | | |
| P6A772P | TREPROSTINIL 5MG/ML, 20ML/VIAL | 221,003 | Ferrer | | |
| P6A789E | ALCOS-ANAL SUPPOSITORY (POLIDOCANOL 20MG+SOD. OLETATE 200MG) | 8 | 育新 | | |
| P6A793M | MACITENTAN 10MG/TAB (罕見疾病) | 3,291 | Janssen | | |
| P6A803M | SIROLIMUS 0.5MG/TAB | 74 | 惠氏 | | |
| P6A806P | NATALIZUMAB 300MG/15ML/VIAL | 59,678 | Vetter | | |
| P6A833P | PRALATREXATE 20MG/ML/VIAL | 22,789 | Baxter | | |
| P6A835E | POLYHEXAMETHYLENE BIGUANIDE 0.02% EYE DROP 5ML/BOT (專案) | 1,800 | 麥迪森 | * | |
| P6A836E | CHLORHEXIDINE GLUCONATE 0.02% EYE DROP 5ML/BOT (專案) | 1,800 | 麥迪森 | * | |
| P6A838E | POVIDONE-IODINE MOUTHWASH AND GARGLE SOLUTION 250ML/BOT | 319 | Mundipharma | * | |
| P6A840M | VEMURAFENIB 240MG/TAB | 808 | 羅氏 | | |
| P6A842P | PEDITRACE CONCENTRATE FOR INJ. 10ML/PC | 220 | Fresenius Kabi | | |
| P6A843M | BOSENTAN 62.5MG/TAB(續發性肺動脈高壓) | 1,443 | Actelion | | |
| P6A844M | BOSENTAN 125MG/TAB (續發性肺動脈高壓) | 1,704 | Janssen | | |
| P6A847P | HYALURONIDASE 1500IU/AMP | 6,412 | Wockhardt | * | |
| P6A858P | BRENTUXIMAB 50MG/VIAL | 93,576 | Takeda | | |
| P6A860E | POVIDONE-IODINE DRY POWDER SPRAY 55G/PC | 324 | Mundipharma | * | |
| P6A862P | SODIUM THIOSULFATE INJ. 12.5G/50ML/VIAL | 5,400 | HOPE Pharma. | * | |
| P6A864E | OESTROGEL(ESTRADIOL) GEL 0.06%, 1.25GM/DS, 80GM/64DS/BOT(臨) | 800 | Besins | * | |
| P6A867P | IRINOTECAN LIPOSOME INJ. 50MG/10ML/VIAL | 22,406 | Merrimack Pharma | | |
| P6A874E | BETADINE THROAT SPRAY (POVIDONE-IODINE 0.45 % W/V) 50ML/BOT | 391 | Mundipharma | * | |
| P6A878M | GLIBENCLAMIDE 5MG/TAB | 2.2 | 生達 | | |
| P6A881E | PIRENOXINE 0.005% OPH. SUSPENSION 5ML/BOT | 41 | 參天製藥 | | |
| P6A883E | IVERMECTIN CREAM 1% , 30GM/TUBE | 2,700 | Galderma | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|---------|------------------------|----|----|
| P6A885P | L-ARGININE 210MG/ML, 20ML/AMP | 775 | B. Braun | * | |
| P6A886P | OBINUTUZUMAB 1000MG/VIAL (臨) | 100,777 | 羅氏 | | |
| P6A889P | THIOTEPA 100MG/VIAL | 42,000 | Adienne | * | |
| P6A893M | RIFAXIMIN 550MG FILM-COATED TAB | 295 | ALFA WASSERMANN | * | |
| P6A896M | LONSURF 15MG (TRIFLURIDINE 15MG+TIPIRACIL HCL 7.065MG)/TAB | 781 | 東洋 | | |
| P6A897M | LONSURF 20MG (TRIFLURIDINE 20MG+TIPIRACIL HCL 9.42MG)/TAB | 1,049 | 東洋 | | |
| P6A901P | STAMARIL(YELLOW FEVER VACCINE) 黃熱病疫苗 | 2,724 | 疾管署 | * | |
| P6A902P | MENINGOCOCCAL GROUP A, C, W-135 AND Y CONJUGATE VACCINE 0.5ML/VIAL | 1,473 | 疾管署 | * | |
| P6A903P | TYPHIM VI(SALMONELLA TYPHI VI CAPSULAR POLYSACCHARIDE VACCINE) | 2,438 | 疾管署 | * | |
| P6A904P | JAPANESE ENCEPHALITIS VACCINE 日本腦炎疫苗 | 132 | 疾管署 | * | |
| P6A905M | MEFLOQUINE 250MG/TAB | 194 | 疾管署 | * | |
| P6A906M | MALARONE(ATOVAQUONE 250MG+PROGUANIL HCL 100MG)/TAB | 255 | 疾管署 | * | |
| P6A921P | TOCILIZUMAB 162MG(SC)/PREFILL SYRINGE | 8,611 | 中外 | | |
| P6A922P | IDARUCIZUMAB 2.5G/50ML/VIAL *2 /SET | 75,600 | 百靈佳 | | |
| P6A924M | RIVASTIGMINE 6MG/CAP | 33 | 諾華 | | |
| P6A926M | CITRULLINE MALATE 1G/10ML/PC | 53 | Biocodex | | |
| P6A931E | PERMETHRIN 5% CREAM, 30GM/TUBE | 375 | 旭能醫藥 | | |
| P6A933M | SEVELAMER CARBONATE 800MG/TAB | 39 | Genzyme | * | |
| P6A939P | BLINATUMOMAB 35MCG/VIAL | 65,029 | Amgen | | |
| P6A940P | VASOPRESSIN 20U/ML/AMP | 241 | Pfizer | | |
| P6A941M | NINTEDANIB 100MG/CAP | 691 | 百靈佳 | | |
| P6A957M | GENVOYA TAB(ELVITEGRAVIR/COBICISTAT/EMTRICITABINE/TENOFOVIR ALAFENAMIDE 150/150/ | 513 | Gilead | | |
| P6A962E | BIMATOPROST 0.3MG/ML, 0.4ML/AMP, 30' S/BOX | 558 | Allergan | | |
| P6A965P | CAFFEINE CITRATE 20MG/ML/AMP | 1,020 | Chiesi | * | |
| P6A966M | COBIMETINIB 20MG/TAB (臨) | 4,056 | 羅氏 | * | |
| P6A967P | IBUPROFEN LYSINE 400MG/VIAL (IBUPROFEN 234MG) | 2,150 | 中國化學 | * | |
| P6A969P | SOD. TETRADECYL SULPHATE 3%, 2ML/AMP | 6,000 | Hameln Pharmaceuticals | * | |
| P6A970P | NALBUPHINE SEBACATE 150MG/2ML/VIAL | 7,000 | 聯亞 | * | |
| P6A974M | TRAMETINIB 2MG/TAB | 2,934 | Novartis | | |
| P6A977P | FOSFOMYCIN 2GM/VIAL | 211 | 政德 | | |
| P6A984P | BACLOFEN INJ. FOR INTRATHECAL USE 20000MCG/20ML/VIAL | 17,883 | Piramal | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|--------------------|----|----|
| P6A986P | OMEGAVEN EMULSION 100ML/BOT | 800 | Fresenius Kabi | * | |
| P6A987E | DINOPROSTONE 10MG VAGINAL DELIVERY SYSTEM | 3,000 | Ferring | * | |
| P6A993M | DABRAFENIB 75MG/CAP | 733 | Novartis | | |
| P6A998P | POLIDOCANOL 3%, 2ML/AMP | 8,500 | Kreussler | * | |
| P6B003M | PREZCOBIX (DARUNAVIR 800MG + COBICISTAT 150MG)/TAB | 374 | Janssen | | |
| P6B004P | LACOSAMIDE 200MG/20ML/VIAL | 1,131 | UCB | | |
| P6B008M | INFLORAN CAP. (LACTOBACILLUS ACIDOPHILUS + BIFIDOBACTERIUM BIFIDUM) (臨) | 25 | LABORATORIO | * | |
| P6B010P | KOVALTRY 500IU (RECOM.FACTOR 8)/VIAL | 11,605 | Bayer | | |
| P6B018E | OPTIVE FUSION LUBRICANT EYE DROPS 0.4ML/TUBE, 30' S/BOX | 330 | Allergan | * | |
| P6B020P | FOSCARNET 24MG/ML, 250ML/BAG (專案)(臨) | 6,118 | Sterimax | * | |
| P6B023E | PER-YOUNG (SODIUM CHLORIDE 6MG/ML) EYE DROPS 0.5ML/TUBE, 30' S/BOX | 270 | 麥迪森 | * | |
| P6B028E | CROMOLYN SOD. EYE DROPS 20MG/ML(2%), 0.5ML/PC | 7 | 麥迪森 | | |
| P6B029E | NEOSTIGMINE METHYLSULFATE 0.01% EYE DROPS 10ML/BOT | 15 | 麥迪森 | | |
| P6B030E | PROGESTERONE 100MG VAGINAL TABLE | 135 | QPharma AB | * | |
| P6B033M | PONATINIB 15MG/TAB | 1,942 | Otsuka | | |
| P6B035M | MACITENTAN 10MG/TAB (結締組織病變導致之肺動脈高血壓) | 2,474 | Janssen | | |
| P6B036M | PALBOCICLIB 75MG/CAP | 3,359 | Pfizer | | |
| P6B037P | FOMEPIZOLE 1.5G/1.5ML/AMP | 46,457 | 華宇/健亞 | | |
| P6B038P | ELOCTATE 500IU (ANTIHEMOPHILIC FACTOR (RECOM.), FC FUSION PROTEIN) (臨) | 11,770 | Sanofi | | |
| P6B039P | ELOCTATE 1000IU (ANTIHEMOPHILIC FACTOR (RECOM.), FC FUSION PROTEIN) (臨) | 23,540 | Sanofi | | |
| P6B040P | DURVALUMAB 500MG/VIAL | 63,998 | AstraZeneca | * | |
| P6B041P | DURVALUMAB 120MG/VIAL | 24,250 | AstraZeneca | * | |
| P6B042P | METHYLENE BLUE 10MG/ML, 10ML/AMP | 2,400 | 安星 | * | |
| P6B043P | ELOSULFASE ALFA (RHGALNS) 5MG/5ML/VIAL | 28,914 | Vetter | | |
| P6B045M | LOMUSTINE 40MG/CAP (CCNU) | 3,618 | Medac | * | |
| P6B046M | PROCARBAZINE 50MG/CAP (NATULAN) | 918 | Haupt | * | |
| P6B049S | GLIOLAN (5-AMINOLEVULINIC ACID 30MG/ML) POWDER FOR ORAL SOLUTION | 80,000 | IDT BIOLOGIKA GMBH | * | |
| P6B050M | VENETOCLAX 100MG/TAB (VENCLEXTA 唯可來膜衣錠) | 1,529 | Abbvie | | |
| P6B052M | MIDOSTAURIN 25MG/CAP | 4,007 | Novartis | | |
| P6B059M | NALTREXONE HYDROCHLORIDE 50MG/TAB | 100 | Lotus | * | |
| P6B060M | ACAMPROSATE CALCIUM 333MG/TAB | 30 | Lotus | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|-----------|-----------------|----|----|
| P6B067M | SELEXIPAG 200MCG/TAB | 1,226 | Janssen | | |
| P6B069M | SELEXIPAG 800MCG/TAB | 1,226 | Janssen | | |
| P6B073M | BIKTARVY (EMTRICITABINE 200MG/BICTEGRAVIR 50MG/TENOFOVIR ALAFENAMIDE 25MG)/TAB | 484 | Gilead | | |
| P6B074M | ODEFSEY (EMTRICITABINE 200MG/RILPIVIRINE 25MG/TENOFOVIR ALAFENAMIDE 25MG)/TAB | 484 | Janssen | | |
| P6B075P | ELOCTATE 2000IU (ANTIHEMOPHILIC FACTOR VIII(RECOM.), FC FUSION PROTEIN) (臨) | 47,080 | Sanofi | | |
| P6B078P | ETELCALCETIDE 2.5MG/0.5ML/VIAL (臨) | 451 | Amgen | * | |
| P6B079P | ETELCALCETIDE 5MG/ML/VIAL (臨) | 784 | Amgen | * | |
| P6B080M | SELEXIPAG 600MCG/TAB (臨) | 1,226 | Janssen | | |
| P6B081P | ATEZOLIZUMAB 840MG/14ML/VIAL | 96,780 | Roche | * | |
| P6B082P | VELAGLUCERASE 400 UNITS/VIAL (臨) | 52,526 | Takeda | | |
| P6B085M | LORLATINIB 25 MG/ TAB (臨) | 1,173 | Pfizer | | |
| P6B088P | EMICIZUMAB 30MG/ML/VIAL (臨) | 79,515 | Chugai | | |
| P6B090P | EMICIZUMAB 60MG/0.4ML/VIAL (150 MG/ML) (臨) | 159,030 | Chugai | | |
| P6B091P | INOTUZUMAB OZOGAMICIN 1MG/VIAL (臨) | 413,809 | Pfizer | | |
| P6B093M | CLADRIBINE 10MG/TAB (臨) | 72,849 | Merck | | |
| P6B097M | JULUCA(DOLUTEGRAVIR 50MG/RILPIVIRINE 25MG)/TAB (臨) | 484 | ViiV Healthcare | | |
| P6B098M | Jinarc (Tolvaptan 45mg/tab + Tolvaptan 15mg/tab), 56' s/carton 佳腎康錠(45mg/tab + 15mg/tab) (臨) | 25,664 | Otsuka | | |
| P6B099M | Jinarc (Tolvaptan 60mg/tab + Tolvaptan 30mg/tab), 56' s/carton 佳腎康錠(60mg/tab + 30mg/tab) (臨) | 25,664 | Otsuka | | |
| P6B100M | Jinarc (Tolvaptan 90mg/tab + Tolvaptan 30mg/tab), 56' s/carton 佳腎康錠(90mg/tab + 30mg/tab) (臨) | 25,664 | Otsuka | | |
| P6B102P | PROTIRELIN (TRH) 0.2MG/1ML/AMP (專案) | 2,142 | Ferring | * | |
| P6B104M | SYMTUZA (DARUNAVIR 800MG+COBICISTAT 150MG+EMTRICITABINE 200MG+TENOFOVIR 10MG)/TAB (臨) | 749 | Janssen | | |
| P6B106P | POLATUZUMAB VEDOTIN 140MG/VIAL (臨) | 456,094 | Genentech | * | |
| P6B108M | LETERMOVIR 240MG/TAB (臨) | 4,766 | MSD | | |
| P6B109P | NUSINERSEN 12MG/5ML/VIAL (臨) | 2,160,401 | Biogen | | |
| P6B112P | ROPEGINTERFERON ALFA-2B 500MCG/1ML/PRE-FILLED SYRINGE (臨) | 121,000 | 藥華醫藥 | | |
| P6B113M | TALAZOPARIB 0.25MG/CAP (臨) | 1,653 | Pfizer | | |
| P6B115P | LONOCOCOG ALFA 1000 IU/VIAL (臨) | 23,210 | CSL Behring | | |
| P6B117P | ALPROLIX 250IU (RECOM. COAGULATION FACTOR IX FC FUSION PROTEIN) /VIAL (臨) | 9,075 | Sanofi | | |
| P6B118P | ALPROLIX 500IU (RECOM. COAGULATION FACTOR IX FC FUSION PROTEIN) /VIAL (臨) | 18,150 | Sanofi | | |
| P6B126M | NERATINIB 40MG/TAB (臨) | 1,200 | 北海康成 | * | |
| P6B127P | TRABECTEDIN 1MG/VIAL (臨) | 66,000 | 台灣東洋 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|---------|-------------------|----|----|
| P6B128M | DELSTRIGO (DORAVIRINE/LAMIVUDINE/TENOFOVIR DISOPROXIL FUMARATE 100/300/300)/TAB | 490 | MSD | | |
| P6B129M | DOVATO (DOLUTEGRAVIR 50MG + LAMIVUDINE 300MG)/TAB | 406 | ViiV Healthcare | | |
| P6B130P | DUPILUMAB 200MG/1.14ML/PRE-FILLED SYRINGE (臨) | 17,256 | Sanofi | | |
| P6B132M | VANDETANIB 100MG/TAB (臨) | 2,052 | Sanofi | | |
| P6B134M | NIRAPARIB 100MG/CAP (臨) | 2,748 | Takeda | | |
| P6B135P | HIZENTRA (IMMUNOGLOBULIN HUMAN 200MG/ML, 10ML/BOT) (SC) (臨) | 4,320 | CSL Behring | | |
| P6B137P | LONOCTOCOG ALFA (RECOM.FACTOR 8, SINGLECHAIN) 500 IU/VIAL (臨) | 11,605 | CSL Behring | | |
| P6B139M | SIPONIMOD 2MG/TAB (罕藥) (臨) | 2,044 | Novartis | | |
| P6B141P | NONACOG BETA PEGOL (RECOM.FACTOR 9, PEGYLATED) 500 IU/VIAL (臨) | 22,715 | Novo Nordisk | | |
| P6B142P | NONACOG BETA PEGOL (RECOM.FACTOR 9, PEGYLATED) 2000 IU/VIAL (臨) | 90,860 | Novo Nordisk | | |
| P6B147P | PLEGRIDY (PEGINTERFERON BETA 1A 63MCG/SYRINGE+PEGINTERFERON BETA 1A 94MCG/SYRINGE) 保優利筆型注射液, 2' S/BOX (臨) | 15,850 | Biogen | | |
| P6B148P | PLEGRIDY (PEGINTERFERON BETA 1A 125MCG/SYRINGE+PEGINTERFERON BETA 1A 125MCG/SYRINGE), 2' S/BOX (臨) | 22,717 | Biogen | | |
| P6B149M | AVAPRITINIB 300MG/TAB (臨) | 8,991 | Blueprint | | |
| P6B151S | CANNABIDIOL 100MG/ML, 100ML/BOT (管2) (臨) | 36,085 | GW Pharma | | |
| P6B152M | ENTRECTINIB 200MG/CAP (臨) | 1,722 | Roche | | |
| P6B153P | EDARAVONE 30MG/AMP (專案)(臨) | 1,293 | Mitsubishi Tanabe | * | |
| P6B156M | PIQRAY (ALPELISIB 150MG/TAB + ALPELISIB 150MG/TAB), 28' S/CARTON (臨) | 47,073 | Novartis | * | |
| P6B158M | SIPONIMOD 0.25MG/TAB (罕藥) (臨) | 338 | Novartis | | |
| P6B159M | GILTERITINIB 40MG/TAB (臨) | 5,523 | Astellas | | |
| P6B161M | VOSEVI (SOFOSBUVIR 400 MG+VELPATASVIR 100 MG+VOXILAPREVIR 100 MG)/TABLETS (臨) | 2,354 | GILEAD | | |
| P6B162M | CAPMATINIB 200MG/TAB (臨) | 1,765 | Novartis | * | |
| P6B164M | RIPRETINIB 50 MG/TAB, 30 TAB/BOT (臨) | 200,000 | Zai Lab | * | |
| P6B165M | SAPROPTERIN DIHYDROCHLORIDE 10MG/TAB (臨) | 96 | 科進 | | |
| P6B166P | BACILLUS CALMETTE-GUERIN(灌注) 40MG/ML/VIAL(1-19.2*100000000 CFU/VIAL) (專案)(臨) | 1,784 | Serum | | |
| P6B168M | PEMIGATINIB 13.5MG/TAB (臨) | 14,412 | 台灣東洋 | | |
| P6B171M | PIQRAY 250 (ALPELISIB 200MG/TAB + ALPELISIB 50MG/TAB), 28 TAB/CARTON (臨) | 47,073 | Novartis | * | |
| P6B172P | SACITUZUMAB GOVITECAN 180MG/VIAL (臨) | 32,455 | GILEAD | | |
| P6B173P | TRASTUZUMAB DERUXTECAN 100MG/VIAL (臨) | 52,941 | 第一三共 | * | |
| P6B174M | IVOSIDENIB 250MG/TAB (專案)(臨) | 8,673 | Servier | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|---------|-----------------------------------|----|----|
| P6B175M | TEPOTINIB 225MG/TAB (臨) | 2,515 | Merck | | |
| P6B176P | LUTETIUM (LU-177) OXODOTREOTIDE 370 MBQ/ML, 7.4 GBQ/VIAL (臨) | 770,318 | Advanced Accelerator Applications | * | |
| P6B177P | L-ARGININE HCL AND L-LYSINE HCL, 1000ML/BAG (臨) | 37,920 | Advanced Accelerator Applications | * | |
| P6B178P | PASIREOTIDE LAR 40MG/VIAL (臨) | 68,261 | Novartis | | |
| P6B181S | LAROTRECTINIB 20MG/ML, 100ML/BOT (臨) | 63,030 | Bayer | | |
| P6B183M | ERDAFITINIB 3MG/TAB (臨) | 4,440 | Janssen | * | |
| P6B184M | ERDAFITINIB 4MG/TAB (臨) | 5,340 | Janssen | * | |
| P6B185M | ERDAFITINIB 5MG/TAB (臨) | 6,000 | Janssen | * | |
| P6B186E | SIROLIMUS GEL 0.2%, 10G/TUBE (專案)(臨) | 1,480 | 旭能醫藥 | * | |
| P6B187M | PRALSETINIB 100MG/CAP (臨) | 1,650 | Catalent | * | |
| P6B189E | AMELUZ (5-AMINOLEVULINIC ACID HCL) GEL 78MG/G, 2G/TUBE (專案)(臨) | 26,400 | Biofrontera | * | |
| P6B191S | PHOSPHATE ORAL SOLUTION (磷30MG/ML), 20ML/AMP (專案)(臨) | 59 | 信東 | | |
| P6B192M | CHENODEOXYCHOLIC ACID 250MG/CAP (罕藥)(專案)(臨) | 2,296 | 國嘉 | | |
| P6B193M | 【戒菸專用】BUPROPION SR 150MG/TAB (臨) | 10 | 瑞安 | | |
| P6B194M | CLOFAZIMINE 100MG/CAP (專案)(臨) | 239 | Novartis | * | |
| P6B196P | METHOTREXATE 50MG/2ML/VIAL (臨) | 113 | Pfizer | | |
| P6B197P | LUTETIUM (LU-177) VIPIVOTIDE TETRAXETAN 1000 MBQ/ML, 7.4 GBQ/VIAL(專案)(臨) | 723,000 | Novartis | * | |
| P6B198P | ARGININE HYDROCHLORIDE 600MG/ML, 15G/25ML/VIAL (專案)(臨) | 7,200 | Phebra | * | |
| P6B199P | POLATUZUMAB VEDOTIN 30MG/VIAL (臨) | 92,589 | Roche | | |
| P6B201P | ENFORTUMAB VEDOTIN 30MG/VIAL (臨) | 22,484 | Astellas | | |
| P6B203M | ENCORAFENIB 75MG/CAP (臨) | 1,779 | Pierre Fabre | * | |
| P6B204M | DIFLUNISAL 250MG/TAB (臨) | 96 | 政德 | * | |
| P6B206M | SELPERCATINIB 80MG/CAP (臨) | 3,502 | Lilly | * | |
| P6B207P | TERLIPRESSIN 0.1MG/ML SOLUTION FOR INJECTION (臨) | 798 | Ferring | | |
| P6B208P | L-ASPARAGINASE 10,000 IU/VIAL (專案) | 1,430 | CBC Pharma | | |
| P6B209P | PEG L-ASPARAGINASE (PEGASPARGASE) 750 IU/ML, 3750 IU/5ML/VIAL (專案)(臨) | 23,529 | Hetero Healthcare | * | |
| P6B211M | CONTRAVE (NALTREXONE HCL AND BUPROPION HCL) EXTENDED RELEASE TABLETS (臨) | 36 | 友華生技 | * | |
| P6B213M | MINOXIDIL 5MG/TAB (專案)(臨) | 9 | Polipharm | | |
| P6B214M | MODAFINIL 100MG/TAB (專案)(罕藥)(管4) | 105 | TEVA | | |
| P6B216P | RECOMBINANT HUMAN INTERFERON ALFA-2A 3MIU/0.5ML/PREFILLED SYRINGE (專案)(臨) | 873 | Nanogen | | |
| P6B217M | SELPERCATINIB 40MG/CAP (臨) | 1,785 | Lilly | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|---------|----------------------|----|----|
| P6B218M | ZANUBRUTINIB 80MG/CAP (臨) | 1,527 | BeiGene | | |
| P6B219P | AVALGLUCOSIDASE ALFA 100MG/VIAL (罕藥)(臨) | 47,040 | Sanofi Genzyme | | |
| P6B220P | ANTIHEMOPHILIC FACTOR VIII /VON WILLEBRAND FACTOR COMPLEX 500IU(臨) | 9,846 | Grifols | | |
| P6B222P | ANAKINRA 100MG/0.67ML/PREFILLED SYRINGE (專案)(臨) | 3,470 | Sobi | * | |
| P6B223M | TAFAMIDIS 61MG/SOFT CAP (臨) | 8,262 | Pfizer | | |
| P6B224S | EFLORNITHINE HCL (DFMO) POWDER FOR ORAL SOLUTION 1GM/SACHET (專案)(臨) | 630 | Rusan Pharma | * | |
| P6B225M | SOTORASIB 120MG/TAB (臨) | 1,569 | Amgen | * | |
| P6B226S | VIGABATRIN POWDER FOR ORAL SOLUTION 500MG/PACKET (專案)(臨) | 49 | Annora | | |
| P6B228P | PATISIRAN 10MG/5ML/VIAL (臨) | 300,727 | Alnylam | | |
| P6B229M | NITISINONE 2MG/CAP (罕藥)(專案)(臨) | 1,113 | Sobi | | |
| P6B231P | FLOTUFOLASTAT (F-18) 296MBQ (8MCI)/SYRINGE (專案)(臨) | 50,400 | 新吉美碩 (GMS) | * | |
| P6B233P | DINUTUXIMAB BETA 20MG/4.5ML/VIAL (臨) | 356,400 | EUSA PHARMA | | |
| P6B234M | LAROTRECTINIB 100MG/CAP (臨) | 3,151 | Bayer | | |
| P6B235M | PEMIGATINIB 9MG/TAB (臨) | 11,642 | 台灣東洋 | | |
| P6B236P | LUSPATERCEPT 25MG/VIAL (罕藥)(臨) | 34,159 | Bristol Myers Squibb | | |
| P6B241P | DARATUMUMAB (SC) 1800MG/15ML/VIAL | 136,136 | Janssen | * | |
| P6B242P | SATRALIZUMAB 120MG/1ML/PRE-FILLED SYRINGE (臨) | 197,942 | CHUGAI | | |
| P6B243P | SPESOLIMAB 450MG/7.5ML/VIAL, 2VIALS/BOX (臨) | 487,692 | Boehringer Ingelheim | | |
| P6B244P | INEBILIZUMAB 100MG/10ML/VIAL (臨) | 300,882 | 台田藥品 | | |
| P6B245P | BRIVARACETAM 50MG/5ML/VIAL (臨) | 881 | UCB | | |
| P6B246P | FLUCONAZOLE 200MG/100ML/VIAL (臨) | 272 | 信東 | | |
| P6B248P | TALC (STERILE) 4G/VIAL (專案)(臨) | 10,000 | Novatech | * | |
| P6B251P | TREMELIMUMAB 300MG/15ML/VIAL (臨) | 392,700 | AstraZeneca | * | |
| P6B252M | MARIBAVIR 200MG/TAB (臨) | 3,974 | Takeda | | |
| P6B253P | OCRELIZUMAB 300MG/10ML/VIAL (專案)(臨) | 223,324 | Roche | * | |
| P6B254P | GEMTUZUMAB OZOGAMICIN 4.5MG/VIAL (專案)(臨) | 270,588 | Pfizer | * | |
| P6B255P | TECLISTAMAB 30MG/3ML/VIAL (臨) | 37,616 | Janssen | * | |
| P6B256P | TECLISTAMAB 153MG/1.7ML/VIAL (臨) | 172,658 | Janssen | * | |
| P6B257P | RISANKIZUMAB (IVF) 600MG/10ML/VIAL (臨) | 42,804 | Abbvie | | |
| P6B258P | RISANKIZUMAB 360MG/2.4ML/PRE-FILLED CARTRIDGE (臨) | 59,481 | Abbvie | | |
| P6B259P | ANIFROLUMAB 300MG/2ML/VIAL (臨) | 29,181 | AstraZeneca | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|---------|----------------------|----|----|
| P6B260P | AMIKACIN 250MG/2ML/AMP (臨) | 31 | 生達 | | |
| P6B261P | NIVOLUMAB 120MG/12ML/VIAL (臨) | 45,539 | 小野 | | |
| P6B262P | SILTUXIMAB 100MG/VIAL (臨) | 17,950 | BeiGene | | |
| P6B263M | TUCIDINOSTAT 5MG/TAB (臨) | 3,294 | GNTbm | * | |
| P6B264M | SELINEXOR 20MG/TAB (臨) | 12,300 | Antengene | * | |
| P6B266M | BINIMETINIB 15MG/TAB (臨) | 651 | Pierre Fabre | * | |
| P6B267P | RILPIVIRINE 900MG/3ML/VIAL (臨) | 12,506 | Janssen | | |
| P6B268P | CABOTEGRAVIR 600MG/3ML/VIAL (臨) | 30,462 | GSK | | |
| P6B269P | BUROSUMAB 20MG/VIAL (臨) | 163,688 | Kyowa Kirin | | |
| P6B270P | BUROSUMAB 30MG/VIAL (臨) | 245,368 | Kyowa Kirin | | |
| P6B271P | F-18 FLUCICLOVINE 10MCI/SYRINGE (臨) | 44,706 | 新吉美碩 (GMS) | * | |
| P6B272P | LENOGRASTIM 100MCG/VIAL (臨) | 670 | CHUGAI | | |
| P6B273P | LENOGRASTIM 250MCG/VIAL (臨) | 1,775 | CHUGAI | | |
| P6B274P | GLOFITAMAB 10MG/10ML/VIAL (臨) | 150,000 | Roche | * | |
| P6B275E | FLUOROURACIL CREAM 5%, 20G/TUBE (專案)(臨) | 4,000 | Viatris | * | |
| P6B277E | NATAMYCIN OPH SUSP. 5%, 5ML/BOT (專案)(臨) | 733 | Entod | | |
| P6B278P | POTASSIUM CHLORIDE(IVF) 15%, 10MEQ/5ML/AMP (臨) | 21 | 台裕化學 | | |
| P6B279P | PNEUMOCOCCAL 15-VALENT CONJUGATE VACCINE 0.5ML/SYRINGE (自費) | 3,800 | MSD | * | |
| P6B280P | LANADELUMAB 300MG/2ML/PREFILLED SYRINGE (罕藥)(臨) | 438,153 | Takeda | | |
| P6B281E | STERILE WATER(D.W) FOR IRRIGATION 500ML/BOT (臨) | 42 | 濟生 | * | |
| P6B282M | TIRABRUTINIB 80MG/TAB (臨) | 1,083 | 小野 | | |
| P6B283P | ANTI-RH IMMUNE GLOBULIN(IM) 1500 IU/2ML/SYRINGE (專案)(臨)(血液製劑) | 3,985 | Grifols | | |
| P6B284P | TEZEPELUMAB 210MG/1.91ML/PEN (臨) | 32,082 | AstraZeneca | | |
| P6B285S | AMOXYCILLIN SUSP. 50MG/ML, 100ML/BOT (專案)(臨) | 211 | Sandoz | | |
| P6B286M | IDEBENONE 150MG/TAB (專案)(臨) | 900 | Santhera | * | |
| P6B287P | LUTETIUM LU-177 PSMA I&T 200MCI/VIAL (專案)(臨) | 317,647 | 吉晟生技 | * | |
| P6B288M | RIMEGEPANT 75MG/TAB (臨) | 700 | Pfizer | * | |
| P6B289P | THIOPENTAL 1GM/VIAL (專案)(臨) | 151 | Kwality | * | |
| P6B291M | PEFICITINIB HYDROBROMIDE 50MG/TAB (臨) | 289 | Menarini | | |
| P6B292M | APREMILAST 30MG/TAB (臨) | 201 | Amgen | | |
| P6B293P | ELOTUZUMAB 300MG/VIAL (臨) | 28,342 | BRISTOL-MYERS SQUIBB | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|-----------|----------------------|----|----|
| P6B300P | TISAGENLECLEUCEL(CAR-T) 1.2X10 ⁶ -6X10 ⁸ CELLS/10-50ML/BAG (臨) | 8,280,077 | Novartis | | |
| PAA001M | CHARCOAL ACTIVATED GRANULE 61.5GM/BOT | 498 | CABOT NORIT | | |
| PAA005M | CALCIUM FOLINATE 15MG/TAB | 10 | 台灣東洋 | | |
| PAA006P | CALCIUM FOLINATE 50MG/5ML/AMP | 74 | 樂健 | | |
| PAA011P | DEFEROXAMINE 500MG/VIAL | 280 | Gland Pharma | | |
| PAA012M | DEFERIPRONE 500MG/CAP | 78 | Cipla | | |
| PAA013P | NALOXONE HCL (IV) 0.4MG/1ML/AMP | 345 | 健亞 | | |
| PAA014M | PENICILLAMINE 300MG/TAB | 40 | Laboratoire | | |
| PAA016P | PRALIDOXIME 500MG/20ML/AMP(PC) | 216 | 壽元 | | |
| PAA020P | N-ACETYLCYSTEIN 20% 5GM/25ML/BOT(IVF) | 464.2 | Alfasigma S. P. A. | | |
| PAA030P | FLUMAZENIL 0.5MG/5ML/AMP | 1,092 | Cheplapharm | | |
| PAA032M | DEFERASIROX 125MG/TAB | 208 | Novartis | | |
| PAA034P | CALCIUM EDTATE OF SODIUM 0.5GM/10ML/AMP (專案) | 3,960 | S. E. R. B. | * | |
| PAA040M | DESUD PLUS 8MG/2MG SUBLINGUAL TAB(管3)(BUPRENORPHINE 8MG/NALOXONE 2MG) | 130 | 美時 | * | |
| PAA044M | ACETYLCYSTEINE 600MG/EFFERVESCENT TAB | 6.1 | 健喬信元 | | |
| PAA045M | DIMERCAPTOSUCCINIC ACID(DMSA) 200MG/CAP | 476 | 科進 | | |
| PAA046M | DIMERCAPTOPROPANE SULFONATE(DMPS) 100MG/CAP | 341 | Heyl | | |
| PAA047P | CALCIUM FOLINATE 100MG/VIAL | 83 | 台灣東洋 | | |
| PAA048P | DIMERCAPTOPROPANE SULFONATE (DMPS) 250MG/5ML/AMP (PC) | 1,848 | Heyl | | |
| PAA050M | DEFERASIROX 360MG/TAB | 638 | Novartis | | |
| PAA051M | SPHERICAL ABSORPTIVE CARBON 500MG/TAB, 2G/4錠/包 | 160 | 杏昌醫藥 | * | |
| PBA002M | FEXOFENADINE 180MG/TAB (ALLEGRA, AVENTIS) | 5.2 | Sanofi India Limited | | |
| PBA005M | BILASTINE 20MG/TAB | 15 | Menarini | * | |
| PBA009M | DEXCHLORPHENIRAMIN MALEATE 2MG/TAB | 2 | 健喬委優良 | | |
| PBA010M | CINNARIZINE 25MG/TAB | 2.2 | 生達 | | |
| PBA014P | CIMETIDINE 200MG/2ML/AMP | 17 | 南光 | | |
| PBA016M | CYPROHEPTADINE HCL 4MG/TAB(PC) * | 2 | 強生 | | |
| PBA020M | DIPHENHYDRAMINE HCL 50MG/CAP(PC) * | 2 | 榮民 | | |
| PBA024P | DIPHENHYDRAMINE HCL 30MG/ML/AMP | 17 | 台裕 | | |
| PBA030M | DIPHENIDOL 25MG/TAB | 2.2 | 生達 | | |
| PBA036M | HYDROXYZINE HCL 25MG/TAB | 5 | 明德 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|------|-----------------|----|----|
| PBA044M | KETOTIFEN 1MG/CAP | 3 | 瑞安委健喬信元 | | |
| PBA052M | (LORATADINE 5MG+PSEUOEPHEDRINE120MG)REPETABS TAB | 6 | 中國化學 | | |
| PBA055M | FAMOTIDINE 20MG/TAB | 2.1 | 信東 | | |
| PBA057P | FAMOTIDINE 20MG/2ML/AMP | 26 | 壽元 | | |
| PBA061M | DESLORATADINE 5MG/TAB | 4 | 優生 | | |
| PBA065M | LEVOCETIRIZINE 5MG/TAB | 3 | 生達 | | |
| PCA006M | PRAZIQUANTEL 600 MG/TAB | 142 | 健喬委衛達化學 | | |
| PCA008M | LEVAMISOLE HCL 40MG/TAB (PC) | 5 | 世達藥品 | | |
| PCB013M | HYDROXYCHLOROQUINE SULFATE 200MG/TAB | 4.5 | Sanofi | | |
| PCB018M | MEBENDAZOLE 100MG/TAB | 6 | 國嘉 | | |
| PCB026M | METRONIDAZOLE 250MG/TAB | 4 | 強生 | | |
| PCB027P | METRONIDAZOLE (IVF) 500MG/100ML/BOT | 41 | 信東 | | |
| PCC001P | SULBACTAM 500MG/VIAL | 90 | 中國化學 | | |
| PCC002P | AMPICILLIN 1GM+SULBACTAM 500MG/VIAL | 61 | 中國化學 | | |
| PCC004M | AMOXYCILLIN 250MG/CAP | 4 | 信東 | | |
| PCC006P | LINEZOLID INJ, 600MG/300ML/BAG | 961 | Pfizer | | |
| PCC008M | LINEZOLID 600MG/TAB | 633 | Pfizer | | |
| PCC010M | TETRACYCLINE HCL 250MG/CAP | 4 | 榮民 | | |
| PCC016M | AMPICILLIN 500MG/CAP | 5 | 信東 | | |
| PCC024P | AMPICILLIN SODIUM 500MG/VIAL | 36 | 永豐 | | |
| PCC056P | PENICILLIN G SODIUM 300萬 U/VIAL | 126 | 永豐 | | |
| PCC072P | PIPERACILLIN 2GM+TAZOBACTAM 0.25GM)/VIAL | 196 | 中國化學 | | |
| PCC074P | PIPERACILLIN SODIUM 2GM/VIAL | 35 | 中國化學 | | |
| PCC076M | CEFADROXIL MONOHYDRATE 500MG/CAP | 5 | 信東 | | |
| PCC097P | CEFUROXIME (SODIUM) 750MG/VIAL | 28 | 信東 | | |
| PCC104M | DOXYCYCLINE 100MG/CAP. | 4 | 培力 | | |
| PCC108P | MEROPENEM TRIHYDRATE 250MG/VIAL (MEPEM, SUMITOMO PHARMA) | 266 | Sumitomo Pharma | | |
| PCC136M | CLINDAMYCIN HCL 150MG/CAP | 4.5 | 信東 | | |
| PCC140P | CLINDAMYCIN PHOSPHATE 300MG/2ML/PC | 23 | 南光 | | |
| PCC144P | ERYTHROMYCIN(FOR IVF) 500MG/VIAL | 403 | Menarini | | |
| PCC148M | ERYTHROMYCIN 250MG/CAP | 5 | 榮民 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|------------------------|----|----|
| PCC150M | CEFIXIME 100MG/CAP | 5.1 | 信東 | | |
| PCC162M | CEFUROXIME 250MG/TAB | 8 | 永信 | | |
| PCC172P | GENTAMICIN SULFATE 80MG/2ML/VIAL | 17 | 政德 | | |
| PCC173M | AZITHROMYCIN 250MG/TAB | 19 | 南光化學製藥 | | |
| PCC180M | CLARITHROMYCIN 500MG/FC TAB(PTP) | 15 | Abbott | | |
| PCC184M | NEOMYCIN SULFATE 250MG/CAP | 6 | 順華藥品 | | |
| PCC192P | STREPTOMYCIN SULFATE (IM) 1GM/VIAL | 67 | 信東 | | |
| PCC198P | TEICoplanin 200MG/VIAL | 468 | Sanofi | | |
| PCC200P | ERTAPENEM 1GM/VIAL | 950 | MSD | | |
| PCC204P | COLISTIN METHANESULFONATE 2百萬單位(66.8MG COLISTIN BASE)/VIAL | 351 | 中國化學 | | |
| PCC208P | TIGECYCLINE 50MG/VIAL | 1,529 | WYETH LEDERLE S. R. L. | | |
| PCC210M | CURAM 1GM/F.C TAB(CLAVULANIC ACID 125MG+AMOXYCILLIN 875MG) | 8.5 | Sandoz | | |
| PCC212P | VANCOMYCIN HCL (IVF) 1GM/VIAL | 144 | Sandoz | | |
| PCC213P | CEFAZOLIN SODIUM 1GM/VIAL | 28 | 生達 | | |
| PCC305P | FLOMOXEF 1G/VIAL | 275 | J-SHIONOGI | | |
| PCC309M | SOD. FUSIDATE 250MG/TAB | 54 | 瑩碩 | | |
| PCC318P | CEFTRIAxONE(信東) POWDER FOR IV 500MG/VIAL | 76 | 信東 | | |
| PCC322P | CEFTAZIDIME(TATUMCEF)500MG/VIAL | 29 | 中國化學 | | |
| PCC324M | CURAM 625MG/F.C.TAB (CLAVULANIC ACID 125MG + AMOXYCILLIN 500MG) | 8 | Sandoz | | |
| PCC326P | CEFTRIAxONE 1GM/VIAL | 73 | 信東 | | |
| PCC328P | DAPTOMYCIN 500MG/VIAL | 3,270 | PATHEON | | |
| PCC330P | PIPERACILLIN 2GM+TAZOBACTAM 0.25GM)/VIAL | 196 | WYETH LEDERLE S. R. L. | | |
| PCC334P | CEFTAZIDIME 1G/VIAL | 43 | 生達 | | |
| PCC335P | CEFEPIME 500MG/VIAL INJ. (SUPECEF, 中化) | 108 | 中國化學 | | |
| PCC336M | AMOXYCILLIN 500MG/CAP | 4 | 信東 | | |
| PCC337P | MEROPENEM TRIHYDRATE 500MG/VIAL | 288 | Fresenius Kabi | | |
| PCC338P | OXACILLIN 1000MG/VIAL (PC) | 50 | 中國化學 | | |
| PCC339P | AMOXYCILLIN 1000MG+CLAVULANIC ACID 200MG)/VIAL | 81 | Sandoz | | |
| PCC340P | CEFOTAXIME 500MG/VIAL | 85 | Sanofi | | |
| PCC343P | VANCOMYCIN HCL (IVF) 1GM/VIAL(骨水泥) | 160 | 政德 | | |
| PCC344P | MEROPENEM TRIHYDRATE 1GM/VIAL | 438 | 展旺 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|-------|----------------|----|----|
| PCC345M | FIDAXOMICIN 200MG/TAB | 1,181 | MSD | | |
| PCC346P | IMIPENEM/CILASTATIN (KABI) 500MG/500MG POWDER /VIAL | 260 | Fresenius Kabi | | |
| PCC347P | LINEZOLID INJ, 600MG/300ML/BAG (PC) | 961 | Fresenius Kabi | | |
| PCC348P | CLARITHROMYCIN 500MG/VIAL | 352 | Abbott | | |
| PCC349P | CEFTAROLINE FOSAMIL 600MG/VIAL | 1,517 | Pfizer | | |
| PCC350P | (CEFTAZIDIME 2GM+AVIBACTAM 0.5GM) / VIAL (PC) | 3,207 | Pfizer | | |
| PCC351P | BROSYM 2000/2000 (CEFOPERAZONE 2000MG+SULBACTAM 2000MG)/VIAL | 626 | 台灣東洋 | | |
| PCC352M | VANCOMYCIN HCL 125MG/CAP (PC) | 66 | 友霖生技 | | |
| PCC353P | ZERBAXA 1G/0.5G (CEFTOLOZANE 1G+TAZOBACTAM 0.5G)/VIAL | 1,469 | MSD | | |
| PCC354P | ERTAPENEM 1G/VIAL | 950 | 松瑞 | | |
| PCC355P | VANCOMYCIN HCL 1G/VIAL (U-VANCO, 優良) | 144 | 優良委台裕 | | |
| PCC356M | NEMONOXACIN 250MG/CAP | 177 | 培力 | | |
| PCC357P | NEMONOXACIN 500MG/250ML/BAG | 2,338 | 南光 | | |
| PCC358P | (AMPICILLIN 1GM+SULBACTAM 500MG)/VIAL | 61 | 政德 | | |
| PCC359P | TEICOPLANIN 200MG/VIAL | 468 | 中國化學 | | |
| PCC360P | MINOCYCLINE 100MG/VIAL (PC) | 893 | 博晟-杏林新生 | | |
| PCC361P | PIPERACILLIN 2GM+TAZOBACTAM 0.25GM)/VIAL (2) | 196 | 政德 | | |
| PCC362M | AZITHROMYCIN 250MG/TAB | 19 | Pfizer | | |
| PCD004P | AMPHOTERICIN B (IVF) 50MG/VIAL(PC) | 657 | Cheplapharm | | |
| PCD006P | CASPOFUNGIN 50MG/VIAL | 7,758 | MSD | | |
| PCD008M | GRISEOFULVIN 125MG/CAP | 4 | 瑞士藥廠 | | |
| PCD012M | NYSTATIN 500,000U/CAP | 5 | 永信 | | |
| PCD020M | ITRACONAZOLE 100MG/CAP | 18 | Janssen | | |
| PCD024M | FLUCONAZOLE 50MG/CAP | 21 | Pfizer | | |
| PCD025P | FLUCONAZOLE (IVF) 100MG/50ML/VIAL | 260 | Pfizer | | |
| PCD026M | VORICONAZOLE 50MG/TAB | 355 | Pfizer | | |
| PCD027P | VORICONAZOLE 200MG/VIAL | 4,187 | Pfizer | | |
| PCD028M | TERBINAFINE HCL 250MG/TAB | 9.7 | 杏輝 | | |
| PCD030P | MICAFUNGIN 50MG/VIAL | 927 | Astellas | | |
| PCD036P | ANIDULAFUNGIN 100MG/VIAL | 2,103 | Pfizer | | |
| PCD037M | VORICONAZOLE 200MG/TAB | 1,197 | Pfizer | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|---------------|----|----|
| PCD038M | FLUCYTOSINE 500MG/TAB | 95 | 台灣東洋 | | |
| PCD039M | FLUCONAZOLE 50MG/CAP | 21 | 瑞安委優良 | | |
| PCD040M | POSACONAZOLE 100MG/TAB (PC) | 596 | MSD | | |
| PCD041P | POSACONAZOLE 300MG/16.7ML/BOT | 8,218 | MSD | | |
| PCD042M | ISAVUCONAZOLE 100MG/CAP (PC) | 1,449 | Pfizer | | |
| PCD043P | ISAVUCONAZOLE 200MG/VIAL (PC) | 10,790 | Pfizer | | |
| PCD044P | LIPOSOMAL AMPHOTERICIN B 50MG/VIAL | 5,767 | 台灣微脂體/永信 | | |
| PCD045P | VORICONAZOLE 200MG/VIAL | 4,187 | SANSOZ | | |
| PCE004M | ETHAMBUTOL 400MG/TAB | 6 | 培力 | | |
| PCE010M | RIFINAH 300(RIF 300MG+INAH 150MG)/TAB | 12 | Macleods | | |
| PCE012M | ISONIAZID 100MG/TAB | 5 | 強生 | | |
| PCE014M | PYRAZINAMIDE 500MG/TAB | 6 | 培力 | | |
| PCE018M | RIFABUTIN 150MG/CAP | 102 | Pfizer | | |
| PCE024M | RIFAMPICIN 300MG/CAP | 8.8 | 國嘉 | | |
| PCE036M | TRAC 4 (RIF 150MG+INAH 75MG+EMB 275MG+PZA 400MG)/TAB | 18 | Macleods | | |
| PCE037M | (RIFAMPICIN 150MG+ ISONIAZID 75MG+ ETHAMBUTOL 275MG) /TAB (PC) | 9 | Lupin Limited | | |
| PCF004M | COTRIMOXAZOLE TAB | 4 | 杏輝 | | |
| PCF005P | COTRIMOXAZOLE (IVF) 5ML/AMP | 25 | 瑞士藥廠 | | |
| PCF008M | DAPSONE 100MG/TAB | 18 | 科進 | * | |
| PCF026E | MESALAZINE SUPPOSITORY 1GM/SUPP. | 34 | Ferring | | |
| PCF030E | MESALAZINE ENEMA 2GM/100ML/BOT | 210 | 科進 | | |
| PCF032M | SULFASALAZINE 500MG/TAB | 6 | 信東 | | |
| PCF036M | MESALAZINE PROLONGED RELEASE GRANULES 2G/SACHET (PC) | 32 | Ferring | | |
| PCF037M | MESALAZINE GASTRO-RESISTANT PROLONGED RELEASE 1200MG/TAB | 32 | Takeda | | |
| PCG004M | NALIDIXIC ACID 500MG/TAB | 6 | 強生 | | |
| PCG020M | PHENAZOPYRIDINE HCL 100MG/TAB | 4 | 永信 | | |
| PCG036P | LEVOFLOXACIN 500MG/100ML/BOT | 549 | 第一三共 | | |
| PCG038M | LEVOFLOXACIN 500MG/TAB(CRAVIT, 三共) | 19 | 第一三共 | | |
| PCG040M | CIPROFLOXACIN HCL 250MG/FC TAB | 4.2 | 永信 | | |
| PCG042M | MOXIFLOXACIN 400MG/TAB | 79 | Bayer | | |
| PCG072M | LEVOFLOXACIN 500MG/TAB (LEFLODAL, 中化) | 15 | 中國化學 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|----------------------|----|----|
| PCG073P | CIPROFLOXACIN 2MG/ML, 100ML/BOT | 392 | 信東 | | |
| PCG074P | MOXIFLOXACIN 400MG/250ML/BOT | 640 | 信東 | | |
| PCG075M | MOXIFLOXACIN 400MG/TAB | 79 | Hetero | | |
| PCH002P | ACYCLOVIR SOD. (IVF) 250MG/VIAL | 271 | GSK | | |
| PCH003M | FAMCICLOVIR 250MG/TAB(FAMVIR, NOVARTIS) | 61 | Novartis | | |
| PCH005M | AMANTADINE 100MG/TAB | 4 | 衛達 | | |
| PCH006M | VALGANCICLOVIR 450MG/F. C TAB | 516 | Sandoz | | |
| PCH010P | GANCICLOVIR(IVF) SODIUM 500MG/VIAL | 1,641 | 霖揚 | | |
| PCH018M | RIBAVIRIN 200MG/CAP | 94 | 台灣東洋 | | |
| PCH030P | CYTOMEGALOVIRUS ANTIBODY 50ML/BOT (血液製劑) | 34,526 | Biotest AG | | |
| PCH040M | ZIDOVUDINE 100MG/CAP | 44 | GSK | | |
| PCH044M | LAMIVUDINE 150MG/FC TAB | 73 | GSK | | |
| PCH066M | LAMIVUDINE 150MG + ZIDOVUDINE 300MG TAB | 35 | GSK | | |
| PCH076M | ENTECAVIR 0.5MG/TAB | 100 | Bristol Myers Squibb | | |
| PCH078M | ENTECAVIR 1MG/TAB | 143 | Bristol Myers Squibb | | |
| PCH098M | TELBIVUDINE 600MG/F. C. TAB | 85 | Mylan | | |
| PCH106M | TRUVADA(TENOFOVIR 300MG+EMTRICITABINE 200MG)/TAB | 380 | PATHEON | | |
| PCH107M | RALTEGRAVIR 400MG/TAB | 193 | MSD | | |
| PCH108M | TENOFOVIR DISOPROXIL FUMARATE 300MG/TAB | 127 | GILEAD | | |
| PCH114M | RILPIVIRINE 25MG/TAB (PC) | 304 | Janssen | | |
| PCH119M | DOLUTEGRAVIR 50MG/TAB (PC) | 391 | GSK | | |
| PCH121M | TRIUMEQ(LAMIVUDINE 300MG/DOLUTEGRAVIR 50MG/ABACAVIR 600MG)/TAB | 488 | GSK | | |
| PCH129M | ACYCLOVIR 400MG/TAB | 6 | 信東 | | |
| PCH130M | MAVIRET (GLECAPREVIR 100MG + PIBRENTASVIR 40MG)/TAB | 1,213 | Abbvie | | |
| PCH131M | EPCLUSA (SOFOSBUVIR 400MG+VELPATASVIR 100MG)/TAB | 2,354 | Gilead | | |
| PCH132M | TENOFOVIR ALAFENAMIDE 25MG/TAB | 127 | Gilead | | |
| PCH133M | TENOFOVIR(肝炎專用) DISOPROXIL FUMARATE 300MG/TAB | 105 | Hetero | | |
| PCH135M | BALOXAVIR MARBOXIL 20MG/TAB | 750 | 塩野義 | * | |
| PCH136M | PAXLOVID (NIRMATRELVIR 150MG/TAB*2 + RITONAVIR 100MG/TAB) , 30TAB/BOX | 29,000 | Pfizer | * | |
| PDA001P | CYCLOSPORIN 50MG/1ML/AMP(PC) | 128 | Novartis | | |
| PDA003S | CYCLOSPORIN SOLN NEORAL 100MG/ML, 50ML/BO | 8,735 | Novartis | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|--------------------|----|----|
| PDA004P | DACTINOMYCIN 0.5MG/VIAL | 1,573 | Celon Laboratories | | |
| PDA005P | DAUNORUBICIN 20MG/10ML/VIAL | 503 | Pfizer | | |
| PDA006P | DOXORUBICIN 10 MG/VIAL | 418 | Pfizer | | |
| PDA008M | AZATHIOPRINE 50MG/TAB | 11 | 永信 | | |
| PDA010P | BLEOMYCIN 15MG/AMP(PC) | 1,392 | Nippon Kayaku | | |
| PDA011P | DOXORUBICIN LIPOSOME 20MG/VIAL | 13,185 | 台灣東洋 | | |
| PDA017P | BUSULFAN 60MG/10ML/AMP | 8,279 | Baxter | | |
| PDA018P | CARMUSTINE 100MG/VIAL | 8,459 | Therdose | | |
| PDA020M | CHLORAMBUCIL 2MG/TAB(PC) | 19 | Aspen | | |
| PDA023P | CISPLATIN (IVF) 50MG/VIAL | 385 | Fresenius Kabi | | |
| PDA024M | CYCLOPHOSPHAMIDE 50MG/TAB | 18 | Baxter | | |
| PDA025P | CARBOPLATIN 150MG/VIAL | 1,321 | Fresenius Kabi | | |
| PDA027P | CYCLOPHOSPHAMIDE 500MG/VIAL | 187 | Baxter | | |
| PDA033P | CYTARABINE 500MG/VIAL | 493 | Pfizer | | |
| PDA034P | DACARBAZINE 200MG/VIAL | 990 | Pfizer | | |
| PDA039M | HYDROXYUREA 500MG/CAP | 19 | CHEPLA PHARM | | |
| PDA040M | MELPHALAN 2MG/TAB(PC) | 37 | Aspen | | |
| PDA042M | IMATINIB 100MG/TAB | 374 | Novartis | | |
| PDA043P | ARSENIC TRIOXIDE 1MG/ML, 10ML/VIAL(罕見用藥) | 3,926 | 台灣東洋 | | |
| PDA044M | MERCAPTOPYRINE (6-MP) 50MG/TAB | 107 | Korea United Pharm | | |
| PDA045M | MEGESTROL ACETATE 40MG/TAB(PC) | 11 | 健喬信元 | | |
| PDA047S | MEGESTROL ORAL SUSP. 40MG/ML, 120ML/BOT | 598 | 晟德 | | |
| PDA048M | METHOTREXATE 2.5MG/TAB | 6 | Pfizer | | |
| PDA050M | TEGAFUR 100MG+URACIL 224MG)/CAP | 82 | 台灣東洋 | | |
| PDA058P | OXALIPLATIN 50MG/VIAL | 997 | 台灣東洋 | | |
| PDA063M | EXEMESTANE 25MG/TAB | 47 | Pfizer | | |
| PDA065M | LETROZOLE 2.5MG/F.C TAB (FEMARA, NOVATIS) | 27 | Novartis | | |
| PDA066P | VINBLASTIN SULFATE 10MG/VIAL | 691 | Hospira Australia | | |
| PDA068P | VINCRISTIN SULFATE 1MG/VIAL | 249 | Hospira Australia | | |
| PDA070M | TAMOXIFEN 10MG/TAB | 8 | AstraZeneca | | |
| PDA072P | ETOPOSIDE (IVF) 100MG/5ML/VIAL | 238 | Fresenius Kabi | | |

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|-----------------|----|----|
| PDA073M | ETOPOSIDE 50MG/CAP | 424 | Cheplapharm | | |
| PDA076P | MITOXANTRONE 20MG, 10ML/VIAL | 4,576 | 健喬信元 | | |
| PDA080P | OCTREOTIDE 100MCG/ML/AMP | 414 | Novartis | | |
| PDA086M | BICALUTAMIDE 50MG/F. C TAB | 59 | AstraZeneca | | |
| PDA088M | CYPROTERONE ACETATE 50MG/TAB | 26 | Bayer | | |
| PDA090M | FLUTAMIDE 250MG/TAB(PC) | 32 | 寶齡富錦 | | |
| PDA096P | IDARUBICIN 5MG/VIAL | 3,960 | Pfizer(Perth) | | |
| PDA098M | ALL-TRANS RETINOIC ACID 10MG/CAP | 151 | Cheplapharm | | |
| PDA101M | CYCLOSPORIN NEORAL 25MG/CAP(PC) | 39 | Novartis | | |
| PDA102M | CYCLOSPORIN 100MG/CAP (SANDIMMUN NEORAL, NOVARTIS) | 124 | Novartis | | |
| PDA132P | PACLITAXEL 30MG/5ML/VIAL | 524 | 杏輝 | | |
| PDA140P | GEMCITABINE (IVF) 200MG/VIAL INJ. | 444 | 台灣東洋 | | |
| PDA146M | CAPECITABINE 500MG/TAB | 88 | 美時 | | |
| PDA150P | FLUDARABINE PHOSPHATE 50MG/VIAL INJ. | 6,277 | Sanofi | | |
| PDA153P | MESNA 400MG/AMP(PC) | 193 | 信東 | | |
| PDA154P | GOSERELIN ACETATE(SC) 3.6MG/VIAL FOR INJ | 3,557 | AstraZeneca | | |
| PDA155P | MELPHALAN (FOR INJECTION) HCL 50MG/VIAL | 1,860 | Biozenta | | |
| PDA157P | IFOSFAMIDE 2GM/VIAL(PC) | 3,240 | Baxter | | |
| PDA160P | DEPOT LEUPRORELIN(SC) ACETATE 3.75MG/VIAL | 4,001 | Takeda | | |
| PDA172P | DOCETAXEL(IVF) 20MG/ML/VIAL (TAXOTERE) | 2,807 | Sanofi | | |
| PDA174P | DOCETAXEL(IVF) 80MG/4ML/VIAL (TAXOTERE) | 9,799 | Sanofi | | |
| PDA176M | VINORELBINE 20MG/CAP | 2,499 | Pierre Fabre | | |
| PDA178M | VINORELBINE 30MG/CAP | 3,616 | Pierre Fabre | | |
| PDA180P | VINORELBINE(IVF) 10MG/ML/VIAL (NAVELBINE, PIERRE FABRE) | 1,183 | Pierre Fabre | | |
| PDA184M | GEFITINIB 250MG/TAB | 505 | AstraZeneca | | |
| PDA186P | CLADRIBINE 10MG/10ML/VIAL | 10,814 | GLAXOSMITHKLINE | | |
| PDA194P | TOPOTECAN HCL 4MG/VIAL(IVF) INJ. | 6,573 | Sandoz | | |
| PDA200M | MITOTANE 500MG/TAB | 392 | HRA Pharma | | |
| PDA201P | CETUXIMAB 100MG/20ML/VIAL | 6,318 | Merck | | |
| PDA204P | TRASTUZUMAB 440MG/VIAL(FOR IVF) | 36,849 | Roche | | |
| PDA206P | RITUXIMAB(IVF) 500MG/50ML/VIAL | 37,714 | Roche | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|----------------|----|----|
| PDA208P | RITUXIMAB(IVF) 100MG/10ML/VIAL | 7,808 | Roche | | |
| PDA210P | BASILIXIMAB 20MG/VIAL | 60,000 | Novartis | * | |
| PDA214P | BEVACIZUMAB 100MG/4ML/VIAL | 7,095 | Roche | | |
| PDA218P | PEMETREXED 500MG/VIAL | 28,499 | Lilly | | |
| PDA219M | TS-1 20MG/CAP | 154 | TAIHO | | |
| PDA220M | TS-1 25MG/CAP | 176 | TAIHO | | |
| PDA221M | ERLOTINIB 150MG/TAB | 705 | Roche | | |
| PDA222M | SORAFENIB 200MG/TAB | 942 | Bayer | | |
| PDA224P | BORTEZOMIB 3.5MG/VIAL | 14,493 | Janssen | | |
| PDA225M | ERLOTINIB 100MG/TAB | 594 | Roche | | |
| PDA226P | IRINOTECAN HCL 100MG/5ML/VIAL(IRINO, 東洋) | 1,845 | 台灣東洋 | | |
| PDA228M | ANASTROZOL 1MG/TAB | 38 | 台灣東洋 | | |
| PDA232M | SUNITINIB 12.5MG/CAP | 466 | Pfizer | | |
| PDA235M | DASATINIB 50MG/TAB | 1,357 | Patheon Inc. | | |
| PDA236M | DASATINIB 20MG/TAB | 538 | Patheon Inc. | | |
| PDA240M | LAPATINIB 250MG/TAB | 341 | Novartis | | |
| PDA242M | EVEROLIMUS 0.25MG/TAB(預防移植排斥) | 95 | Novartis | | |
| PDA245M | EVEROLIMUS 0.5MG/TAB(預防移植排斥) | 179 | Novartis | | |
| PDA247P | EPIRUBICIN 10MG/5ML/VIAL | 395 | 台灣東洋 | | |
| PDA248P | EPIRUBICIN 50MG/25ML/VIAL | 2,284 | 台灣東洋 | | |
| PDA249M | NILOTINIB 200MG/CAP | 886 | Novartis | | |
| PDA250P | IRINOTECAN HCL 100MG/5ML/VIAL(IRINOTEL, FRESENIUS KABI) | 2,754 | Fresenius Kabi | | |
| PDA251P | IXABEPILONE 15MG/VIAL | 8,896 | Lotus | | |
| PDA256P | MITOMYCIN C 10MG/VIAL | 768 | Kyowa Kirin | | |
| PDA258M | EVEROLIMUS 5MG/TAB (腎細胞癌、乳癌、胰臟神經內分泌腫瘤) | 600 | Novartis | | |
| PDA268P | FULVESTRANT 50MG/ML, 5ML/SYRINGE | 17,664 | AstraZeneca | * | |
| PDA269M | LENALIDOMIDE 15MG/CAP | 4,173 | Celgene | | |
| PDA270M | LENALIDOMIDE 25MG/CAP | 4,173 | Celgene | | |
| PDA271P | AZACITIDINE 100MG/VIAL | 11,998 | Baxter | | |
| PDA272P | PEMETREXED 100MG/VIAL | 6,093 | Lilly | | |
| PDA273P | GOSERELIN ACETATE LA 10.8MG/SYRINGE | 10,148 | AstraZeneca | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|---------|----------------------|----|----|
| PDA274P | FLUOROURACIL(5-FU) 1000MG/20ML/VIAL | 127 | 南光 | | |
| PDA276P | LEUPRORELIN ACETATE (SC)11.25MG/ML/SYRINGE | 8,990 | Takeda | | |
| PDA277P | BENDAMUSTINE HCL 100MG/VIAL | 8,426 | INNOPHARMAX | | |
| PDA279M | TEMOZOLOMIDE 100MG/CAP | 2,475 | 美時 | | |
| PDA280M | PAZOPANIB 200MG/TAB | 557 | Novartis | | |
| PDA281P | CLOFARABINE 20MG/20ML/VIAL | 38,498 | Sanofi | | |
| PDA282M | LETROZOLE 2.5MG/F.C TAB | 29 | Lotus | | |
| PDA283M | NILOTINIB 150MG/CAP (PC) | 649 | Novartis | | |
| PDA287P | METHOTREXATE 500M/5ML/VIAL | 520 | Sandoz | | |
| PDA288P | DOCETAXEL 20MG/ 1ML/VIAL | 2,807 | 台灣東洋 | | |
| PDA290P | DOCETAXEL 80MG/ 4ML/VIAL | 9,799 | 台灣東洋 | | |
| PDA295M | AFATINIB 30MG/TAB | 1,530 | Boehringer Ingelheim | | |
| PDA297M | AFATINIB 40MG/TAB | 1,530 | Boehringer Ingelheim | | |
| PDA298M | AXITINIB 5MG/TAB | 1,031 | Pfizer | | |
| PDA299M | EVEROLIMUS 2.5MG/TAB(罕病結節性硬化症) | 1,027 | Novartis | | |
| PDA300M | LENALIDOMIDE 5MG/CAP | 2,012 | Celgene | | |
| PDA302M | LENALIDOMIDE 10MG/CAP | 4,173 | Celgene | | |
| PDA304M | REGORAFENIB 40MG /TAB | 974 | Bayer | | |
| PDA305P | TRIPTORELIN PROLONGED RELEASE 3.75MG/VIAL | 3,364 | IPSEN | | |
| PDA306M | TEMOZOLOMIDE 20MG/CAP | 524 | 美時 | | |
| PDA307M | ABIRATERONE ACETATE 250MG/TAB | 442 | Janssen | | |
| PDA308P | ERIBULIN 1MG/2ML/VIAL | 11,499 | 衛采 | | |
| PDA310P | PLERIXAFOR 24MG/1.2ML/VIAL | 182,365 | Sanofi | | |
| PDA311P | DEGARELIX 80MG/VIAL | 2,956 | Ferring GmbH | | |
| PDA312P | DEGARELIX 120MG POWDER FOR INJECTION | 2,956 | Ferring GmbH | | |
| PDA313M | CRIZOTINIB 250MG/TAB | 2,225 | Pfizer | | |
| PDA314M | NINTEDANIB 150MG/CAP | 979 | Boehringer Ingelheim | | |
| PDA316P | RAMUCIRUMAB 100MG/10ML/VIAL | 9,981 | Lilly | | |
| PDA318P | LEUPRORELIN ACETATE 22.5MG/PREFILL SYRINGE (PC) | 8,990 | Tolmar | | |
| PDA321M | CERITINIB 150MG/CAP | 1,035 | Novartis | | |
| PDA322P | NIVOLUMAB 100MG/10ML/VIAL (PC) | 41,562 | ONO Pharmaceutical | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---------------------------------|--------|--------------------|----|----|
| PDA323P | NIVOLUMAB 20MG/2ML/VIAL (PC) | 13,800 | ONO Pharmaceutical | * | |
| PDA324M | ENZALUTAMIDE 40MG/TABLET | 479 | Patheon | | |
| PDA325P | PANITUMUMAB 100MG/5ML/VIAL | 9,891 | Amgen | | |
| PDA326M | LENVATINIB MESYLATE 10MG/CAP | 1,065 | Eisai | | |
| PDA328M | LENVATINIB MESYLATE 4MG/CAP | 1,065 | Eisai | | |
| PDA329M | PIRFENIDONE 200MG/TAB | 131 | 塩野義 | | |
| PDA330M | ALECTINIB 150MG/CAP | 422 | Chugai | | |
| PDA331M | PALBOCICLIB 125MG/CAP | 3,359 | Pfizer | | |
| PDA332M | RUXOLITINIB 5MG/TAB | 1,101 | Novartis | | |
| PDA333M | RIBOCICLIB 200MG/TAB | 1,150 | Novartis | | |
| PDA334M | RUXOLITINIB 15MG/TAB | 2,202 | Novartis | | |
| PDA335M | RUXOLITINIB 20MG/TAB | 2,202 | Novartis | | |
| PDA338M | POMALIDOMIDE 3MG/CAP (PC) | 3,256 | Celgene | | |
| PDA339M | POMALIDOMIDE 4MG/CAP (PC) | 3,256 | Celgene | | |
| PDA340P | CARFILZOMIB 30MG/VIAL | 13,704 | Amgen | | |
| PDA341P | ATEZOLIZUMAB 1200MG/VIAL | 91,584 | Roche | | |
| PDA342P | DOXORUBICIN 10 MG/VIAL (PC) | 447 | 南光 | | |
| PDA343P | RITUXIMAB 1400MG/11.7ML/VIAL | 46,911 | Roche | | |
| PDA344M | ABIRATERONE ACETATE 250MG/TAB | 399 | Dr. Reddy's | | |
| PDA345M | CABOZANTINIB 20MG/TAB | 4,835 | IPSEN | | |
| PDA346M | CABOZANTINIB 40MG/TAB | 4,835 | IPSEN | | |
| PDA347M | CABOZANTINIB 60MG/TAB | 4,835 | IPSEN | | |
| PDA348M | IXAZOMIB 3MG/CAP | 30,404 | Takeda | | |
| PDA349M | IXAZOMIB 4MG/CAP | 39,655 | Takeda | | |
| PDA350P | TRASTUZUMAB (SC) 600MG/VIAL | 30,436 | Roche | | |
| PDA351P | RITUXIMAB 100MG/10ML/VIAL | 5,275 | Sandoz | | |
| PDA352P | RITUXIMAB 500MG/50ML/VIAL | 26,377 | Sandoz | | |
| PDA353M | PALBOCICLIB 100MG/CAP | 3,359 | Pfizer | | |
| PDA354M | OSIMERTINIB 80MG/TAB | 3,580 | AstraZeneca | | |
| PDA355P | PERTUZUMAB 420MG/14ML/VIAL | 67,752 | Roche | | |
| PDA356P | PEMBROLIZUMAB 25MG/ML, 4ML/VIAL | 56,241 | MSD | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|-------------|----|----|
| PDA357P | AVELUMAB 20MG/ML, 10ML/VIAL | 25,410 | Merck | | |
| PDA358P | DARATUMUMAB 100MG/5ML/VIAL | 12,693 | Janssen | | |
| PDA359P | DARATUMUMAB 400MG/20ML/VIAL | 45,641 | Janssen | | |
| PDA360M | GEFITINIB 250MG/TAB | 505 | 中國化學 | | |
| PDA361M | DACOMITINIB 15MG/TAB (PC) | 1,030 | Pfizer | | |
| PDA362M | DACOMITINIB 30MG/TAB (PC) | 1,030 | Pfizer | | |
| PDA363M | DACOMITINIB 45MG/TAB (PC) | 1,030 | Pfizer | | |
| PDA364M | APALUTAMIDE 60MG/TAB (PC) | 509 | Janssen | | |
| PDA365M | OLAPARIB 150MG/TAB | 1,311 | AstraZeneca | | |
| PDA366M | IMATINIB 100MG/TAB (IVIC, 東洋) | 374 | 台灣東洋 | | |
| PDA367M | BRIGATINIB 90MG/TAB | 1,888 | Takeda | | |
| PDA368M | BRIGATINIB 180MG/TAB | 3,332 | Takeda | | |
| PDA369M | DAROLUTAMIDE 300MG/TAB(PC) | 536 | Bayer | | |
| PDA370P | DECITABINE 50MG/VIAL (PC) | 15,321 | Pendopharm | | |
| PDA371M | IBRUTINIB 140MG/CAP | 1,910 | Janssen | | |
| PDA373P | FULVESTRANT 250MG/5ML/PREFILLED SYRINGE (SANDOZ) | 6,500 | Sandoz | * | |
| PDA374M | VINORELBINE 20MG/CAP | 2,499 | 美時 | | |
| PDA375M | VINORELBINE 30MG/CAP | 3,616 | 美時 | | |
| PDA376M | ABEMACICLIB 100MG/TAB | 1,236 | Lilly | | |
| PDA377M | ABEMACICLIB 150MG/TAB | 1,236 | Lilly | | |
| PDA378M | ABEMACICLIB 200MG/TAB | 1,236 | Lilly | | |
| PDA379P | AMIVANTAMAB 350MG/7ML/VIAL | 44,761 | Janssen | * | |
| PDA380M | ACALABRUTINIB 100MG/CAP | 2,855 | AstraZeneca | | |
| PDA381P | TRASTUZUMAB (KADCYLA) EMTANSINE 100MG/VIAL | 35,635 | Roche | | |
| PDA382P | PHESGO (SC) 600/600 (PERTUZUMAB 600MG + TRASTUZUMAB 600MG)/10ML/VIAL | 87,000 | Roche | * | |
| PDA383P | VEDOLIZUMAB 300MG/VIAL | 57,035 | Takeda | | |
| PDA384P | TRASTUZUMAB (KADCYLA) EMTANSINE 160MG/VIAL | 57,016 | Roche | | |
| PDA387P | LURBINECTEDIN 4MG/VIAL | 76,159 | Lotus | * | |
| PDA388M | ERLOTINIB 100MG/TAB (ALVOCEVA, LOTUS) | 475 | Lotus | | |
| PDA389M | ERLOTINIB 150MG/TAB (ALVOCEVA, LOTUS) | 563 | Lotus | | |
| PDAB02P | MVASI(BS) (BEVACIZUMAB, AMGEN) 100MG/4ML/VIAL | 6,723 | Amgen | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|--------------|----|----|
| PDAB03P | TRUXIMA(BS) (RITUXIMAB, CELLTRION) (IVF) 100MG/10ML/VIAL | 5,275 | Celltrion | | |
| PDAB04P | TRUXIMA(BS) (RITUXIMAB, CELLTRION) (IVF) 500MG/50ML/VIAL | 26,377 | Celltrion | | |
| PDAB05P | HERZUMA(BS)(TRASTUZUMAB, CELLTRION)(IVF) 440MG/VIAL | 29,895 | Celltrion | | |
| PDAB06P | ALYMSYS(BS) (BEVACIZUMAB, LOTUS) 100MG/4ML/VIAL | 6,723 | Lotus | | |
| PDAB07P | OGIVRI (BS) (TRASTUZUMAB, MYLAN) 440MG/VIAL | 29,895 | Mylan | | |
| PDAB08P | EIRGASUN (BS) (TRASTUZUMAB, EIRGENIX) 150MG/VIAL | 11,323 | 台康生技 | | |
| PEA002M | MIDODRINE 2.5MG/TAB | 6.2 | 培力 | | |
| PEA004P | EPINEPHRINE 1MG/ML/AMP | 17 | 榮民 | | |
| PEA005P | DOBUTAMINE HCL(IVF) 250MG/20ML/VIAL | 119 | 健亞 | | |
| PEA008P | DOPAMINE (IVF) 40MG/ML, 5ML/AMP (200MG/PC) | 27 | 榮民 | | |
| PEA012P | EPHEDRINE 40MG/ML/AMP | 17 | 大豐 | | |
| PEA024P | ISOPROTERENOL 0.2MG/ML/AMP | 228 | 聯亞 | | |
| PEA032P | NOREPINEPHRINE (IVF) 4MG/VIAL | 102 | 中國化學 | | |
| PEA041P | DOPAMINE 1.6MG/ML, IN 5% DEXTROSE 250ML (400MG/BAG) | 121 | 歐舒邁克/濟生 | | |
| PEA042P | LEVOSIMENDAN 2.5MG/ML, 5ML/VIAL | 56,385 | Orion pharma | * | |
| PEB003M | FLUNARIZINE 5MG/CAP | 3 | 生達 | | |
| PEB006M | ERGOTAMINE 1MG+CAFFEINE 100MG | 4 | 強生 | | |
| PEB014M | SILODOSIN 8MG/TAB (PC) | 12 | 健喬信元 | | |
| PEC002M | DONEPEZIL HCL 5MG/F.C TAB | 51 | 衛采 | | |
| PEC004M | RIVASTIGMINE 1.5MG/CAP | 32 | Novartis | | |
| PEC005M | RIVASTIGMINE 3MG/CAP | 32 | Novartis | | |
| PEC006M | RIVASTIGMINE 4.5MG/CAP | 32 | Novartis | | |
| PEC008M | BETHANECHOL HCL 25MG/TAB | 5 | 強生 | | |
| PEC010P | CARBACHOL 0.01%, 1.5ML/VIAL(PC) | 330 | Alcon | | |
| PEC012M | PYRIDOSTIGMINE BROMIDE 60MG/TAB | 7 | Menarini | | |
| PEC014M | PILOCARPINE HCL 5MG/TAB | 15 | 明德 | | |
| PEC016P | NEOSTIGMINE 0.5MG/AMP | 17 | 信東 | | |
| PEC026M | MEMANTINE 10MG/TAB | 10 | 美時 | | |
| PEC028M | GALANTAMINE 8MG/CAP | 61 | Janssen | | |
| PEC030M | GALANTAMINE 16MG/CAP | 76 | Janssen | | |
| PEC032M | DONEPEZIL HCL 10MG/TAB | 55 | 衛采 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|------|------------|----|----|
| PEC034M | CEVIMELINE 30MG/CAP | 21 | 第一三共 | | |
| PEC036E | RIVASTIGMINE PATCH 4.6MG/24HR, 9MG/PATCH | 62 | Novartis | | |
| PEC038E | RIVASTIGMINE PATCH 9.5MG/24HR, 18MG/PATCH (PC) | 64 | Novartis東竹 | | |
| PEC039M | DONEPEZIL HCL O.D. 10MG/TAB | 55 | 衛采 | | |
| PED008P | ATROPINE SULFATE 1MG/ML/AMP | 17 | 信東 | | |
| PED020M | ALVERINE CITRATE 60MG/CAP | 4 | 應元 | | |
| PED028M | HYOSCINE (SCOPOLAMINE) BUTYLBROMIDE 10MG/TAB | 4 | Sanofi | | |
| PED032P | HYOSCI (SCOPOLAMINE) BUTYLBROMIDE 20MG/AMP | 17 | 信東 | | |
| PED044M | OXYBUTYNIN ER 5MG/TAB | 7 | 健喬信元 | | |
| PED048M | FLOPROPIONE 40MG/TAB(PC) | 4 | 衛采 | | |
| PED050M | PROPIVERINE 15MG/F.C TAB | 5 | 健亞 | | |
| PED052M | TOLTERODINE L-TART. 4MG/CAP | 24 | Viatris | | |
| PED056M | SOLIFENACIN SUCCINATE 5MG/F.C TAB | 7 | Astellas | | |
| PED066M | OTILONIUM BROMIDE 40MG/TAB | 6 | Menarini | | |
| PED068M | GLYCOPYRROLATE 1MG/TAB (PC) | 7 | 科進 | | |
| PED069M | MIRABEGRON 25MG/TAB | 23 | Astellas | | |
| PED070M | MIRABEGRON 50MG/TAB | 23 | Astellas | | |
| PFA001M | CANDESARTAN 8MG/TAB | 6.2 | Celltrion | | |
| PFA004M | BISOPROLOL FUMARATE 5MG/TAB | 4.3 | Merck | | |
| PFA005M | CAPTOPRIL 25MG/TAB | 2.2 | 健喬信元委優良 | | |
| PFA006M | ENALAPRIL 5MG/TAB | 2.3 | 健喬信元 | | |
| PFA008M | AMLODIPINE 5MG/TAB (NORVASC, PFIZER) | 5 | Viatris | | |
| PFA009M | ENALAPRIL(健喬SYNBOT) 20MG/TAB | 2.3 | 健喬信元 | | |
| PFA012M | DIGOXIN 0.25MG/TAB(PC) * | 5 | Aspen | | |
| PFA014M | LOSARTAN POTASSIUM 50MG/TAB | 6 | Organon | | |
| PFA017P | DIGOXIN 0.5MG/2ML/AMP | 49 | Aspen | | |
| PFA018P | LIDOCAINE HCL (IV) 2%, 5ML/AMP (100MG/PC) | 55 | 利達 | | |
| PFA020M | DILTIAZEM HCL 30MG/TAB | 2.2 | 健喬信元 | | |
| PFA024M | AMIODARONE HCL 200MG/TAB | 6.1 | Sanofi | | |
| PFA025P | AMIODARONE HCL 150MG/3ML/AMP | 110 | Sanofi | | |
| PFA026M | MEXILETINE HCL 100MG/CAP | 6 | 信東 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|------|----------|----|----|
| PFA027M | NIFEDIPINE 10MG/CAP | 4 | 皇佳 | | |
| PFA029M | FELODIPINE ER 5MG/TAB | 4 | 信東 | | |
| PFA033P | NIMODIPINE (IVF) SOLN 0.02% 10MG/50ML/PC | 647 | Bayer | | |
| PFA036M | QUINIDINE SULFATE 200MG/TAB | 7 | 優良化學 | | |
| PFA037P | NICARDIPINE HCL 10MG/10ML/AMP | 119 | 培力 | | |
| PFA038M | PROPRANOLOL 10MG/TAB | 2.2 | 優良委健喬 | | |
| PFA039M | NIMODIPINE 30MG/FC TAB | 19 | Bayer | | |
| PFA041M | DRONEDARONE 400MG/TAB | 52 | Sanofi | | |
| PFA046P | ESMOIOL HCL 100MG/10ML/VIAL, 10MG/1ML | 37.7 | 健亞 | * | |
| PFA048M | VERAPAMIL HCL 40MG/TAB | 4 | 永信 | | |
| PFA052P | VERAPAMIL HCL 5MG/2ML/AMP | 163 | 優良委瑞士 | | |
| PFA054M | VERAPAMIL S.R 240MG/F.C TAB | 5.2 | Abbott | | |
| PFA056M | LABETALOL 200MG/TAB | 6 | 杏輝 | | |
| PFA057P | LABETALOL HCL 25MG/5ML/AMP | 75 | 台裕 | | |
| PFA060M | FOSINOPRIL SODIUM 10MG/TAB | 6 | 生達 | | |
| PFA061M | BISOPROLOL HEMIFUMARATE 1.25MG/TAB | 5.1 | Merck | | |
| PFA070P | ADENOSINE (IV) 6MG/2ML/VIAL | 148 | Sanofi | | |
| PFA080P | MILRINONE LACTATE 1MG/ML, 10ML/AMP INJ. | 415 | Sanofi | | |
| PFA082M | FLECAINIDE ACETATE 100MG/TAB | 14 | iNova | | |
| PFA084M | PROPAFENONE HCL 150MG/FC TAB | 9.6 | Abbott | | |
| PFA086M | ATENOLOL 100MG/TAB | 2.5 | 健喬委優良 | | |
| PFA088M | VALSARTAN 160MG/F.C TAB | 6.2 | Novartis | | |
| PFA090M | CADUET 5/10 (AMLODIPINE 5MG+ATORVASTATIN 10MG)/TAB | 8.6 | PFIZER | | |
| PFA092M | PROPAFENONE HCL SR 225MG/CAP | 8.7 | Abbott | | |
| PFA095M | HYZAAR(LOSARTAN 100MG+HCTZ 12.5 MG) TAB | 6.4 | Organon | | |
| PFA096M | CO-DIOVAN(VALSARTAN 160MG+HCTZ 12.5 MG) TAB | 6.2 | Novartis | | |
| PFA100M | CARVEDILOL 25MG/TAB | 3.5 | 健喬信元 | | |
| PFA101M | IRBESARTAN 300MG/TAB | 7.4 | 健喬信元 | | |
| PFA110M | AMLODIPINE 5MG/TAB | 3.4 | 健喬信元 | | |
| PFA114M | NIFEDIPINE SLOW RELEASE FILM-COATED 30MG/TAB (中化) | 6 | 中國化學 | | |
| PFA116M | AMTREL (AMLODIPINE 5MG + BENAZEPRIL HCL 10MG)/TAB | 9.4 | 台灣東洋 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|------|----------------------|----|----|
| PFA119M | COAPROVEL 300/12.5 (IRBESARTAN 300MG+HCTZ 12.5MG)/TAB | 7.4 | Sanofi | | |
| PFA120M | BISOPROLOL FUMARATE 5MG/TAB (BISO, 健喬信元) | 2.2 | 健喬信元 | | |
| PFA121M | RAMIPRIL 10MG/TAB (TRITACE, SANOFI) | 6 | Sanofi | | |
| PFA122M | EXFORGE 5/160 TAB(AMLODIPINE 5MG+VALSARTAN 160MG) | 8 | Novartis | | |
| PFA123M | TELMISARTAN 80MG+AMLODIPINE 5MG)/TAB | 10 | Boehringer Ingelheim | | |
| PFA124M | BLOPRESS PLUS(CANDESARTAN 16MG+HCTZ 12.5MG)/TAB | 8.8 | Celltrion | | |
| PFA125M | CARVEDILOL 6.25MG/TAB | 2.2 | 健喬信元 | | |
| PFA128M | TELMISARTAN 80MG/TAB | 10 | Boehringer Ingelheim | | |
| PFA132M | (AMLODIPINE 5MG+VALSARTAN 160MG + HYDROCHLOROTHIAZIDE 12.5MG) /TAB (PC) | 7 | Novartis | | |
| PFA134M | AZILSARTAN MEDOXOMIL 40MG/TAB | 9.8 | Celltrion | | |
| PFA136M | (CANDESARTAN 8MG+AMLODIPINE 5MG)/TAB (PC) | 7.4 | Celltrion | | |
| PFA137M | CADUET 5/20 (AMLODIPINE 5MG+ATORVASTATIN 20MG)/TAB | 11 | Viatris | | |
| PFA138M | SEVIKAR 5/40 TAB (AMLODIPINE 5MG + OLMESARTAN MEDOXOMIL 40MG) | 16 | 第一三共 | | |
| PFA139M | ENTRESTO 200 (SACUBITRIL 97MG +VALSARTAN 103MG) | 69 | Novartis | | |
| PFA140M | ENTRESTO 100 (SACUBITRIL 49MG +VALSARTAN 51MG) | 69 | Novartis | | |
| PFA141M | LERCANIDIPINE 10MG/TAB | 5 | Recordati | | |
| PFA142M | NEBIVOLOL 5 MG/TAB | 6 | Menarini | | |
| PFA144M | OLMESARTAN 40MG/TAB | 12 | 第一三共 | | |
| PFA145M | SEVIKAR HCT 40/5/12.5 (OLMESARTAN 40MG+AMLODIPINE 5MG+HCTZ 12.5MG)/TAB | 16 | 第一三共 | | |
| PFA146M | RANOLAZINE EXTENDED RELEASE 500MG/TAB | 38 | 東生華 | * | |
| PFA147M | (TELMISARTAN 80MG+AMLODIPINE 5MG)/TAB | 11 | 生達 | | |
| PFA148M | DILTIAZEM SUSTAINED RELEASE 120MG/CAP | 6.2 | 南光 | | |
| PFA149M | TELMISARTAN 80MG/TAB (PC) | 10 | Sandoz | | |
| PFB015M | DIHYDROERGOTOXIN MESYLATE 1.5MG/TAB | 3 | 生達 | | |
| PFC001M | ATORVASTATIN 40MG/TAB | 20 | Viatris | | |
| PFC002M | ATORVASTATIN 10MG/TAB(LIPITOR, PFIZER) | 8.3 | Viatris | | |
| PFC005M | ROSUVASTATIN 10MG/TAB(CRESTOR, ASTRAZENECA) | 13 | AstraZeneca | | |
| PFC007M | GEMFIBROZIL 300MG/PC | 4 | 生達 | | |
| PFC010M | FLUVASTATIN XL 80MG/TAB | 9.4 | Novartis | | |
| PFC018M | EZETIMIBE 10MG/TAB | 7.4 | Organon | | |
| PFC022M | SIMVASTATIN 40MG/TAB (SIMVAHEXAL, SANDOZ) | 9.7 | Sandoz | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|-------|-------------|----|----|
| PFC042M | FENOFIBRATE 160MG/TAB | 4 | Abbott | | |
| PFC066M | VYTORIN (EZETIMIB 10MG+SIMVASTATIN 20MG)TAB | 11 | Organon | | |
| PFC067M | ATORVASTATIN 10MG/TAB | 8.3 | 健喬信元 | | |
| PFC069M | ATORVASTATIN 40MG/TAB | 20 | 健喬信元 | | |
| PFC070M | PITAVASTATIN 2MG/TAB (PC) | 13 | Kowa | | |
| PFC072M | ROSUVASTATIN 10MG/TAB (PC) (2) | 13 | 生達 | | |
| PFC073M | ROSUVASTATIN 5MG/TAB (PC) | 10 | AstraZeneca | | |
| PFC075M | ROSUVASTATIN 5MG/TAB | 8.7 | 生達 | | |
| PFC077M | LINICOR (LOVASTSTIN 20MG+NIACIN ER 500MG)/TAB | 8.6 | 健亞 | | |
| PFC079P | ALIROCUMAB 75MG/PRE-FILLED PEN (PC) | 5,047 | Sanofi | | |
| PFC080P | EVOLOCUMAB 140MG/PRE-FILLED SURECLICK AUTOINJECTOR | 5,040 | Amgen | | |
| PFC081M | EZETIMIB 10MG + ATORVASTATIN 20MG /TAB | 18 | Organon | | |
| PFC082M | PITAVASTATIN 4MG/TAB | 14 | 友霖生技 | | |
| PFC083M | OMEGA-3-ACID ETHYL ESTERS 90,1000MG/SOFT CAP. | 60 | 科進-五洲 | * | |
| PFC084M | CRETROL 10/10 (EZETIMIBE 10MG + ROSUVASTATIN 10MG)/TAB | 15 | 東生華 | | |
| PFD005M | CLONIDINE 75MCG/TAB | 5 | Glenwood | | |
| PFD006M | DOXAZOSIN XL 4MG/TAB | 8.6 | Viatrix | | |
| PFD020M | HYDRALAZINE HCL 10MG/TAB | 4 | 強生 | | |
| PFD025M | HYDRALAZINE HCL 25MG/TAB | 5 | 優生 | | |
| PFD028M | METHYLDOPA 250MG/TAB | 6 | 強生 | | |
| PFD029M | MINOXIDIL 10MG/TAB(PC) | 12 | Pfizer | | |
| PFD060M | TERAZOSIN HCL 2MG/TAB | 2.2 | 健喬委優良 | | |
| PFD070S | DIAZOXIDE SUSP. 50MG/ML, 30ML/BOT (罕見用藥) | 1,501 | TEVA | | |
| PFD071M | (CERNITIN T60 60MG + CERNITIN-GBX 3MG) /TAB (PC) | 17 | 寶齡富錦 | * | |
| PFE007M | DIPYRIDAMOLE 75MG/TAB | 5 | 優生 | | |
| PFE008M | DIPYRIDAMOLE 25MG/TAB | 2.5 | 生達 | | |
| PFE009P | DIPYRIDAMOLE 10MG/2ML/AMP | 22 | 南光 | | |
| PFE014M | NICORANDIL 5MG/TAB | 4 | 生達 | | |
| PFE019M | ISOSORBIDE DINITRATE 10MG/TAB | 3 | 衛達 | | |
| PFE034M | NITROGLYCERIN 0.6MG/TAB, 25' S/PACKAGE | 137 | Viatrix | | |
| PFE037E | NTG TTS 25MG/PATCH | 32 | Novartis | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|--------------|----|----|
| PFE040P | NITROGLYCERIN 5MG/10ML/AMP(PC) | 59 | Nippon | | |
| PFE046M | RITODRINE HCL 10MG/TAB | 7 | 信東 | | |
| PFE047P | RITODRINE HCL 10MG/ML, 5ML/AMP | 45 | 信東 | | |
| PFE050P | ATOSIBAN 7.5MG/ML, 5ML/VIAL | 2,035 | Ferring | | |
| PFE052M | BETAHISTINE HCL 24MG/TAB | 4 | 元宙 | | |
| PFE053M | ISOSORBIDE-5-MONONITRATE CR 60MG/TAB | 4 | 十全 | | |
| PFE054P | NITROGLYCERIN 0.2MG/ML, 250ML/BOT | 405.9 | 歐舒邁克 | | |
| PFG001P | ALPROSTADIL(周邊動脈阻塞)20MCG/VIAL(INJ.) | 626 | 中化/ONO | | |
| PFG020P | ALPROSTADIL(勃起障礙) 20MCG/VIAL INJ. | 626 | Pfizer | * | |
| PFG036P | ALPROSTADIL 500MCG/1ML/AMP | 1,598 | Pfizer | | |
| PFG038P | ALPROSTADIL 20MCG/VIAL (PC) (ALPROSM 愛博第凍晶注射劑) | 626 | 杏林新生 | | |
| PGA001M | OXCARBAZEPINE 300MG/F.C TAB (TRILEPTAL, NOVARTIS) | 7.6 | Novartis | | |
| PGA003M | LEVETIRACETAM 500MG/F.C TAB(KEPPRA, GSK) | 23 | GSK | | |
| PGA006M | CARBAMAZEPINE CR 200MG/TAB | 6 | Novartis | | |
| PGA008M | CLONAZEPAM 0.5MG/TAB(管4) | 4 | CHEPLA PHARM | | |
| PGA010M | CLONAZEPAM 2MG/TAB | 4 | CHEPLA PHARM | | |
| PGA011P | PHENYTOIN SODIUM 50MG/ML, 5ML/AMP | 87 | 東生華 | | |
| PGA012M | PHENYTOIN SODIUM 100MG/CAP | 4 | Viatris | | |
| PGA015P | VALPROATE SOD. 400MG/VIAL | 312 | Sanofi | | |
| PGA024M | LA TAB 1 TAB/PC | 4 | 強生 | | |
| PGA028P | MAGNESIUM SULFATE 10%, 20ML/AMP(PC) | 31 | 信東 | | |
| PGA030M | VIGABATRIN 500MG/TAB | 32 | Sanofi | | |
| PGA032M | TOPIRAMATE(低) 25MG/TAB (TOPAMAX, CILAG) | 7.1 | Janssen | | |
| PGA034M | TOPIRAMATE(高) 100MG/TAB (TOPAMAX, CILAG) | 20 | Janssen | | |
| PGA036M | PHENOBARBITAL 30MG/TAB(管4) | 2.5 | 應元 | | |
| PGA040P | PHENOBARBITAL 100MG/ML/AMP(管4)INJ. | 21 | 大豐 | | |
| PGA044M | PRIMIDONE 250MG/TAB | 7 | 科進 | | |
| PGA048M | VALPROATE SODIUM 200MG/TAB | 4.1 | Sanofi | | |
| PGA050M | LAMOTRIGINE 50MG/TAB | 8.8 | GSK | | |
| PGA054M | LAMOTRIGINE(高) 100MG/TAB | 12 | GSK | | |
| PGA056M | LAMOTRIGINE(低) 5MG/CHEWABLE TAB | 8 | GSK | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|-------|---------|----|----|
| PGA060M | SODIUM VALPROATE(S.R) 500MG/FC TAB(DEPAKINE, SANOFI) | 6.6 | Sanofi | | |
| PGA062M | GABAPENTIN 100MG/CAP | 6 | Viatrix | | |
| PGA066M | GABAPENTIN 400MG/CAP | 8.1 | PFIZER | | |
| PGA076S | LEVETIRACETAM ORAL SOL' N 100MG/ML, 300ML/BOT | 1,396 | GSK | | |
| PGA078M | CARBAMAZEPINE 200MG/TAB | 5 | 信東 | | |
| PGA092P | LEVETIRACETAM 100MG/ML, 5ML/VIAL | 322 | GSK | | |
| PGA094M | CLOBAZAM 10MG/TAB (管4) | 6 | Sanofi | | |
| PGA095M | SODIUM VALPROATE SUSTAINED RELEASE 500MG/TAB (2) | 6.5 | 瑞安 | | |
| PGA096P | VALPROATE SOD. 400MG/VIAL(DEPAVENT, 杏林新生) | 312 | 杏林新生 | | |
| PGA097M | PREGABALIN 75MG/CAP | 16 | Viatrix | | |
| PGA098M | ZONISAMIDE 100MG/TAB | 13 | 衛采 | | |
| PGA099M | LEVETIRACETAM EXTENDED RELEASE 500MG/TAB (PC) | 25 | 美時 | | |
| PGA101M | PERAMPANEL 4MG/TAB | 116 | 衛采 | | |
| PGA102M | PERAMPANEL 2MG/TAB (PC) | 61 | 衛采 | | |
| PGA103M | LACOSAMIDE 100MG/TAB (PC) | 55 | UCB | | |
| PGA104M | LACOSAMIDE 200MG/TAB (PC) | 101 | UCB | | |
| PGA105M | PREGABALIN 75MG/CAP | 13 | Abbott | | |
| PGA106M | RUFINAMIDE 400MG/TAB | 64 | 衛采 | | |
| PGA107S | PERAMPANEL 0.5MG/ML ORAL SUSPENSION, 340ML/BOT | 2,351 | 衛采 | | |
| PGA108M | TOPIRAMATE EXTENDED-RELEASE 50MG/CAP (PC) | 17 | 友華生技 | | |
| PGA109M | TOPIRAMATE EXTENDED-RELEASE 200MG/CAP (PC) | 53 | 友華生技 | | |
| PGA110M | BRIVARACETAM 50MG/TAB | 51 | UCB | | |
| PGA111M | BRIVARACETAM 100MG/TAB | 51 | UCB | | |
| PGB004M | BIPERIDEN 2MG/TAB | 4 | 保瑞聯邦 | | |
| PGB011M | SINEMET 25-250 (LEVODOPA 250MG+CARBIDOPA 25MG)/TAB | 11 | Organon | | |
| PGB012M | TRIHENXYPHENIDYL HCL 2MG/TAB | 2 | 瑞士 | | |
| PGB014M | SINEMET 25-100(LEVODOPA 100MG+CARBIDOPA 25MG)/TAB | 7 | Organon | | |
| PGB016S | TRIHENXYPHENIDYL SOLN 0.4MG/ML, 100ML/BOT | 216 | 健康化學 | | |
| PGB022M | ENTACAPONE 200MG/TAB | 20 | 美時 | | |
| PGB030M | (LEVODOPA 200MG + BENSERAZIDE 50MG)/TAB | 9 | Roche | | |
| PGB032M | ROPINIROLE (PROLONGED RELEASE) 2MG/TAB | 15 | GSK | | |

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|------|----------------------|----|----|
| PGB050M | MADOPAR HBS(LEVODOPA 100MG+BENSERAZIDE 25MG)/CAP | 8 | Roche | | |
| PGB052M | PRAMIPEXOLE 0.25MG/TAB | 9 | Boehringer Ingelheim | | |
| PGB056M | STALEVO (LEVODOPA 100MG+CARBIDOPA 25MG+ ENTACAPONE 200MG)/F.C TAB | 23 | Lotus | | |
| PGB058M | ROPINIROLE 0.25MG/TAB | 7.1 | GSK | | |
| PGB061E | ROTIGOTINE TRANSDERMAL PATCH 4MG/24HR, 9MG/PATCH | 67 | UCB | | |
| PGB062M | RASAGILINE 1MG/TAB | 86 | 晟德 | | |
| PGB063M | PRAMIPEXOLE PR 1.5MG/TAB | 46 | Boehringer Ingelheim | | |
| PGB064M | ROPINIROLE (PROLONGED RELEASE) 8MG/TAB | 53 | GSK | | |
| PGB065E | ROTIGOTINE TRANSDERMAL PATCH 8MG/24HR, 18MG/PATCH | 103 | UCB | | |
| PGB067M | PRAMIPEXOLE PR 0.375 MG/TAB | 15 | Boehringer Ingelheim | | |
| PGB068M | RASAGILINE 1MG/TAB (PC) | 66 | TEVA | | |
| PGB069M | SAFINAMIDE 50MG/TAB (PC) | 39 | Eisai | | |
| PGB070M | OPICAPONE 50 MG/CAP | 108 | Bial | | |
| PGB071M | NUMIENT EXTENDED-RELEASE 36.25/145 (CARBIDOPA 36.25MG+LEVODOPA 145MG)/CAP | 68 | Bora | | |
| PGB072M | NUMIENT EXTENDED-RELEASE 48.75/195 (CARBIDOPA 48.75MG+LEVODOPA 195MG)/CAP | 68 | Bora | | |
| PGC002M | ACEMETACIN 90MG/CAP | 6 | 五洲 | | |
| PGC004M | ACETAMINOPHEN 500MG/TAB | 2 | 瑞安 | | |
| PGC010M | CELECOXIB 200MG/CAP | 5.6 | Viatris | | |
| PGC020M | COLCHICINE 0.5MG/TAB | 2.5 | 信東 | | |
| PGC028M | INDOMETHACIN 25MG/CAP | 2.5 | 生達 | | |
| PGC037M | IBUPROFEN 400MG/TAB | 3 | 瑞安 | | |
| PGC040M | MEFENAMIC ACID 250MG/CAP | 2.5 | 杏輝 | | |
| PGC048M | NAPROXEN 250MG/TAB | 4 | 強生 | | |
| PGC051M | DICLOFENAC POT. 25MG/TAB | 2.2 | Novartis | | |
| PGC056M | COLD CAP(ACETAMINOPHEN 300MG+PHENYLEPHRINE 5MG+ETC CAP) | 3 | 瑞士 | * | |
| PGC064E | DICLOFENAC SODIUM 12.5MG/SUPP | 6 | 永信 | | |
| PGC070E | ETOFENAMATE 5% GEL 40GM/TUBE | 54 | 五洲 | | |
| PGC072M | ACECLOFENAC 100MG/TAB | 4 | 健喬信元 | | |
| PGC078M | MELOXICAM 15MG/TAB | 3.2 | 健喬信元委託寶齡富錦 | | |
| PGC092P | KETOROLAC TROMETHAMINE (IV OR IM) 30MG/ML/AMP | 19 | 信東 | | |
| PGC102P | PARECOXIB 40MG/VIAL | 700 | Pfizer | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|----------------|----|----|
| PGC105M | ETORICOXIB 60MG/F.C. TAB | 6.1 | Organon | | |
| PGC106P | KETOPROFEN 25MG/ML, 2ML/AMP | 16.5 | 台裕 | | |
| PGC110M | ASPIRIN 100MG/TAB | 2 | 強生 | | |
| PGC111P | PROPACETAMOL HCL 1G/VIAL | 202 | 生達 | * | |
| PGD004E | BUTORPHANOL TARTRATE NASAL SPRAY 10MG/ML, 2.5ML/BOT(管4) | 2,200 | 美時 | * | |
| PGD006P | NALBUPHINE 10MG/ML/AMP | 40 | 健亞 | | |
| PGD054M | TRAMADOL HCL 50MG/CAP(管4) | 4 | 派頓 | | |
| PGD066M | TRAMADOL 37.5MG+ ACETAMINOPHEN 325MG TAB | 3.7 | 生達 | | |
| PGE006E | ISOFLURANE 100ML/BOT | 13 | Piramal | | |
| PGE010E | SEVOFLURANE 250ML/BOT(ULTANE, ABBOTT) | 22.5 | Abbvie | | |
| PGE014E | DESFLURANE FOR INHALATION 240ML/BOT | 22 | Baxter | | |
| PGE025P | PROPOFOL 10MG/ML, 20ML/AMP | 41 | Fresenius Kabi | | |
| PGE027P | PROPOFOL 10MG/ML, 50ML/VIAL | 141 | Fresenius Kabi | | |
| PGE035E | PLEGISOL SOLN 1000ML/BOT(PC) | 540.2 | Pfizer | | |
| PGE037E | SEVOFLURANE 250ML/BOT | 14 | Piramal | | |
| PGF001M | AMITRIPTYLINE HCL 25MG/TAB | 4 | 強生 | | |
| PGF003M | FLUOXETINE HCL 20MG/CAP | 3.1 | 健喬信元 | | |
| PGF004M | IMIPRAMINE 25MG/TAB | 4 | 榮民 | | |
| PGF006M | MIRTAZAPINE 30MG/TAB | 7 | 中國化學 | | |
| PGF010M | TRAZODONE 50MG/TAB | 2.2 | 美時 | | |
| PGF030M | MOCLOBEMIDE 150MG/FC TAB | 5 | 中生生技 | | |
| PGF042M | VENLAFAXINE EXT. RELEASE 75MG/CAP | 11 | 南光 | | |
| PGF050M | PAROXETINE 20MG/FC TAB | 5.8 | GSK | | |
| PGF052M | ESCITALOPRAM 10MG/F.C TAB | 12 | 東竹-健亞 | | |
| PGF058S | SERTRALINE HCL 20MG/ML, 60ML/BOT | 517 | 晟德 | | |
| PGF066M | PAROXETINE CR 12.5MG/TAB | 9 | GSK | | |
| PGF068M | VENLAFAXINE S.R. 37.5MG/CAP | 8.5 | Viatris | | |
| PGF070M | BUPROPION XL 150MG/TAB | 11 | GSK | | |
| PGF071M | AGOMELATINE 25MG/TAB | 39 | Servier | | |
| PGF072S | ESCITALOPRAM 1MG/ML, 150ML/BOT | 254 | 晟德 | | |
| PGF074M | SERTRALINE 50MG/TAB | 6 | Viatris | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|------|---------------|----|----|
| PGG001M | RISPERIDONE 1MG/TAB | 6.3 | Janssen | | |
| PGG002M | ALPRAZOLAM 0.5MG/TAB (管4) | 2.2 | 健喬信元 | | |
| PGG005M | ALPRAZOLAM XR 0.5MG/TAB | 4 | Viatris | | |
| PGG006M | CHLORDIAZEPOXIDE 5MG/TAB(管4) | 4 | 強生 | | |
| PGG007M | RISPERIDONE 3MG/TAB | 15 | Janssen | | |
| PGG008M | CLOZAPINE 100MG/TAB | 4.3 | 信東 | | |
| PGG009S | RISPERIDONE SOLN 1MG/ML, 30ML/BOT | 493 | Janssen | | |
| PGG010M | CHLORPROMAZINE 50MG/TAB | 4 | 強生 | | |
| PGG012M | ZOTEPINE 50MG/TAB | 11 | 瑞士 | | |
| PGG013M | OLANZAPINE OD 5MG/TAB | 32 | Lilly | | |
| PGG014M | CLOZAPINE 25MG/TAB | 4.4 | 瑞士 | | |
| PGG016P | OLANZAPINE 10MG/VIAL | 396 | Lilly | | |
| PGG018M | FLUDIAZEPAM 0.25MG/TAB (管4) | 5 | 生達 | | |
| PGG019M | QUETIAPINE 25MG/F.C TAB | 5.5 | AstraZeneca | | |
| PGG022M | DIAZEPAM 2MG/TAB (管4) | 2.2 | 瑞士 | | |
| PGG024M | DIAZEPAM 5MG/TAB (管4) | 2.2 | 中國化學 | | |
| PGG025E | DIAZEPAM 10MG/2.5ML/BOT RECTAL TUBE(S-IV) | 133 | 美強/PT Actavis | * | |
| PGG026M | BUSPIRONE HCL 10MG/TAB | 4 | 健喬信元 | | |
| PGG028P | DIAZEPAM 10MG/2ML/AMP (管4) | 17 | 南光 | | |
| PGG030M | HALOPERIDOL 5MG/TAB | 3.5 | 瑞士 | | |
| PGG036P | HALOPERIDOL 5MG/ML/AMP | 25 | 瑞士 | | |
| PGG037P | FLUPENTHIXOL DECANOATE(IM) 20MG/AMP | 270 | Lundbeck | | |
| PGG038M | LITHIUM CARBONATE 300MG/TAB | 4.8 | 優良化學 | | |
| PGG039M | LORAZEPAM 1MG/TAB (管4) | 2 | 強生 | | |
| PGG044M | PROCHLORPERAZINE 5MG/TAB | 3 | 強生 | | |
| PGG045P | LORAZEPAM 2MG/ML/AMP(管4) INJ | 21 | 瑞士 | | |
| PGG048P | PROCHLORPERAZINE 5MG/ML/AMP | 21 | 鹽野義/中化 | | |
| PGG051M | TRIFLUOPERAZINE 5MG/TAB | 5 | 強生 | | |
| PGG054M | SULPIRIDE 50MG/CAP | 2.5 | 羅得 | | |
| PGG055M | SULPIRIDE 200MG/TAB(PTP) (FOILORPPT PACKAGE) | 4 | 信東 | | |
| PGG059M | AMISULPRIDE 50MG/TAB | 13 | Sanofi | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|-----------------|----|----|
| PGG060M | AMISULPRIDE 400MG/TAB | 40 | Sanofi | | |
| PGG061P | RISPERIDONE INJ (IM) 25MG/VIAL | 2,881 | Janssen | | |
| PGG063P | RISPERIDONE INJ(IM) 50MG/VIAL | 4,639 | Janssen | | |
| PGG067M | ARIPRAZOLE 5MG/TAB | 31 | Otsuka | | |
| PGG070M | DULOXETINE 30MG/CAP | 16 | Lilly | | |
| PGG071M | PALIPERIDONE 3MG/EXT.RELEASE TAB | 66 | Janssen | | |
| PGG072M | DULOXETINE 60MG/CAP | 24 | Lilly | | |
| PGG077M | QUETIAPINE E.R. 300MG/F.C TAB | 36 | AstraZeneca | | |
| PGG088M | OLANZAPINE OD 10MG/TAB | 50 | Lilly | | |
| PGG089M | PALIPERIDONE 9MG/EXT.RELEASE TAB | 129 | Janssen | | |
| PGG091M | ARIPRAZOLE O.D. 15MG/TAB | 40 | Otsuka | | |
| PGG092P | PALIPERIDONE 75MG/0.75ML/PRE-FILLED SYRINGE | 7,053 | Janssen | | |
| PGG094P | PALIPERIDONE 100MG/ML/PRE-FILLED SYRINGE | 8,754 | Janssen | | |
| PGG096P | PALIPERIDONE 150MG/1.5ML/PRE-FILLED SYRINGE | 9,052 | Janssen | | |
| PGG098M | QUETIAPINE E.R. 50MG/TAB | 18 | AstraZeneca | | |
| PGG100S | RISPERIDONE SOLN 1MG/ML, 30ML/BOT | 493 | 晟德 | | |
| PGG103M | ARIPRAZOLE 30MG/TAB (PC) | 65 | Otsuka | | |
| PGG104P | PALIPERIDONE 350MG(PALIPERIDONE PALMITATE 546MG)/1.75ML/SYRINGE | 24,841 | Janssen | | |
| PGG105P | PALIPERIDONE 525MG(PALIPERIDONE PALMITATE 819MG)/2.625ML/SYRINGE | 27,741 | Janssen | | |
| PGG106P | ARIPRAZOLE 400MG EXTENDED-RELEASE PRE-FILLED DUAL CHAMBER SYRINGE | 8,120 | Otsuka | | |
| PGG107M | LURASIDONE 40MG/TAB | 46 | Sumitomo Pharma | | |
| PGG108M | PALIPERIDONE 3MG/EXT.RELEASE TAB | 55 | 中國化學 | | |
| PGG109M | PALIPERIDONE 9MG/EXT.RELEASE TAB | 109 | 中國化學 | | |
| PGG110P | ARIPRAZOLE 300MG EXTENDED-RELEASE PRE-FILLED DUAL CHAMBER SYRINGE | 8,120 | Otsuka | | |
| PGG111S | QUETIAPINE ORAL SUSPENSION 25MG/ML, 120ML/BOT | 591 | 晟德 | | |
| PGG112M | BREXPIRAZOLE 2MG/TAB | 79 | Otsuka | | |
| PGG114M | BREXPIRAZOLE 4MG/TAB | 79 | Otsuka | | |
| PGH018M | METHYLPHENIDATE 36MG/EXT.RELEASE TAB (管3) | 54 | Janssen | | |
| PGH020M | METHYLPHENIDATE 18MG/EXT.RELEASE TAB (管3) | 35 | Janssen | | |
| PGH022M | METHYLPHENIDATE SUSTAINED-RELEASE 22MG/CAP (管3) | 61 | 友華生技 | | |
| PGH024M | METHYLPHENIDATE 10MG/TAB (管3) | 4 | Novartis | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|---------------|----|----|
| PGH025M | ATOMOXETINE 25MG/CAP | 59 | Apotex | | |
| PGH033M | METHYLPHENIDATE SUSTAINED-RELEASE 33MG/CAP (管3) | 73 | 友華生技 | | |
| PGH040M | ATOMOXETINE 40MG/CAP | 59 | Apotex | | |
| PGH042M | METHYLPHENIDATE LONG-ACTING 20MG/CAP (管3) | 33 | Novartis | | |
| PGH044M | METHYLPHENIDATE EXTENDED RELEASE 40MG/CAP (PC) | 54 | Novartis | | |
| PGH045M | ATOMOXETINE 60MG/CAP | 59 | Apotex | | |
| PGH046M | PITOLISANT 4.5MG/TAB (PC) | 95 | Patheon | | |
| PGH047M | PITOLISANT 18MG/TAB (PC) | 213 | Patheon | | |
| PGI006M | ESTAZOLAM 2MG/TAB (管4) | 2.5 | Takeda | | |
| PGI010M | FLURAZEPAM HCL 30MG/CAP (管4) | 6 | 信東 | | |
| PGI014M | ZOLPIDEM 10MG/F.C TAB (管4) | 2.2 | 羅得 | | |
| PGI030P | MIDAZOLAM 5MG/1ML/AMP (管4) | 18 | 南光 | | |
| PGI031P | MIDAZOLAM 15MG/3ML/AMP (管4) | 21 | 南光 | | |
| PGI036M | ZOLPIDEM CR 6.25MG/F.C TAB (管4) | 6 | Sanofi | | |
| PGI038M | LEMBorexant 5MG/TAB | 50 | Eisai | * | |
| PGI039P | REMIMAZOLAM 20MG/VIAL | 1,500 | 台灣東洋 | * | |
| PGI040M | ZOPICLONE 7.5MG/TAB (管4) | 4 | 信東 | | |
| PHB002P | PATENT BLUE V 50MG/2ML/AMP | 2,040 | Guerbet | * | |
| PHB004P | INDOCYANINE GREEN(ICG) 25MG/VIAL(PC) | 2,000 | 第一三共 | | |
| PHG056P | SULPHUR HEXAFLUORIDE MICROBUBBLES POWDER AND SOLVENT 8 MICROLITRES/ML, 5ML/VIAL | 7,000 | Bracco | * | |
| PHK007P | IOHEXOL 300MG I/ML INJ, 10ML/PC | 403 | GE Healthcare | | |
| PHK008P | ETHIODIZED OIL 38%, 10ML/AMP (4.8G I/PC) | 7,920 | Guerbet | | |
| PHK017P | DIATRIZOATE SODIUM 76%, 50ML/VIAL(PC) | 200 | Bayer | | |
| PHK034P | DIMEGLUMINE GADOPENTETATE 20ML/VIAL | 3,000 | Bayer | | |
| PHK051P | IOHEXOL 350MG IODINE/ML, 50ML/VIAL | 202 | GE Healthcare | | |
| PHK052P | IOHEXOL 350MG IODINE/ML, 100ML/VIAL | 338 | GE Healthcare | | |
| PHK053P | IOHEXOL 350MG IODINE/ML, 200ML/VIAL | 635 | GE Healthcare | | |
| PHK068P | GADOXETIC ACID, DISODIUM 2.5MMOL/10ML(PREFILLED SYRINGE) | 7,143 | Bayer | * | |
| PHK070P | MEGLUMINE GADOTERATE 376.9MG/ML, 20ML/VIAL | 1,512 | Guerbet | | |
| PHK071P | GADOBUTROL 604.72MG/ML, 15ML/VIAL | 3,000 | Bayer | * | |
| PHL008P | PPD TUBERCULIN 0.1ML/DS, 1.5ML/VIAL | 1,440 | 國光 | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|----------------|----|----|
| PHM002P | FLUORESCEIN SODIUM (IV) 10%, 5ML/VIAL | 780 | Alcon | | |
| PHP008P | GONADORELIN 0.1MG/1ML/AMP | 2,268 | Ferring | * | |
| PHQ008P | THYROTROPIN ALFA 1.1MG/VIAL(IM FOR INJ.) | 21,453 | Sanofi | | |
| PIB008P | SODIUM BICARBONATE 7%, 20ML/AMP | 17 | 信東 | | |
| PIB012M | POT. CITRATE H2O 3.3G+CITRIC ACID H2O 1G) GRANULES, 5GM/SACHET | 7.6 | 政德 | | |
| PIB013M | SODIUM BICARBONATE 600MG/TAB | 2.5 | 強生 | | |
| PIC001M | INDAPAMIDE S. R 1.5MG/TAB | 2.5 | 生達 | | |
| PIC004M | ACETAZOLAMIDE 250MG/TAB | 5 | 人人化學 | | |
| PIC006M | BUMETANIDE 1MG/TAB | 4 | 成大藥品 | | |
| PIC008M | BENZYL HYDROCHLOROTHIAZIDE 4MG/TAB | 5 | 杏林新生 | | |
| PIC016M | FUROSEMIDE 40MG/TAB | 2.2 | 杏林新生 | | |
| PIC028P | D-MANNITOL (IVF) 20%, 300ML/BAG | 52 | 安星 | | |
| PIC032M | SPIRONOLACTONE 25MG/TAB | 4 | 約克製藥 | | |
| PIC038M | (AMILORIDE 5MG+HYDROCHLOROTHIAZIDE 50MG)/TAB | 3 | 生達 | | |
| PIC040P | BUMETANIDE 0.25MG/ML, 2ML/AMP(FOR INJ.) | 17 | 信東 | | |
| PIC041P | FUROSEMIDE 20MG/2ML/AMP | 17 | 南光 | | |
| PIC043M | EPLERENONE 50MG/F.C TAB | 34 | Viatrix | | |
| PIC045M | TOLVAPTAN 15MG/TAB | 612 | Otsuka | | |
| PIC046P | GLYCEROL IN FRUCTOSE (IVF) 250ML/BAG | 72 | 南光 | | |
| PIC047M | FINERENONE 10MG/TAB | 75 | Bayer | * | |
| PIC048M | FINERENONE 20MG/TAB | 75 | Bayer | * | |
| PID001P | ACD (CITRIC ACID+NACL+DEXTROSE) 70ML IN 500ML BOT | 91 | 信東 | | |
| PID006P | AMINO ACID 8% 500ML/BOT(7.1 W/V %) | 200 | Fresenius Kabi | | |
| PID008P | AMINO ACID (IVF) 5%, 500ML/BOT | 119 | B. Braun | | |
| PID011P | SMOFKABIVEN PERIPHERAL EMULSION(DEXTROSE+A. A+FAT EMULSION) FOR INJ. 1448ML/BAG | 661 | Fresenius Kabi | | |
| PID012M | KETOSTERIL TAB | 19 | Fresenius Kabi | | |
| PID014P | DEXTROSE 50MG/ML 250ML | 40 | 南光 | | |
| PID015P | GLUCOSE (IVF) 5%, 500ML/BOT | 35 | 台裕 | | |
| PID016P | GLUCOSE 5%, 500ML/BAG(PC) | 42 | 南光 | | |
| PID017P | GLUCOSE (IVF) 5%, 1000ML/BOT | 40 | 永豐 | | |
| PID020P | GLUCOSE 10%, 500ML/BOT(PC) | 36 | 南光 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|----------------|----|----|
| PID021P | GLUCOSE 10%, 1000ML/BOT(PC) | 42 | 永豐 | | |
| PID028P | GLUCOSE 50%, 20ML/AMP(PC) | 17 | 信東 | | |
| PID055P | TPN RENAL 1000ML/BOT(PC) | 583 | 調製 | | |
| PID056P | TPN STANDARD 1000ML/BOT(PC) | 1,001 | 調製 | | |
| PID057P | TPN STANDARD 500ML/BOT(PC) | 500.5 | 調製 | | |
| PID058P | TPN HN 1000ML/BOT(PC) | 1,100 | 調製 | | |
| PID060P | PERIPHERAL PN 1000ML/BOT | 800 | 調製 | | |
| PID061P | NEONATE PN 500ML/BOT | 450 | 調製 | | |
| PID062P | TPN HEPATIC 1000ML/BOT(PC) | 968 | 調製 | | |
| PID063P | TPN STANDARD 100ML/BOT(PC) | 100.1 | 調製 | | |
| PID064P | NEONATE PN 100ML/BOT | 120 | 調製 | | |
| PID066P | NEONATE PN 200ML/BOT | 220 | 調製 | | |
| PID068P | NEONATE PN 300ML/BOT | 300 | 調製 | | |
| PID070P | MIXTURE OF TRACE ELEMENTS(M. T. E) 10ML/PC | 116 | Fresenius Kabi | | |
| PID078P | MAGNESIUM SULFATE 10%, 200ML/BOT | 136 | 中國化學 | | |
| PID080P | ZINC SULPHATE 5.94MG/ML, 5ML/AMP | 74 | 濟生 | * | |
| PID082P | TPN HEPATIC 500ML/BOT | 500 | 調製 | | |
| PID084P | TPN HN 500ML/BOT | 550 | 調製 | | |
| PID086P | TPN RENAL 500ML/BOT | 350 | 調製 | | |
| PID088P | TPN HEPATIC 100ML/BOT | 100 | 調製 | | |
| PID101P | MULTI-ELECTROLYTE NO.1 INJ. 500ML/BAG | 46 | 台灣大塚 | | |
| PID102P | MULTI-ELECTROLYTE NO.2 INJ. 500ML/BAG | 46 | 台灣大塚 | | |
| PID103P | MULTI-ELECTROLYTE NO.3 INJ. 500ML/BAG | 46 | 台灣大塚 | | |
| PID104P | MULTI-ELECTROLYTE NO.4 INJ. 500ML/BAG | 46 | 台灣大塚 | | |
| PID136P | PEDIATRIC STANDARD TPN 500ML/BOT | 500.5 | 調製 | | |
| PID138P | PEDIATRIC STANDARD TPN 1000ML/BOT | 1,001 | 調製 | | |
| PID140P | SMOFLIPID 20% EMULSION FOR INFUSION 250ML/BOT | 161 | Fresenius Kabi | | |
| PID142P | ESSENTIAL AMINO ACID 7% 250ML/BOT | 207 | Fresenius Kabi | | |
| PID146P | SMOFLIPID 20% EMULSION FOR INFUSION 100ML/BOT | 155 | Fresenius Kabi | | |
| PID147P | OLICLINOMEL N4-550E EMULSION (DEXTRROSE +A. A+FAT EMULSION) FOR INJ. 1500ML/BAG | 605 | Baxter | | |
| PID148P | NEWBORN START 100ML/BOT | 91 | 調製 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|----------------|----|----|
| PID150P | TPN SMOF KABIVEN CENTRAL VEIN EMULSION 1477ML/BAG(限中央靜脈使用) | 949 | Fresenius Kabi | | |
| PID151P | GLUTAMINE CON. SOLN FOR IVF 0.2GM/ML, 100ML/BOT(DIPEPTIVEN, FK) | 1,760 | Fresenius Kabi | * | |
| PID153P | MULTI-ELECTROLYTE NO.5 INJ. 400ML/BAG | 46 | 台灣大塚 | | |
| PID154P | TPN SMOF KABIVEN CENTRAL VEIN 493ML/BAG(限中央靜脈使用) | 1,100 | Fresenius Kabi | * | |
| PID155P | TPN STANDARD (A5D21) 1000ML/BOT | 1,001 | 調製 | | |
| PID156P | TPN STANDARD (A5D21) 500ML/BOT | 500.5 | 調製 | | |
| PID157P | TPN HEPATIC (A4.5D18.5) 1000ML/BOT | 968 | 調製 | | |
| PID158P | TPN HEPATIC (A4.5D18.5) 500ML/BOT | 500 | 調製 | | |
| PID159P | NEONATE PN (A3.3) 500ML/BOT | 450 | 調製 | | |
| PID160P | NEONATE PN (A3.3) 300ML/BOT | 300 | 調製 | | |
| PID161P | NEONATE PN (A3.3) 200ML/BOT | 220 | 調製 | | |
| PID162P | NEONATE PN (A3.3) 100ML/BOT | 120 | 調製 | | |
| PID163P | AMINO ACID (IVF) 15%, 500ML/BOT | 326 | Fresenius Kabi | | |
| PID164S | LICURE SUSP. (L-ISOLEUCINE 0.952G+L-LEUCINE 1.904G+L-VALINE 1.144G), 20G/PACK | 120 | Daewon | * | |
| PID165P | 有機磷 NEONATE PN 100ML/BAG | 120 | 調製 | | |
| PID166P | 有機磷 NEONATE PN 200ML/BAG | 220 | 調製 | | |
| PID167P | 有機磷 NEONATE PN 300ML/BAG | 300 | 調製 | | |
| PID168P | 有機磷 NEONATE PN 500ML/BAG | 450 | 調製 | | |
| PID169P | 有機磷 NEONATE PN (A3.3) 100ML/BOT | 120 | 調製 | | |
| PID170P | 有機磷 NEONATE PN (A3.3) 200ML/BOT | 220 | 調製 | | |
| PID171P | 有機磷 NEONATE PN (A3.3) 300ML/BOT | 300 | 調製 | | |
| PID172P | 有機磷 NEONATE PN (A3.3) 500ML/BOT | 450 | 調製 | | |
| PID173P | PERIOLIMEL N4E EMULSION (GLUCOSE+LIPID+AMINO ACID+ELECTROLYTES) 1500ML/BAG | 661 | Baxter | | |
| PID174P | SODIUM GLYCEROPHOSPHATE (P 20MMOL+NA 40MMOL)/20ML/AMP (TPN專用) | 182 | Fresenius Kabi | | |
| PID175P | SODIUM SELENITE PENTAHYDRATE 50MCG/ML, 2ML/AMP | 380 | 台睿生技 | * | |
| PID176P | AMINO ACID (IVF) 5%, 250ML/BOT | 120 | Fresenius Kabi | | |
| PID177P | AMINO ACID 7.1%, 500ML/BOT (PC) | 141 | 中國化學 | | |
| PID178P | TPN HEPATIC (A4.5D15) 1000ML/BOT | 968 | 調製 | | |
| PIE008M | CAL. POLYSTYRENE SULFONATE POWDER 5GM/PC | 12 | KOWA | | |
| PIG002M | CALCIUM CARBONATE 500MG/TAB | 2 | 羅得 | * | |
| PIG005P | CALCIUM GLUCONATE 10%, 10ML/AMP (1G/PC) (專案) | 40 | OGB dexta | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|------|---------|----|----|
| PIG006M | CALCIUM ACETATE 667MG/TAB | 1.8 | 優良化學 | | |
| PIG013P | NACL 0.225% WITH GLUCOSE 5% (IVF) 500ML/BOT | 36 | 信東 | | |
| PIG014P | NACL 0.45% WITH GLUCOSE 2.5% (IVF) 500ML/BAG | 43 | 南光 | | |
| PIG015P | HALF-SALINE 0.45%, 500ML/BOT(PC) | 36 | 南光 | | |
| PIG020P | NACL 0.9%(PLASTIC) 20ML/AMP(PC) | 10 | 信東 | | |
| PIG021P | NACL 0.45%, 20ML IN PLASTIC BOT/PC | 17 | 信東 | | |
| PIG022P | NACL 0.9%, 250ML/SOFT BAG | 31 | 南光 | | |
| PIG024P | NACL 3%, 500ML/BAG(PC) | 36 | 信東 | | |
| PIG028P | D5S 500ML/BOT(PC) | 36 | 南光 | | |
| PIG040P | POTASSIUM CHLORIDE(IVF) 15%, 20MEQ/10ML/AMP | 17 | 信東 | | |
| PIG043M | POTASSIUM CHLORIDE EXTENDED-RELEASE 750MG/TAB (PC) | 12 | 保瑞聯邦 | | |
| PIG048P | L-R 500ML/BOT(PC) | 41 | 南光 | | |
| PIG052P | WATER FOR INJECTION 20ML/AMP(PC) | 7 | 信東 | | |
| PIG054P | POTASSIUM PHOSPHATE 20ML/AMP(每ML含P 3MMOL及K 4.4MEQ)(僅供TPN配置使用) | 148 | 優良化學委濟生 | | |
| PIG056P | WATER FOR INJECTION 1000ML/BOT(PC) | 126 | 中國化學 | | |
| PIG057P | WATER FOR INJECTION 500ML/BOT (PC) | 42 | 信東 | | |
| PIG076P | 0.149% KCL(10MEQ)IN 0.9% NACL 500ML/BOT | 36 | 信東 | | |
| PIG078P | 0.298% KCL(20MEQ) IN 0.9% NACL 500ML/BOT | 36 | 信東 | | |
| PIG088M | ASPARTATE CALCIUM 200MG/TAB | 4.5 | Tanabe | | |
| PIG089M | SEVELAMER CARBONATE POWDER FOR ORAL SUSPENSION 800MG/PACKET (PC) | 39 | Genzyme | * | |
| PIG090M | POTASSIUM GLUCONATE 595MG/TAB | 4 | 正和 | | |
| PIG091M | BIO-CAL PLUS(TRICALCIUM PHOS.1203MG+VIT.D 3 330IU)/CHEWABLE TAB | 9.5 | 台灣東洋 | * | |
| PIG093M | LANTHANUM CARBONATE 1000MG/TAB | 150 | Takeda | * | |
| PIG094P | 0.298% KCL IN 0.9% NACL AND 5% GLUCOSE, 500ML/BOT (PC) | 39 | 信東 | | |
| PIG095P | 0.298% KCL IN 5% GLUCOSE, 500ML/BOT (PC) | 39 | 信東 | | |
| PIG096P | 0.149% KCL IN 0.9% NACL AND 5% GLUCOSE, 500ML/BOT (PC) | 39 | 信東 | | |
| PIG097P | 0.149% KCL IN 5% GLUCOSE , 500ML/BOT (PC) | 39 | 信東 | | |
| PIG098P | 0.149% KCL IN 0.33% NACL AND 5% GLUCOSE, 500ML/BOT (PC) | 39 | 信東 | | |
| PIG099P | 0.9% NACL 100ML/BAG (PP袋) | 30 | 南光 | | |
| PIG101M | FERRIC CITRATE 500MG/CAP | 35 | 寶齡富錦 | * | |
| PIG102S | POTASSIUM (K 20MEQ) GLUCONATE ORAL SOLUTION 15ML/PC | 18 | 信東 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|----------------------|----|----|
| PIG104M | Calcium Vitamin D3, 10發泡錠/瓶(=總量1), (Ca.1000mg+Vit.D3 880IU)/tab | 360 | STELLA | * | |
| PIH002M | SULFINPYRAZONE 100MG/TAB | 6 | 台灣東洋 | | |
| PIH005M | ALLOPURINOL 100MG/TAB | 2.2 | 健喬信元 | | |
| PIH006M | BENZBROMARONE 50MG/TAB | 2.2 | 健喬信元 | | |
| PIH010P | RASBURICASE 1.5MG/VIAL | 3,075 | Sanofi | | |
| PIH012M | FEBUXOSTAT 80MG/TAB | 16 | Astellas | | |
| PIH014M | FEBUXOSTAT 80MG/TAB (PC) | 14 | 南光 | | |
| PII001P | CVVH-A SOLN(S.T) 3000ML/SOFT.BAG | 165.7 | 信東 | | |
| PII026E | SOLUTION FOR MULTI-ORGAN PRESERVATION 1,000ML/BOT | 10,320 | Dr.Franz Kohler | | |
| PII030P | CVVH-B SOD. CHLORIDE 0.45% 2760ML/BAG | 107 | 信東 | | |
| PII031P | CVVH-B SOD. BICARBONATE 7% 250ML/BOT | 55 | 信東 | | |
| PII048P | PRISMASOL B0, SOLUTION FOR HAEMOFILTRATION AND HAEMODIALYSIS, 5L/BOT (PC) | 339 | Baxter | | |
| PJA010E | HEPARINOID GEL 20GM/TUBE | 37 | 杏輝 | | |
| PJA018P | UROKINASE 60000IU/VIAL | 1,455 | 杏林新生 | | |
| PJA022P | TISSUE PLASMINOGEN ACTIVATOR 50MG/VIAL | 19,597 | Boehringer Ingelheim | | |
| PKA003M | ALUMINUM HYDROXIDE TABLETS | 2 | 強生 | * | |
| PKA020M | MAGNESIUM OXIDE 250MG/TAB | 2 | 健喬信元 | | |
| PKA029M | SUCRALFATE 500MG/TAB | 4 | 衛達 | | |
| PKA040M | PANTOPRAZOLE 40MG/TAB | 11 | 生達 | | |
| PKA041P | PANTOPRAZOLE 40MG/VIAL | 131 | 生達 | | |
| PKA044M | ESOMEPRAZOLE MUPS 40MG/TAB | 7.1 | AstraZeneca | | |
| PKA048M | LANSOPRAZOLE 30MG/TAB(TAKEPRON OD, TAKEDA) | 11 | Takeda | | |
| PKA050M | MISOPROSTOL 200MCG/TAB | 13 | Pfizer | | |
| PKA068M | LANSOPRAZOLE 30MG/CAP | 11 | 南光 | | |
| PKA072P | ESOMEPRAZOLE 40MG/VIAL | 82 | 生達 | | |
| PKA088S | ALGINNATE SODIUM SUSP. 50MG/ML, 210ML/PC | 340 | 台灣東洋/晟德 | * | |
| PKA089S | ALUMINUM MAGNESIA SUSP. 200ML/BOT | 125 | 杏輝 | * | |
| PKA090M | DEXLANSOPRAZOLE DELAYED RELEASE 60MG/CAP (PC) | 11 | Takeda | | |
| PKA091M | ULWYCON--AL(OH)3 GEL 200MG+MGO 200MG+DIMETHICONE 20MG/TAB | 2 | 杏輝 | * | |
| PKA092M | SUCRALFATE GEL SUSP. 10ML/SACHET(100MG/ML) | 19 | 生達 | | |
| PKA093M | RABEPRAZOLE SODIUM ENTERIC COATED 20MG/TAB | 9.6 | 信東 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|------|-----------|----|----|
| PKA096M | (OXETHAZAINE 5MG+POLYMIGEL 244MG)/TAB | 2.2 | 衛采委託保瑞 | | |
| PKA097P | LANSOPRAZOLE 30MG/VIAL (PC) | 158 | Takeda | | |
| PKB002M | LACTOBACILLUS CASEI 250MG/CAP | 8 | Lyocentro | * | |
| PKB004M | BIO-THREE TAB(CLOSTRIDIUM BUTYRICUM 10MG+STREPTOCOCCUS FAECALIS 2MG+--) | 9 | 寶齡富錦 | * | |
| PKB014M | DIOCTAHEDRAL SMECTITE POWDER 3GM/SACHET | 8 | Ipsen | | |
| PKB018M | LOPERAMIDE 2MG/CAP | 2.2 | 成大藥品 | | |
| PKB020M | MEBEVERINE HCL 135MG/TAB | 4 | 杏輝 | | |
| PKB021M | PINAVERIUM BROMIDE 50MG/TAB | 5 | Abbott | | |
| PKB029M | LACTOBACILLUS RHAMNOSUS 150MG/CAP | 18 | 盈盈生技 | * | |
| PKB030M | CLOSTRIDIUM BUTYRICUM MIYAIRI 40MG/1GM/SACHET | 18 | Miyarisan | * | |
| PKB034M | RACECADOTRIL 10MG GRANULES FOR ORAL SUSPENSION/SACHET | 11 | Abbott | | |
| PKC005S | DIMETHICONE SUSP. 20MG/ML, 300ML/BOT | 2 | 約克製藥 | * | |
| PKC006S | SIMETHICONE SUSP. 20MG/ML, 60ML/BOT | 150 | 保瑞聯邦/晟德 | * | |
| PKD004M | BISACODYL 5MG/TAB | 2 | 明德 | | |
| PKD008E | BISACODYL SUPP. 10MG/SUPP | 6 | 明德 | | |
| PKD021E | FLEET ENEMA 118ML/BOT | 47 | 瑞安 | | |
| PKD028S | MAGNESIUM CITRATE SOLN 250ML/BOT | 50 | 瑞安 | | |
| PKD050M | SENNOSIDE A+B CALCIUM 12MG/TAB | 4 | 中美兄弟製藥 | | |
| PKD052S | LACTULOSE LIQUID 60ML/BOT | 28 | 順華 | | |
| PKD054S | LACTULOSE SYRUP 300ML/BOT | 96 | 杏輝 | | |
| PKD055M | NIFLEC POWDER(PEG 4000 +ELECTROLYTES POWDER) 137.15G/SACHET | 250 | 中國化學 | * | |
| PKD057M | POLYETHYLENE GLYCOL 4000 10G/PACK | 8 | Ipsen | | |
| PKD059M | BOWKLEAN POWDER 16.2G/PACKAGE | 290 | 健亞 | * | |
| PKD060M | PSYLLIUM HUSK POWDER 6GM/SACHET | 10 | 國嘉 | | |
| PKE012M | URSODEOXYCHOLIC ACID 100MG/TAB | 4 | 政德 | | |
| PKE014M | BIOGEN(BIODIASE+CELLULASE AP+BIODIASMIN F-2+VIT B1+VIT B2)/TAB | 4 | 皇佳 | * | |
| PKE019M | PANCREATIN 300MG (LIPASE 25000 +PROTEASE 1000 +AMYLASE 18000)PH. EUR. UNITS/CAP | 9.5 | Abbott | | |
| PKF002M | APREPITANT 80MG/CAP | 458 | MSD | | |
| PKF004M | APREPITANT 125MG/CAP | 458 | MSD | | |
| PKF012M | MECLIZINE 25MG/TAB | 2 | 強生 | | |
| PKF014M | DOMPERIDONE 10MG/TAB | 2.2 | 健喬信元 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|-----------------|----|----|
| PKF016M | METOCLOPRAMIDE 5MG(3.84MG BASE)/TAB | 2.2 | 生達 | | |
| PKF020P | METOCLOPRAMIDE 9.08MG(7.68MG BASE)/2ML/AMP | 17 | 南光 | | |
| PKF024M | ONDANSETRON 8MG/F.C TAB | 128 | Novartis | | |
| PKF026P | ONDANSETRON 8MG/4ML/AMP | 87 | 信東 | | |
| PKF036P | GRANISETRON 3MG/3ML/VIAL(AMP) | 382 | 台灣東洋 | | |
| PKF044P | PALONOSETRON 0.25MG/5ML/SYRINGE | 649 | 南光 | | |
| PKF045M | MOSAPRIDE CITRATE 5MG/TAB | 2 | 信東 | | |
| PKF046P | FOSAPREPITANT 150MG/VIAL | 1,586 | MSD | | |
| PKF048M | AKYNZEO 300/0.5 (NETUPITANT 300MG + PALONOSETRON 0.5MG)/CAP | 1,946 | Helsinn Birex | | |
| PKG012M | SILYMARIN 150MG/CAP | 3.5 | 柏理/政德 | | |
| PKI001M | ORLISTAT 120MG/CAP | 34 | Delpharm Milano | * | |
| PLA006P | ALBUMIN 20%, 50ML/VIAL (IVF) (血液製劑) | 1,333 | CSL Behring | | |
| PLA009P | ALBUMIN(IVF) 25%, 50ML/BAG (血液製劑) | 1,628 | Takeda | | |
| PLA012P | DEXTRAN LOW MOLECULE 40 500ML/BOT(IVF) | 256 | 台灣綠十字/大塚 | | |
| PLA017P | IMMUNE GLOBULIN IV(HM)(IVIG)3GM/VIAL (IVF) (血液製劑) | 6,156 | CSL Behring | | |
| PLA018P | HEPATECT(IV) 50IU/ML, 10ML/VIAL (血液製劑) | 19,021 | Biotest | | |
| PLA022P | HEPATITIS B IMMUNE GLOBULIN(IM) 5ML/PC "BEHRING" | 26,160 | CSL Behring | | |
| PLA032P | ANTI-HM THYMOGLOBULIN(RABBIT)25MG/VIAL | 8,394 | Sanofi | | |
| PLA034P | HEPATITIS B IMMUNE GLOBULIN (IM) 0.5ML/VIAL | 3,228 | Grifols | | |
| PLA038P | TETRASTARCH 6% 500ML/BOT | 175 | Fresenius Kabi | | |
| PLA040P | IMMUNOGLOBULIN HUMAN 10%, 50ML/VIAL (IVF) (血液製劑) | 9,900 | CSL Behring | | |
| PLA042P | HUMAN C1 ESTERASE INHIBITOR 500IU/VIAL (PC) | 19,352 | CSL Behring | | |
| PLA043P | HEPATITIS B IMMUNE GLOBULIN (SC) 500IU/SYRINGE (血液製劑) | 12,728 | Biotest | | |
| PLA050P | IMMUNOGLOBULIN HUMAN 5G (國血製劑, IVIG) 10%, 50ML/VIAL (血液製劑) | 10,260 | CSL Behring | | |
| PLB001M | FERROUS GLUCONATE B 300MG+VIT B1 10MG+VIT C 30MG | 4 | 強生 | | |
| PLB002M | COBAMAMIDE 250MCG/TAB | 3 | 豐田/應元 | | |
| PLB020M | FOLIC ACID 5MG/TAB | 4 | 強生 | | |
| PLB024P | EPOETIN BETA 5000IU/0.3ML(PRE-FILLED SYRINGE) | 725 | Roche | | |
| PLB029P | EPOETIN BETA 2000IU/0.3ML(PRE-FILLED SYRINGE) | 301 | Roche | | |
| PLB032P | RHG-CSF 75MCG/0.3ML/AMP | 640 | Nipro Pharma | | |
| PLB034P | RHG-CSF 300MCG/0.7ML/AMP | 1,840 | Nipro Pharma | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|----------------------|----|----|
| PLB036P | ERYTHROPOIETIN 2000IU/0.5ML(PRE-FILLED SYRINGE) | 290 | Janssen | | |
| PLB046P | IRON SUCROSE COMPLEX 2%, (20MG FE/ML), 5ML/VIAL | 72 | 壽元 | | |
| PLB048P | MPEG-EPOETIN BETA 100MCG/0.3ML (PRE-FILLED SYRINGE) | 2,497 | Roche | | |
| PLB050P | MIRCERA 50MCG/0.3ML (PRE-FILLED SYRINGE) | 1,698 | Roche | | |
| PLB053P | PEGFILGRASTIM 6MG/0.6ML/PRE-FILLED SYRINGE | 18,289 | Amgen | | |
| PLB054P | DARBEPOETIN ALFA 20MCG/0.5ML/SYRINGE (PC) | 790 | Kyowa Hakko Kirin | | |
| PLBB01P | FULPHILA(BS) (PEGFILGRASTIM, MYLAN) 6MG/0.6ML/PREFILLED SYRINGE | 9,685 | Biocon | | |
| PLBB02P | ZIEXTENZO (BS) (PEGFILGRASTIM, SANDOZ) 6MG/0.6ML/PREFILLED SYRINGE (PC) | 9,685 | Sandoz | | |
| PLC004P | HEPARIN SODIUM 25,000 U/5ML/VIAL | 183 | Huons | | |
| PLC014M | WARFARINE 1MG/TAB | 4 | 衛達 | | |
| PLC018P | ENOXAPARIN 60MG/0.6ML/PREFILLED SYRINGE | 144 | Sanofi | | |
| PLC025M | RIVAROXABAN 2.5MG/TAB | 21 | Bayer | | |
| PLC026P | TINZAPARIN SODIUM 10,000 ANTI-XA IU/ML, 2ML/VIAL | 388 | LEO | | |
| PLC031M | CLOPIDOGREL 75MG/TAB(PLAVIX, SANOFI) | 35 | Sanofi | | |
| PLC033M | RIVAROXABAN 10MG/TAB | 58 | Bayer | | |
| PLC034M | DABIGATRAN 110MG/CAP | 42 | Boehringer Ingelheim | | |
| PLC035M | DABIGATRAN 150MG/CAP | 42 | Boehringer Ingelheim | | |
| PLC037M | RIVAROXABAN 15MG/TAB | 58 | Bayer | | |
| PLC039M | RIVAROXABAN 20MG/TAB | 58 | Bayer | | |
| PLC041M | TICAGRELOR 90MG/TAB | 30 | AstraZeneca | | |
| PLC042M | WARFARIN 5MG/TAB | 5.5 | 衛達 | | |
| PLC044M | (CLOPIDOGREL 75MG + ASPIRIN 100MG) /TAB (PC) | 35 | Sanofi | | |
| PLC045M | APIXABAN 5MG/TAB | 31 | Pfizer | | |
| PLC046P | HEPARIN LOCK FLUSH 10 U/ML, 3ML/PC | 38 | 南光 | | |
| PLC047M | EDOXABAN 30MG/TAB | 76 | 第一三共 | | |
| PLC048M | EDOXABAN 60MG/TAB | 76 | 第一三共 | | |
| PLC049M | DABIGATRAN 75MG/CAP | 22 | Boehringer Ingelheim | | |
| PLC050P | FONDAPARINUX SOD. 2.5MG/0.5ML PRE-FILLED SYRINGE | 292 | Aspen | | |
| PLC051M | PRASUGREL HYDROCHLORIDE 3.75MG/TAB | 40 | 第一三共 | | |
| PLC053M | APIXABAN 2.5MG/TAB (PC) | 31 | Pfizer | | |
| PLD009P | ANTIHEMOPHILIC FACTOR 8 250IU/VIAL (血液製劑) | 5,367 | CSL Behring | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|---------------|----|----|
| PLD012P | HUMAN PROTHROMBIN COMPLEX(FACTOR 2、7、9、10 & PROTEIN C、S ANTIGEN) 500IU/VIAL | 11,760 | CSL Behring | | |
| PLD022P | OCTOCOG ALFA (RECOM. FACTOR 8) 500IU/VIAL | 11,697 | Takeda | | |
| PLD024P | OCTOCOG ALFA (RECOM. FACTOR 8) 1000IU/VIAL | 23,394 | Takeda | | |
| PLD028P | VITAMIN K1 10MG/ML/AMP | 17 | 信東 | | |
| PLD042M | TRANEXAMIC ACID 250MG/CAP | 5 | 強生 | | |
| PLD058P | RECOM. COAGULATION FACTOR VIIA 50KIU/VIAL(RT) | 28,268 | Novo Nordisk | | |
| PLD062P | ANTI-INHIBITOR COAGULANT COMPLEX 1000IU/VIAL | 37,985 | Takeda | | |
| PLD063P | SIMOCTOCOG ALFA 1000IU/VIAL | 23,210 | OCTAPHARMA AB | | |
| PLD065P | SIMOCTOCOG ALFA 500 IU/VIAL | 11,605 | OCTAPHARMA AB | | |
| PLD067P | RECOM. COAGULATION FACTOR IX 500IU/VIAL | 11,385 | Wyeth | | |
| PLD068P | TRANEXAMIC ACID 500MG/5ML/AMP | 17 | 榮民 | | |
| PLD069P | RECOMBINANT COAGULATION FACTOR IX 1000IU/VIAL (PC) | 22,770 | Takeda | | |
| PLD071P | ADYNOVATE (ANTIHEMOPHILIC FACTOR VIII PEGYLATED) 500IU/VIAL | 11,990 | Takeda | | |
| PLD072P | ADYNOVATE (ANTIHEMOPHILIC FACTOR VIII PEGYLATED) 1000IU/VIAL | 23,980 | Takeda | | |
| PLD073P | ADYNOVATE (ANTIHEMOPHILIC FACTOR VIII PEGYLATED) 2000IU/VIAL | 47,960 | Takeda | | |
| PLD075P | DAMOCTOCOG ALFA PEGOL (RECOM. FACTOR 8) 500IU/2.5ML/VIAL | 13,585 | Bayer | | |
| PLD076P | DAMOCTOCOG ALFA PEGOL (RECOM. FACTOR 8) 1,000IU/2.5ML/VIAL | 27,170 | Bayer | | |
| PLD077P | ALBUTREPENONACOG ALFA (RECOM. FACTOR 9, ALBUMIN FUSION PROTEIN) 500 IU/VIAL | 31,350 | CSL Behring | | |
| PLD078P | TUROCTOCOG ALFA PEGOL (RECOM. FACTOR 8, PEGYLATED) 500 IU/VIAL | 11,770 | Novo Nordisk | | |
| PLD079P | TUROCTOCOG ALFA PEGOL (RECOM. FACTOR 8, PEGYLATED) 1000 IU/VIAL | 23,540 | Novo Nordisk | | |
| PLE004P | PROTAMINE SULFATE 50MG/5ML/AMP(PC) | 140.8 | LEO | | |
| PMA001E | FLUTICASONE EVOHALER 50MCG/DS, 120DS/BOT | 206 | GSK | | |
| PMA005E | SYMBICORT (BUDESONIDE 160MCG+FORMOTEROL 4.5MCG/DS) 120DS/BOT | 980 | AstraZeneca | | |
| PMA006E | BUDESONIDE NEB. SUP. INHAL. 1MG/2ML/UD | 52 | AstraZeneca | | |
| PMA007E | BUDESONIDE MDI 200MCG/DS, 200DS/BOT | 369 | 健喬信元 | | |
| PMA008E | FLUTICASONE ACCUHALER 250MCG/DS, 60DS/BOT | 519 | GSK | | |
| PMA009E | SERETIDE 100 ACCUHALER(SALMETEROL 50MCG+FLUTICASONE 100MCG), 60DS/BOT | 658 | GSK | | |
| PMA012M | CORTISONE ACETATE 25MG/TAB | 4 | 柏理/瑞士藥廠 | | |
| PMA013E | SALMETEROL 25MCG+FLUTICASONE 50MCG EVOHALER, 120DS/BOT | 658 | GSK | | |
| PMA015E | SERETIDE 250 EVOHALER (SALMETEROL 25MCG+FLUTICASONE 250MCG) 120DS/BOT | 1,063 | GSK | | |
| PMA016M | DEXAMETHASONE 0.5MG/TAB | 2.2 | 杏輝 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|-------|--------------|----|----|
| PMA018P | METHYLPREDNISOLONE 40MG/VIAL | 43 | 政德 | | |
| PMA020P | DEXAMETHASONE PHOSPHATE 5MG/ML/AMP | 18 | 榮民 | | |
| PMA021M | FLUDROCORTISONE ACETATE 0.1MG/TAB(PC) | 13 | Aspen | | |
| PMA024P | HYDROCORTISONE SOD SUCCINATE 100MG/VIAL | 39 | 中國化學 | | |
| PMA026M | DEXAMETHASONE 4MG/TAB | 4 | 元宙 | | |
| PMA027P | METHYLPREDNISOLONE 500MG/VIAL | 197 | Pfizer | | |
| PMA029M | BUDESONIDE PROLONGED RELEASE 9MG/TAB | 91 | Ferring | | |
| PMA032M | PREDNISOLONE 5MG/TAB | 2 | 柏理/瑞士藥廠 | | |
| PMA034E | FOSTER (BECLOMETHASONE 100MCG+FORMOTEROL 6MCG) INHALER/DS, 120DS/BOT | 711 | Chiesi | | |
| PMA040P | TRIAMCINOLONE ACETONIDE (IM) 40MG /PC | 27 | 台裕 | | |
| PMA050M | METHYLPREDNISOLONE 4MG/TAB | 2.5 | 健喬信元/優良 | | |
| PMA054E | CICLESONIDE INHALER 160MCG/PUFF, 60PUFF/PC | 392 | Covis | | |
| PMA057E | (FLUTICASONE 92MCG+VILANTEROL 22MCG)/DOSE, 30DOSES/INHALER (PC) | 880 | GSK | | |
| PMA058E | SYMBICORT RAPIHALER (BUDESONIDE 160MCG+FORMOTEROL 4.5MCG/DS) 120DS/BOT | 980 | AstraZeneca | | |
| PMA059E | RELVAR ELLIPTA 184/22 MCG (FLUTICASONE 184MCG+VILANTEROL 22MCG)/DOSE, 30DOSE/BOT | 1,357 | GSK | | |
| PMB002E | TESTOSTERONE GEL 1%, 5GM/SACHET | 130 | Besins | * | |
| PMB005E | TESTOSTERONE NASAL GEL 5.5MG/PER ACTUATION, 60 METERED PUMPACTUATIONS/BOT(PC) | 1,980 | Haupt Pharma | * | |
| PMB006P | TESTOSTERONE CYPIONATE 200MG/1ML/AMP | 129 | 台裕 | | |
| PMB018P | TESTOSTERONE UNDECANOATE 1000MG/4ML/AMP | 9,300 | Bayer | * | |
| PMC005M | ESTROGENS CONJUGATED 0.625MG/TAB | 7 | 生達 | | |
| PMC010M | ESTRADIOL VALERATE 2MG/TAB | 6 | 健喬信元 | | |
| PMC020M | DYDROGESTERONE 10MG/TAB | 75 | Abbott | * | |
| PMC021M | DIENOGEST 2MG/TAB (PC) | 48 | Bayer | | |
| PMC026M | TIBOLONE 2.5MG/TAB, 28S/PACKAGE | 890 | Organon | * | |
| PMC030M | ESTRADIOL 2MG/ESTRADIOL 2MG + MEDROXYPROGESTERONE 10MG TAB 21' S/PACKAGE | 93 | 健喬信元 | | |
| PMC037M | MEDROXYPROGESTERONE ACETATE 10MG/TAB | 4 | 健喬信元/優良 | | |
| PMC038M | RALOXIFENE 60MG/TAB | 34 | Lilly | | |
| PMC039M | PROGESTERONE(MICRONIZED) 100MG/CAP | 10 | Besins | | |
| PMC041M | MEDROXYPROGESTERONE ACETATE 500MG/TAB | 41 | 健喬信元 | | |
| PMC042M | MEDROXYPROGESTERONE ACETATE 5MG/TAB | 3 | 優良/健喬信元 | | |
| PMC043M | NORETHISTERONE ACETATE 5MG/TAB | 4 | 健喬信元 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|--------------|----|----|
| PMC046M | (ESTRADIOL 1MG + NORETHISTERONE 0.5MG) 28' S/PC | 86 | 健喬信元 | | |
| PMC054M | GYNERA(GESTODENE75MCG+ETHINYESTRADIOL30MCG) 21' S/PACKAGE | 92 | Bayer | * | |
| PMC065M | ESTROGEN CONJUGATED(PREMARIN) 0.625MG/TAB | 18 | Pfizer | * | |
| PMC068M | YASMIN (DROSPIRENONE 3MG+ETHINYLESTRADIOL 0.3MG) 21' S/PACKAGE | 550 | Bayer | * | |
| PMC071P | PROGESTERONE 25MG/ML/AMP | 17 | 台裕 | | |
| PMC072P | HYDROXYPROGESTERONE CAPROATE 125MG/AMP | 350 | 大豐 | * | |
| PMC075M | ALYSSA (ESTETROL MONOHYDRATE 15MG+DROSPIRENONE 3MG)/TAB, 28TAB/PACKAGE | 680 | 美時 | * | |
| PMC076M | DIENOGEST 2MG/TAB (OMOROSE, 培力) | 41 | 培力 | | |
| PMD004P | CHORIOGONADOTROPIN ALFA (R-HCG) 250MCG/VIAL | 1,282 | MERCK | * | |
| PMD014P | MENOPUR INJ (FSH 75 I.U+LH 75 I.U) | 1,200 | Ferring | * | |
| PMD034P | CETRORELIX ACETATE 0.25MG/VIAL | 1,850 | Merck | * | |
| PMD037P | FOLLITROPIN ALFA RECOM. 450IU/VIAL | 6,784 | Merck | * | |
| PMD038P | REC.FSH 300IU IN CARTRIDGE | 4,500 | Organon | * | |
| PMD044P | GANIRELIX 0.25MG/0.5ML/SYRINGE | 1,680 | Organon | * | |
| PMD045P | CORIFOLLITROPIN ALFA 100MCG/0.5ML/SYRINGE | 25,000 | Organon | * | |
| PMD046P | FOLLITROPIN ALFA 150IU+LUTROPIN ALFA 75IU/PC | 3,240 | Merck | * | |
| PMD047P | SOMATROPIN 10MG/1.5ML/CARTRIGE | 5,587 | Novo Nordisk | | |
| PMD048P | CORIFOLLITROPIN ALFA 150MCG/0.5ML /PRE-FILLED SYRINGE (PC) | 30,000 | Organon | * | |
| PMD050P | OMNITROPE (SOMATROPIN) 30IU (10MG)/1.5ML/CARTRIDGE | 4,209 | Sandoz | | |
| PMD051P | SAIZEN (SOMATROPIN) 36IU(12MG)/1.5ML/CARTRIGE | 6,564 | Merck | | |
| PMD052P | (FOLLITROPIN ALFA 300IU+LUTROPIN ALFA 150IU)/0.48ML/PRE-FILLED PEN | 7,000 | Merck | * | |
| PMD053P | GENOTROPIN (SOMATROPIN) GOQUICK 12MG/1ML/PEN | 6,564 | Pfizer | | |
| PMD054P | FOLLITROPIN DELTA 36MCG/1.08ML/PREFILLED PEN | 9,400 | Ferring | * | |
| PMD055P | MENOPUR MULTIDOSE INJ. (FSH 600 I.U+LH 600 I.U)/VIAL | 9,600 | Ferring | * | |
| PMD056P | SOMATROGON 60MG/1.2ML/PEN | 13,500 | Pfizer | * | |
| PME006M | GLIPIZIDE 5MG/TAB | 2.2 | 瑞安/優良 | | |
| PME009P | GLUCAGON (BIOSYNTHETIC) 1MG(1IU)/KIT | 878 | Novo Nordisk | | |
| PME016M | GLICLAZIDE MR 30MG/TAB | 2.5 | 信東 | | |
| PME018M | METFORMIN 500MG/TAB | 2.2 | 健喬信元/優良 | | |
| PME024M | GLIMEPIRIDE 2MG/TAB(AMARYL, AVENTIS) | 4 | Sanofi | | |
| PME026M | PIOGLITAZONE 30MG/TAB | 7.3 | Celltrion | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|-------|----------------------|----|----|
| PME032P | REGULAR HM INSULIN 100IU/ML, 10ML/VIAL | 305 | Novo Nordisk | | |
| PME034P | NPH HUMAN INSULIN 100IU/ML, 10ML/VIAL | 305 | Novo Nordisk | | |
| PME042P | INSULIN GLARGINE 100IU/ML, 10ML/VIAL | 1,244 | Sanofi | | |
| PME056P | NOVOMIX 30 PENFILL(FLEXPEN) 100U/ML, 3ML/PC | 262 | Novo Nordisk | | |
| PME058P | INSULIN ASPART FLEXPEN 100U/ML, 3ML/PC | 262 | Novo Nordisk | | |
| PME062P | INSULIN DETEMIR 300U/3ML | 455 | Novo Nordisk | | |
| PME070M | GLUCOMET (GLYBURIDE 5MG+METFORMIN 500MG)/TAB | 5 | 友華生技 | | |
| PME072M | SITAGLIPTIN 100MG/TAB | 24 | MSD | | |
| PME076P | HUMALOG MIX50 KWIKPEN 100IU/ML, 3ML/PENFILL | 244 | Lilly | | |
| PME088P | HAMALOG MIX25 KWIKPEN 100IU/ML, 3ML/PENFILL | 244 | Lilly | | |
| PME096M | REPAGLINIDE 1MG/TAB | 2.7 | 中國化學 | | |
| PME100M | MITIGLINIDE 10MG/TAB | 6 | 友華生技 | | |
| PME102M | SAXAGLIPTIN 5MG/TAB | 21 | AstraZeneca | | |
| PME107P | INSULIN LISPRO 100IU/ML, 3ML/PEN | 244 | Lilly | | |
| PME108M | VILDAGLIPTIN 50MG + METFORMIN 500MG)/TAB | 9.7 | Novartis | | |
| PME109M | GLICLAZIDE MR 60MG/TAB | 4.1 | ANXO | | |
| PME110P | LIRAGLUTIDE 6MG/ML, 3ML/PEN | 1,432 | Novo Nordisk | | |
| PME112M | LINAGLIPTIN 5MG/TAB | 18 | Boehringer Ingelheim | | |
| PME113P | INSULIN GLULISINE 100IU/ML, 3ML/PEN | 155 | Sanofi | | |
| PME116M | VILDAGLIPTIN 50MG/TAB | 9.7 | Novartis | | |
| PME117M | ACTOSMET 15/850(PIOGLITAZONE 15MG + METFORMIN 850MG)/TAB | 8.4 | Celltrion | | |
| PME118P | INSULIN ASPART PENFILL 100U/ML, 3ML/PC(2) | 262 | Novo Nordisk | | |
| PME119M | TRAJENTA DUO (LINAGLIPTIN 2.5MG + METFORMIN 850MG)/TAB | 14 | Boehringer Ingelheim | | |
| PME121M | GLIMET TAB (GLIMEPIRIDE 2MG+METFORMIN 500MG) | 4 | 信東 | | |
| PME122M | EMPAGLIFLOZIN 10MG/TAB | 32 | Boehringer Ingelheim | | |
| PME123M | DAPAGLIFLOZIN 10MG/TAB (PC) | 30 | AstraZeneca | | |
| PME124P | DULAGLUTIDE 0.75MG/0.5ML/PEN (PC) | 987 | Lilly | | |
| PME125P | DULAGLUTIDE 1.5MG/0.5ML/PEN (PC) | 987 | Lilly | | |
| PME126M | ACARBOSE 100MG/TAB | 5 | 元宙 | | |
| PME127M | EMPAGLIFLOZIN 25MG/TAB | 32 | Boehringer Ingelheim | | |
| PME128M | ALOGLIPTIN 25MG/TAB (PC) | 19 | Celltrion | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|----------------------|----|----|
| PME129P | INSULIN GLARGINE 300IU/ML, 1.5ML/SOLOSTAR PEN | 611 | Sanofi | | |
| PME130M | CANAGLIFLOZIN 100MG/TAB | 30 | Mitsubishi Tanabe | | |
| PME131M | JARDIANCE DUO (EMPAGLIFLOZIN 12.5MG+METFORMIN 850MG)/TAB | 19 | Boehringer Ingelheim | | |
| PME132M | XIGDUO XR(DAPAGLIFLOZIN 10MG+METFORMIN 1000MG) EXTENDED-RELEASE TAB | 30 | AstraZeneca | | |
| PME133M | JANUMET 50/850 (SITAGLIPTIN 50MG + METFORMIN 850MG)/TAB | 12 | MSD | | |
| PME135P | SOLIQUA (INSULIN GLARGINE 100IU +LIXISENATIDE 50MCG)/ML, 3ML/PEN | 944 | Sanofi | | |
| PME136P | INSULIN DEGLUDEC 100IU/ML, 3ML/ PEN (PC) | 531 | Novo Nordisk | | |
| PME137M | (EMPAGLIFLOZIN 25MG + LINAGLIPTIN 5MG)/TAB (PC) | 40 | BOEHRINGER INGELHEIM | | |
| PME138M | QTERN 5/10 (SAXAGLIPTIN 5MG + DAPAGLIFLOZIN 10MG)/TAB | 36 | AstraZeneca | | |
| PME139M | OSENI 25/30 (ALOGLIPTIN 25MG + PIOGLITAZONE 30MG)/TAB | 22 | Celltrion | | |
| PME141P | SEMAGLUTIDE (0.25 OR 0.5MG/DOSE) 2MG/1.5ML/PREFILLED PEN | 4,302 | Novo Nordisk | | |
| PME142P | SEMAGLUTIDE (1MG/DOSE) 4MG/3ML/PREFILLED PEN | 4,302 | Novo Nordisk | | |
| PME143P | (70% INSULIN DEGLUDEC/30% INSULIN ASPART) 100IU/ML, 3ML/PRE-FILLED PEN (PC) | 531 | Novo Nordisk | | |
| PME144P | LIRAGLUTIDE (體重控制) 6MG/ML, 3ML/PEN (PC) | 3,600 | Novo Nordisk | * | |
| PME145M | SEMAGLUTIDE 3MG/TAB | 168 | Novo Nordisk | * | |
| PME146M | SEMAGLUTIDE 7MG/TAB | 168 | Novo Nordisk | * | |
| PME147M | SEMAGLUTIDE 14MG/TAB | 168 | Novo Nordisk | * | |
| PMF002P | TETRACOSACTIDE(ACTH) 0.25MG/AMP | 3,906 | ATNAHS | * | |
| PMF006P | SOMATOSTATIN ACETATE (IVF) 3MG/AMP INJ. | 1,000 | Merck | | |
| PMF010P | DESMOPRESSIN 4MCG/AMP | 337 | Ferring | | |
| PMF015P | TERLIPRESSIN 1MG/VIAL | 719 | Ferring | | |
| PMF034M | CLODRONATE 400MG/CAP | 29 | 杏輝 | | |
| PMF042P | TERIPARATIDE 600MCG/2.4ML/PEN | 14,209 | Lilly | | |
| PMF056P | IBANDRONIC ACID 3MG/3ML/PREFILLED SYRINGE | 2,288 | ATNAHS | | |
| PMF062P | ZOLEDRONIC ACID 5MG/100ML/BOT | 11,125 | 美時 | | |
| PMF065P | ZOLEDRONIC ACID 4MG/VIAL | 3,978 | 永信 | | |
| PMF068M | FOSAMAX PLUS (ALENDRONIC ACID 70MG+COLECALCIFEROL 5600IU)/TAB | 140 | Organon | | |
| PMF070M | RISEDRONATE SODIUM 150MG/TAB | 679 | Pharmascience | | |
| PMF071M | DESMOPRESSIN 60MCG/TAB | 39 | Ferring | | |
| PMFB01P | ALVOSTEO (BS) (TERIPARATIDE, LOTUS) 20MCG/0.08ML/DOSE, 28DOSES/2.4ML/CARTRIDGE | 8,471 | 美時 | | |
| PMG004M | CARBIMAZOLE 10MG/TAB | 5 | 優生 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|-----------------|----|----|
| PMG008M | METHIMAZOLE 5MG/TAB | 5 | 瑞士 | | |
| PMG013S | LUGOL'S SOLN (DILUTED 10X) 60ML/PC | 30 | 調製 | * | |
| PMG018M | THYROXINE SODIUM 0.1MG/TAB | 4 | 強生 | | |
| PMG024M | PROPYLTHIOURACIL 50MG/TAB | 5 | 汎生 | | |
| PMG026M | THYROXINE SODIUM 0.1MG/TAB (PC) (2) | 4 | Aspen | | |
| PMG027M | THYROXINE SODIUM 0.05MG/TAB (ELTROXIN, GSK) | 4.5 | Aspen | | |
| PMH001M | GESTRINONE 2.5MG/CAP | 185 | 培力 | | |
| PMH002M | CINACALCET 25MG/TAB | 220 | Kyowa Kirin | * | |
| PNA002P | ANTI-RH IMMUNE GLOBULIN(IM) (血液製劑) | 3,985 | Grifols | | |
| PNA004P | ANTITETANIC GAMMA GLOBULIN(IM) 250 U/SYRINGE (血液製劑) | 1,728 | Grifols | | |
| PNA005P | ANTIVENIN OF TR. MUCROSQUAMATUS AND TR. GRAMINEUS (LYOPHILIZED) 20ML/PC | 27,914 | 疾管署 | | |
| PNA006P | ANTIVENIN POLYVALENT NEUROTROPIC 20ML/PC | 27,914 | 疾管署 | | |
| PNA008P | PNEUMOVAX 23 VACCINE 25MCG/0.5ML/VIAL(自費) | 1,060 | MSD | * | |
| PNA021M | OSELTAMIVIR 75MG/CAP | 110 | Roche | * | |
| PNA023P | HEPATITIS B VACCINE(RECOMBINANT)(IM) 20MCG/1ML/VIAL(自費) | 350 | GSK | * | |
| PNA052P | HEPATITIS A VACCINE (HAVRIX) 1440 EL. U/ML/SYRINGE(自費) | 1,650 | GSK | * | |
| PNA058P | HEPATITIS A VACCINE (HAVRIX) 720 EL. U/0.5ML/VIAL(自費) | 1,080 | GSK | * | |
| PNA060P | VARICELLA VIRUS VACCINE(SC) DS/VIAL(自費) | 1,800 | MSD | * | |
| PNA080P | IMOVAX POLIO VACCINE 0.5ML/AMP | 496 | Sanofi Pasteur | * | |
| PNA106S | ROTATEQ(ROTAVIRUS VACCINE, LIVE, PENTAVALENT) | 1,800 | MSD | * | |
| PNA108P | TDAP(TETANUS, DIPHTHERIA TOXOIDS AND PERTUSSIS 2.5MCG) VACCINE 0.5ML/VIAL | 1,700 | Sanofi Pasteur | * | |
| PNA110P | 自費MEASLES, MUMPS AND RUBELLA VACCINE | 300 | GSK | * | |
| PNA112S | ROTARIX(ROTAVIRUS LIVE ATTENUATED VACCINE)1000000 CCID50/ML | 2,700 | GSK | * | |
| PNA120P | PNEUMOCOCCAL 13-VALENT CONJUGATE VACCINE 0.5ML/PRE-FILLED SYRINGE | 3,800 | Wyeth | * | |
| PNA133P | ZOSTAVAX(ZOSTER VIRUS VACCINE LIVE) 0.65ML/PC | 4,800 | MSD | * | |
| PNA135P | INFLUENZA TETRA VACCINE 0.5ML/SYRINGE (PC) (自費四價流感疫苗) | 950 | Sanofi | * | |
| PNA136P | RABIES VACCINE 2.5IU/0.5ML | 1,401 | Sanofi | | |
| PNA137P | HUMAN PAPILLOMAVIRUS 9-VALENT(6, 11, 16, 18, 31, 33, 45, 52, 58)VACCINE, 0.5ML/SYRINGE | 6,000 | MSD | * | |
| PNA154P | PERAMIVIR 300MG/60ML/BAG | 1,800 | 塩野義 | * | |
| PNA156P | TETANUS VACCINE ADSORBED SUSPENSION FOR INJECTION 0.5ML/AMP (0.5ML/DS) | 103 | Serum Institute | | |
| PNA161P | INFLUENZA TETRA VACCINE 0.5ML/SYRINGE (PC) (自費四價流感疫苗) | 950 | GSK | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|----------------------|----|----|
| PNA168P | ANTIVENIN OF D. ACUTUS 1,000U/VIAL | 27,914 | 疾管署 | | |
| PNA169P | INFLUENZA TETRA VACCINE (FLUCELVAX QUAD) 0.5ML/SYRINGE(PC) | 1,400 | Seqirus | * | |
| PNA170P | MENINGOCOCCAL GROUP B VACCINE 0.5ML/PREFILLED SYRINGE (PC) | 6,000 | GSK | * | |
| PNA171P | DTAP-IPV-HB-HIB VACCINE (HEXAXIM) 0.5ML/PREFILLED SYRINGE (自費) | 1,900 | Sanofi | * | |
| PNA172P | RECOMBINANT VARICELLA ZOSTER VIRUS GLYCOPROTEIN E VACCINE 50MCG/0.5ML/VIAL | 8,680 | GSK | * | |
| PNA174P | ENTEROVIRUS A71 VACCINE, INACTIVATED 0.5ML/SYRINGE | 4,300 | 高端 | * | |
| PNA175P | ANTIVENIN OF D. SIAMENSIS 1,000 UNITS/VIAL | 27,914 | 疾管署 | | |
| PPA004M | ERGONOVINE MALEATE 0.2MG/TAB | 4 | 永信 | | |
| PPA008P | METHYLERGONOVINE 200MCG/ML/AMP | 56 | 台裕 | | |
| PPA012P | OXYTOCIN 10IU/ML/AMP | 23 | 東洲/瑞士 | | |
| PPA020P | CARBETOCIN 100MCG/ML/AMP (PC) | 2,200 | Ferring | * | |
| PQA002E | ACETYLCYSTEIN 10%, 3ML/AMP | 17 | 安星 | | |
| PQA016M | CARBETAPENTANE CITRATE 25MG/TAB(PC) | 2 | 強生 | | |
| PQA018M | AMBROXOL HCL 30MG/TAB | 2.2 | 生達 | | |
| PQA022S | COUGH MIXTURE(CMA) SOLN 120ML/BOT | 25 | 生達 | | |
| PQA028M | DEXTROMETHORPHAN 20MG+OTHERS/CAP | 3 | 成大藥品 | | |
| PQA034M | BENZONATATE 100MG/SOFT CAP(FOR ORAL) | 5 | 美時 | | |
| PQA040M | DEXTROMETHORPHAN SR 60MG/TAB | 4 | 美時 | | |
| PQA041S | GUAIFENESIN SYRUP 20MG/ML, 120ML/BOT(PC) | 22 | 晟德 | | |
| PQA043S | POTASSIUM IODIDE SOLN 10%, 120 ML/PC | 60 | 調製 | * | |
| PQA049S | SECORINE SYRUP 120ML/BOT | 33 | 晟德 | | |
| PQA050S | ANTICA SYRUP 120ML/BOT | 28 | 瑞士 | | |
| PQA056S | BUTAMIRATE CITRATE LIQUID 0.8MG/ML , 120ML/BOT (PC) | 28 | 晟德 | | |
| PQA058S | BROWN MIXTURE LIQUID(GLYCYRRHIZA FLUID EXT.+OPIUM TR.) 120ML/BOT | 29 | 晟德 | | |
| PQA059S | DINCO SYRUP (CODEINE 0.48MG+DL-METHYLEPHEDRINE 1MG+ETC.)/ML, 120ML/BOT | 25 | 晟德 | | |
| PQB001M | AMINOPHYLLINE 100MG/TAB | 2.2 | 優良委健喬信元 | | |
| PQB003M | FENOTEROL 2.5MG/TAB | 4 | 杏輝 | | |
| PQB004P | AMINOPHYLLIN (IVF) 250MG/10ML/AMP | 17 | 信東 | | |
| PQB015E | FENOTEROL METERED AEROSOL(100MCG/PUFF) 15ML/BOT | 151 | Boehringer Ingelheim | | |
| PQB020M | PROCATEROL HCL 25MCG/TAB | 2.8 | 大塚 | | |
| PQB028M | SALBUTAMOL 2MG/TAB | 4 | 政德 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|----------------------|----|----|
| PQB030M | THEOPHYLLIN 24HR LONG ACTION 200MG/TAB | 4 | 培力 | | |
| PQB034M | THEOPHYLLINE S.R 250MG/TAB | 4 | 培力 | | |
| PQB035M | THEOPHYLLINE S.R 125MG/CAP | 5 | 永勝 | | |
| PQB039E | IPRATROPIUM BR UD NEB. SOLN 0.5MG/2ML/VIAL | 8.1 | 信東 | | |
| PQB044E | TERBUTALIN NEBULIZING SOLN 5MG/2ML/VIAL | 9.2 | 信東 | | |
| PQB048E | IPRATROPIUM 0.2MG+SALBUTAMOL 1MG)/ML, 2.5ML/PC | 13 | Boehringer Ingelheim | | |
| PQB050P | OMALIZUMAB 150MG/PRE-FILLED SYRINGE | 15,657 | Novartis | | |
| PQB051E | TIOTROPIUM INHALATION SOLUTION 2.5MCG/PUFF, 60PUFF/PC | 1,598 | Boehringer Ingelheim | | |
| PQB052E | INDACATEROL INHALATION POWDER 150MCG/CAP, 30' S/PC | 833 | Novartis | | |
| PQB054E | SALBUTAMOL INHALER 100MCG/DS, 200DS/PC | 110 | GSK | | |
| PQB055E | OLODATEROL INHALATION SOLUTION 2.5MCG/PUFF, 60PUFF/PC | 977 | Boehringer Ingelheim | | |
| PQB056E | UMECLIDINIUM/VILANTEROL 55/22 MCG INHALATION POWDER, 30DS/PC | 1,343 | GSK | | |
| PQB057E | (TIOTROPIUM 2.5MCG+OLODATEROL 2.5MCG)/PUFF , 60 PUFFS/RESPIMAT INHALER (PC) | 1,653 | Boehringer Ingelheim | | |
| PQB058E | (INDACATEROL 110MCG + GLYCOPYRRONIUM 50MCG)/INHALATION POWDER CAP., 30CAP/BOX | 1,321 | Novartis | | |
| PQB059E | GLYCOPYRRONIUM BROMIDE 50MCG/CAP(INHALATION), 30CAPS/PC | 1,010 | Novartis | | |
| PQB061E | TRELEGY ELLIPTA(FLUTICASONE/UMECLIDINIUM/VILANTEROL) INHALATION POWDER, 30DOSE/PC | 1,763 | GSK | | |
| PQB063E | TRIMBOW (BECLOMETASONE/FORMOTEROL/GLYCOPYRRONIUM 100/6/12.5 MCG)/DS, 120DS/BOT | 1,680 | Chiesi | | |
| PQB064P | BENRALIZUMAB 30MG/1ML/PREFILLED SYRINGE | 69,036 | AstraZeneca | | |
| PQB065E | BEVESPI AEROSPHERE (GLYCOPYRRONIUM/FORMOTEROL) 7.2/5.0 MCG/DOSE, 120DOSE/BOT | 1,247 | AstraZeneca | | |
| PQB066E | (INDACATEROL 150MCG + GLYCOPYRRONIUM 50MCG + MOMETASONE 160MCG)/INHA. CAP, 30CAP/BOX | 1,675 | Novartis | | |
| PQB067P | MEPOLIZUMAB 100MG/PRE-FILLED AUTOINJECTOR | 32,082 | GSK | | |
| PQB068E | BREZTRI AEROSPHERE (BUDESONIDE/GLYCOPYRRONIUM/FORMOTEROL 160/7.2/5 MCG), 120DS/BOT | 1,664 | AstraZeneca | | |
| PQB069E | TRELEGY ELLIPTA 184/55/22MCG/DOSE, 30DS/BOT (FLUTICASONE/UMECLIDINIUM/VILANTEROL) | 1,763 | GSK | | |
| PRA003M | BACLOFEN 10MG/TAB | 2 | 美時 | | |
| PRA007P | DANTROLENE SOD. 20MG/VIAL | 5,776 | PROCTER & GAMBLE | | |
| PRA008M | METHOCARBAMOL 500MG/TAB | 4 | 健喬信元 | | |
| PRA010M | TIZANIDINE 2MG/TAB | 2.5 | 政德 | | |
| PRA016P | SUCCINYLCHOLINE 500MG/25ML/VIAL(PC) | 11.6 | 杏林新生 | | |
| PRA018P | CISATRACURIUM 2MG/ML, 5ML/AMP | 89 | Aspen | | |
| PRA028P | ROCURONIUM 50MG/5ML/VIAL | 126 | Hameln | | |
| PRA040M | MEPHENOXALONE 200MG/TAB | 4 | 強生 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|------|----------------|----|----|
| PRA051P | BOTULINUM TOXIN TYPE A 100U/VIAL | 80 | Abbvie | | |
| PRA054P | BOTULINUM TOXIN TYPE A 500U/VIAL | 18 | IPSEN | | |
| PRA055M | CARISOPRODOL 250MG/TAB | 4.1 | 健亞 | | |
| PRA056P | ROCURONIUM 100MG/10ML/VIAL (PC) | 292 | Fresenius Kabi | | |
| PSA002M | HI-BESTON 50MG/TAB(BESTON 50MG+B2 5MG+B6 5MG+B12 5MCG) | 5 | Tanabe | * | |
| PSA012P | ASCORBATE SODIUM 100MG, 2ML/AMP | 17 | 信東 | | |
| PSA044M | THIAMINE PROPYL DISULFIDE 50MG+VIT B2 5MG/S. C TAB | 4 | Takeda | | |
| PSA045M | ACITRETIN 25MG/CAP | 89 | Actavis | | |
| PSA048M | ACITRETIN 10MG/CAP | 47 | Actavis | | |
| PSA051M | ISOTRETINOIN 10MG/CAP | 45 | Roche | | |
| PSA052M | VITAMIN B6 50MG/TAB | 3 | 強生 | | |
| PSA060M | VITAMIN B COMPLEX TAB | 4 | 杏輝 | | |
| PSA061P | PYRIDOXAL PHOSPHATE 10MG/2ML/AMP | 17 | 台裕 | | |
| PSA076P | HYDROXOCOBALAMIN 1000MCG, 1ML/AMP | 17 | 杏林新生 | | |
| PSA078M | MECOBALAMIN 500MCG/CAP | 2.2 | 衛采 | | |
| PSA090P | CALCITRIOL (INJ) 2MCG/ML/AMP | 106 | 聯亞 | | |
| PSA092M | CALCITRIOL 0.25MCG/CAP | 5 | 杏輝 | | |
| PSA095P | MULTI-VITAMIN INFUSION SOLN 2PC/SET | 73.7 | 中國化學 | | |
| PSA096M | TOCOPHEROL NICOTINAT 200MG/CAP | 5 | 衛采 | | |
| PTA004S | FENOTEROL LIQUID 2.5MG/5ML, 60ML/PC | 34 | 晟德 | | |
| PTA007S | CHLORAL HYDRATE ORAL SOLUTION 100MG/ML, 30ML/BOT | 300 | 晟德 | * | |
| PTA008S | CETIRIZINE ORAL SOLN 1MG/ML, 60ML/BOT | 31 | 晟德 | | |
| PTA010S | PROCATEROL HCL LIQUID 5MCG/ML, 60ML/BOT | 37 | 晟德 | | |
| PTA014S | ACETAMINOPHEN SYRUP 24MG/ML, 60ML/PC | 17 | 晟德 | | |
| PTA016S | IBUPROFEN SOLUTION 20MG/ML, 60ML/BOT | 27.5 | 晟德 | | |
| PTA018S | COTRIMOXAZOLE SUSP. 60ML/BOT | 165 | 晟德 | | |
| PTA024S | LORATADINE SYRUP 1MG/ML, 60ML/BOT | 29 | 杏輝 | | |
| PTA027S | ACYCLOVIR SUSP. 40MG/ML, 125ML/BOT | 671 | GSK | | |
| PTA032S | DIGOXIN ELIXIR 0.05MG/ML, 60ML/BOT | 257 | 晟德 | | |
| PTA052S | AZITHROMYCIN ORAL SUSP. 200MG/5ML, 15ML/BOT | 238 | Pfizer | | |
| PTA056M | ASPIRIN 100MG/CAP | 2.2 | 永勝 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|------------|----|----|
| PTA064S | METOCLOPRAMIDE SYRUP 1MG/ML, 60ML/BOT | 30 | 晟德 | | |
| PTA066S | CEPHELEXIN SUSP. 25MG/ML, 60ML/BOT | 136 | 優良委瑞士 | | |
| PTA070S | FUROSEMIDE ORAL SOLN 10MG/ML, 120ML/BOT | 221 | 瑞安 | | |
| PTA071S | NYSTATIN SUSP 100000U/ML, 24ML/BOT | 113 | 健亞 | | |
| PTA072S | CYPROHEPTADINE SYRUP 2MG/5ML, 120ML/BOT | 28 | 晟德 | | |
| PTA082S | THEOPHYLLINE LIQUID 5.34MG/ML, 60ML/BOT | 28 | 瑞安 | | |
| PTA086S | VALPROATE SOD. SOLN 200MG/ML, 40ML/BOT (DEPAKINE, SANOFI) | 169 | Sanofi | | |
| PTA094S | PREDNISOLONE ORAL SOLUTION 1MG/ML, 60ML/BOT(口服) | 53 | 晟德 | | |
| PTA098S | AUGMENTIN SYRUP(AMOXYCILLIN 80MG+ CLAVULANATE 11.4MG/ML) 35ML/BOT | 190 | GSK | | |
| PTA100S | OXCARBAZEPINE ORAL SUSPENSION 60MG/ML, 100ML/BOT | 312 | Novartis | | |
| PTA102S | AMOXYCILLIN 50MG+CLAVULANATE 12.5MG)/ML, 60ML/BOT | 77 | Sandoz | | |
| PTA105S | GABAPENTIN ORAL SOLUTION 50MG/ML, 240ML/BOT | 349 | 晟德 | | |
| PTA106S | PIRACETAM ORAL SOLUTION 200MG/ML, 200ML/BOT | 84 | 晟德 | | |
| PTA107S | AMBROXOL LIQUID 3MG/ML, 60ML/BOT | 28 | 生達 | | |
| PTA109S | (TRIPROLIDINE 0.25MG+PSEUDOEPHEDRINE 6MG/ML)60ML/BOT | 31 | 信東 | | |
| PTA110S | VALPROATE SOD. SOLN 200MG/ML, 40ML/BOT (HECALIS, 聯亞) | 169 | 瑩碩 | | |
| PTA112S | ISOSORBIDE SOLUTION 700MG/ML, 500ML/BOT | 1,209 | KOWA | | |
| PTA113S | RIVASTIGMINE ORAL SOLUTION 2MG/ML, 120ML/BOT | 1,190 | 晟德 | | |
| PTA117S | (DEXTROMETHORPHAN 1MG+GLYCERYL GUAIACOLATE 10MG+IPECAC FLUID)/ML, 120ML/BOT | 28 | 晟德 | | |
| PTA118S | MEMANTINE ORAL SOLUTION 2MG/ML, 150ML/BOT | 367 | 晟德 | | |
| PUA032M | SODIUM FLUORIDE 1MG(F)/TAB, 120' S/BOT | 360 | 黃氏製藥 | * | |
| PUA040M | SODIUM FLUORIDE 0.25MG(F)/TAB, 100' S/BOT | 400 | Rottapharm | * | |
| PUA046E | DEXAMETHASONE ORAL PASTE 0.1%, 5GM/TUBE | 34 | 杏輝 | | |
| PUA048E | BENZYLAMINE HCL SPRAY 1.5MG/ML, 30ML/BOT | 200 | 元宙 | * | |
| PUA060P | XYLESTESIN-A INJ. 2% 1.7ML/CARTRIDGE | 22 | 3M | | |
| PUA062P | MEPIVASTESIN INJ. 3% 1.7ML/CARTRIDGE | 22 | 3M | | |
| PUA078E | BENZYLAMINE HCL SPRAY 3MG/ML, 15ML/BOT | 360 | iNova | * | |
| PUA079E | TRIAMCINOLONE IN ORABASE(口腔用) 6GM/PC | 38 | 杏輝 | | |
| PVA001E | TRIAMCINOLONE ACETONIDE NASAL SPRAY 55MCG/DS, 120DS/BOT | 176 | 健喬信元 | | |
| PVA002E | ACYCLOVIR OPH OINT 3%, 4.5GM/TUBE | 437 | 溫士頓 | | |
| PVA003E | BUDESONIDE NAS. AQUA 64MCG/DS, 120DS/BOT | 128 | 健喬信元 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|------|----------|----|----|
| PVA014E | CHLORAMPHENICOL 0.25% OPH SOLN 5ML/BOT | 13 | 杏輝 | | |
| PVA016E | EYE RINDERON-A OINT 3GM/TUBE | 21 | 溫士頓 | | |
| PVA026E | FLUROMETHOLONE OPH SOLN 0.02%, 5ML/PC | 16 | 健喬委景德 | | |
| PVA027E | FLUROMETHOLONE OPH SUSP. 0.1%, 5ML/BOT | 14 | 溫士頓 | | |
| PVA028E | GENTAMICIN OPH OINT 0.3%, 5GM/TUBE | 25 | 健喬委景德 | | |
| PVA029E | TOBRAMYCIN OPH OINT 3.5GM/TUBE | 49 | Novartis | | |
| PVA032E | TOBRADEX (TOBRAMYCIN 0.3%+DEXAMETHASONE 0.1%) OPH. SUSP. 5ML/BOT | 111 | Novartis | | |
| PVA033E | TOBRAMYCIN OPH SOLN 0.3% /BOT | 34 | 麥迪森 | | |
| PVA034E | CIPROFLOXACIN HCL OPH SOLN 0.3% 5ML/BOT | 113 | Novartis | | |
| PVA038E | PREDNISOLONE ACETATE OPH SUSP 1% 5ML/BOT | 84 | 溫士頓 | | |
| PVA042E | TOBRADEX OINT (TOBRAMYCIN 0.3%+DEXAMETHASONE 0.1%) 3.5GM/TUBE | 105 | Novartis | | |
| PVA052E | FLUTICASONE FUROATE NASAL SPRAY 27.5MCG/DS, 120DS/BOT | 199 | GSK | | |
| PVA068E | OFLOXACIN EAR DROPS 3MG/ML, 5ML/BOT | 56 | 麥迪森 | | |
| PVA070E | DORZOLAMIDE OPH SOLN 2% 5ML/BOT | 229 | Santen | | |
| PVA072E | COSOPT (DORZOLAMIDE 2% +TIMOLOL 0.5%) OPH SOLN 5ML/BOT | 317 | Santen | | |
| PVA076E | TETRACYCLINE HCL 1% EYE OINT 5GM/TUBE | 18 | 人人化學 | | |
| PVA081E | EMEDASTINE OPH. SOLUTION 0.05%, 5ML/BOT | 56 | 溫士頓 | | |
| PVA092E | MYCOMB OTIC DROPS, 5ML/BOT | 54 | 杏輝 | | |
| PVA096E | LEVOFLOXACIN OPH. SOLN, 0.5%, 25MG/5ML/BOT | 101 | Santen | | |
| PVA100E | MOMETASONE FUROATE NAS. SPR. 50MCG/DS, 140DS/BOT | 146 | Organon | | |
| PVA102E | KETOROLAC OPH. SOLUTION 0.5%, 5ML/BOT | 76 | 麥迪森 | | |
| PVA106E | AZELASTINE NASAL SPRAY 0.1%, 120DS/BOT | 109 | 健喬信元 | | |
| PVA108E | BETAMETHASONE EYE DROPS 0.1%, 0.5ML/PC(1ML) | 7 | 麥迪森 | | |
| PVA109E | KETOTIFEN EYE DROPS 0.25MG/ML, 5ML/PC | 41 | 麥迪森 | | |
| PVA112E | SULFAMETHOXAZOLE OPHTHALMIC SOLUTION 4% , 10ML/BOT | 24 | 應元 | | |
| PVA113E | NORFLOXACIN EYE DROPS 3MG/ML, 0.5ML/TUBE | 6 | 麥迪森 | | |
| PVC002E | PROPARACAINE HCL EYE DROPS 0.5%, 15ML/BOT | 120 | 五福 | | |
| PVC020E | LIDOCAINE JELLY 30GM/TUBE | 98 | 人人化學 | * | |
| PVD004E | BRIMONIDINE OPH. SOLN 0.15% 5ML/BOT (ALPHAGAN P, ALLERGAN) | 238 | Allergan | | |
| PVD012E | PILOCARPINE OPH SOLN 2%, 15ML/BOT | 89 | Novartis | | |
| PVD024E | LATANOPROST OPH. SOLN 0.005% 2.5ML/BOT | 454 | Viatrix | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|----------|----|----|
| PVD025E | AZARGA (BRINZOLAMIDE 1%+TIMOLOL 0.5%) OPH SUSP 5ML/BOT | 271 | Novartis | | |
| PVD038E | TIMOLOL MALEATE 0.5% OPH SOLN 5ML/BOT | 117 | Santen | | |
| PVD042E | COMBIGAN (BRIMONIDINE 0.2% +TIMOLOL 0.5%) OPH SOLN 5ML/BOT | 389 | Allergan | | |
| PVD045E | DUOTRAV (TRAVOPROST 0.004%+TIMOLOL 0.5%) OPH SOLN 2.5ML/BOT | 558 | Novartis | | |
| PVD046E | BRIMONIDINE OPH SOLN 0.15% 5ML/BOT | 238 | 健喬委景德 | | |
| PVD048E | BIMATOPROST 0.01%, 3ML/BOT | 447 | Allergan | | |
| PVD049E | CARTEOLOL EYE DROPS LA 2%, 2.5ML/BOT | 188 | Otsuka | | |
| PVD050E | TAFLUPROST OPHTHALMIC SOLUTION 0.0015%, 2.5ML/BOT (PC) | 253 | Santen | | |
| PVD051E | TRAVOPROST OPH. SOLN 0.003% 2.5ML/BOT | 424 | Novartis | | |
| PVD052E | (BRINZOLAMIDE 10MG/ML+BRIMONIDINE 2MG/ML) EYE DROPS, SUSP. 5ML/BOT | 311 | Novartis | | |
| PVD054E | (TIMOLOL 5MG + TAFLUPROST 15MCG)/ML, OPH SOLN 0.3ML/AMP, 30' S/BOX (PC) | 406 | Santen | | |
| PVD055E | OMIDENEPAG ISOPROPYL OPHTHALMIC SOLUTION 0.002%, 2.5ML/BOT(PC) | 430 | Santen | | |
| PVE003E | ATROPINE 1% EYE DROPS 10ML/BOT | 39 | 應元 | | |
| PVE009E | PHENYLEPHRINE 10% OPH SOLN 5ML/BOT(PC) | 67 | 五福 | | |
| PVE010E | TROPICAMIDE OPH SOLN 0.5%, 5ML/BOT | 17 | 麥迪森 | | |
| PVE014E | ATROPINE 0.5% EYE DROPS 10ML/BOT | 36 | 溫士頓 | | |
| PVE018E | ATROPINE 0.125% EYE DROPS 5ML/BOT | 14 | 杏輝 | | |
| PVE021E | ATROPINE 0.25% EYE DROPS 5ML/BOT | 13 | 健喬信元委景德 | | |
| PVE022E | ATROPINE 0.01% EYE DROPS 0.5ML/TUBE, 30' S/BOX | 1,200 | 麥迪森 | * | |
| PVE023E | ATROPINE 0.05% EYE DROPS 5ML/BOT | 300 | 五福 | * | |
| PVE024E | ATROPINE 0.01% EYE DROPS 3.5ML/BOT | 33 | 應元 | | |
| PVF026E | CHLORHEXIDINE GARGLE SOLUTION(含4.1%酒精) 0.2%, 360ML/BOT | 220 | 寶齡富錦 | * | |
| PVG006E | ADRENALINE 0.1% SOLN 500ML/BOT | 1,117 | 黃氏製藥 | * | |
| PVG010E | OXYMETAZOLINE 0.05% NASAL SPRAY 15ML/BOT | 56 | 生達 | | |
| PVI003E | BALANCED SALT SOLUTION 15ML/BOT(PC) | 204 | Alcon | * | |
| PVI005E | BALANCED SALT SOLUTION PLUS 500ML/BOT | 927 | Alcon | | |
| PVI008E | TEARS(ARTIFICIAL) 15ML/BOT | 150 | Alcon | * | |
| PVI011E | SUSTAIN-TEARS OPH OINT 3.5GM/TUBE | 77 | Alcon | | |
| PVI014E | TEARS NATURALE FREE EYE DROPS 0.8ML/TUBE, 32' S/PC | 380 | Alcon | * | |
| PVI022E | CYCLOSPORINE OPH. EMULSION 0.05% 0.4ML/VIAL, 30' S/BOX | 1,218 | Allergan | | |
| PVI023E | POLYETHYLENE GLYCOL 400+PROPYLENE GLYCOL) EYE DROP, 10ML/BOT | 250 | Alcon | * | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|----------|----|----|
| PVIO25E | OPTIVE SENSITIVE LUBRICANT EYE DROPS 0.4ML/TUBE, 30' S/PC | 308 | Allergan | * | |
| PVIO26E | PROPYLENE GLYCOL EYE DROP 6MG/ML, 10ML/BOT (PC) | 340 | Alcon | * | |
| PVIO28E | CARBOMER OPH GEL 0.2%, 10GM/TUBE | 103 | 萱草堂委託溫士頓 | | |
| PVIO29E | CYCLOSPORINE OPH. EMULSION 0.1% 0.3ML/TUBE, 30' S/BOX | 1,254 | Santen | | |
| PVIO30E | BALANCED SALT SOLUTION PLUS 500ML/BAG | 927 | Alcon | | |
| PWA005E | CLINDAMYCIN PHOS. GEL 1%, 15GM/TUBE | 23 | 杏輝 | | |
| PWA008E | GENTAMICIN 0.1% CREAM 15GM/TUBE | 40 | 杏輝 | | |
| PWA010E | N. P. B OINT 10GM/TUBE | 94 | 中國化學 | | |
| PWA015E | ANTISCAR (ACEXAMIC ACID 5%+NEOMYCIN 0.4%) OINT 10GM/TUBE | 29 | 壽元 | | |
| PWA016E | NEOMYCIN & TYROTHRINICIN OINT 40GM/TUBE | 48 | 中生製藥 | | |
| PWA018E | NEOMYCIN & TYROTHRINICIN OINT 10GM/TUBE | 18 | 中生製藥 | | |
| PWB012E | HYDROCORTISONE ENEMA 1.667MG/ML, 60ML/BOT | 64 | 瑞安 | | |
| PWB031E | (LIDOCAINE 25MG+PHENYLEPHRINE 1MG+BETAMETHASONE0.5MG)/GM OINTMENT, 15GM/TUBE (PC) | 66 | 杏輝 | | |
| PWB032M | MICRONIZED PURIFIED FLAVONOID FRACTION (MPFF) 1,000MG/TAB | 70 | Servier | * | |
| PWC003E | FLUOCINONIDE LOTION 0.05% 10GM/BOT | 69 | Tanabe | | |
| PWC014E | DIFLUCORTOLONE OINTMENT 0.1%, 10GM/TUBE | 47 | 恆振委託衛達 | | |
| PWC015E | HYDROCORTISONE OINT. 1% 50GM/BOT | 120 | 美時委託派頓 | * | |
| PWC020E | CLOBETASOL PROPIONATE OINT 0.05%, 7GM/PC | 14 | 杏輝 | | |
| PWC025E | FLUOCINONIDE CREAM 0.05%, 10GM/TUBE | 44 | Tanabe | | |
| PWC040E | FLUTICASONE CREAM 0.05% 5GM/TUBE | 27 | 十全 | | |
| PWC045E | (FLUOCINOLONE 0.025% + NEOMYCIN 0.35%) OINTMENT, 5GM/TUBE | 36 | Tanabe | | |
| PWC050E | CLOBETASOL PROPIONATE FOAMING SOLN 0.05%, 25ML/BOT | 107 | Tanabe | | |
| PWC052E | BETAMETHASONE OINTMENT 5GM/TUBE | 13 | 杏輝 | | |
| PWC055E | MOMETASONE FUROATE CREAM 0.1% 8GM/TUBE | 28 | 寶齡富錦 | | |
| PWC056E | BETAMETHASONE+GENTAMICIN)0.1% CREAM, 10GM/TUBE | 16 | 杏輝 | | |
| PWC057E | HYDROCORTISONE CREAM 1% 10GM/TUBE | 21 | 杏輝 | | |
| PWC058E | CLOBETASOL PROPIONATE OINT 0.05%, 25GM/PC | 54 | 杏輝 | | |
| PWC060E | CLOBETASOL PROPIONATE SHAMPOO 0.5MG/G, 125ML/BOT | 518 | 寶齡富錦 | | |
| PWD002E | DOXEPIN 5% CREAM 15GM/TUBE | 48 | 十全 | | |
| PWG017E | SINBABY BABY LOTION 40GM/BOT (ZINC OXIDE, DIPHENHYDRAMINE, DIBUCAINE) | 150 | 杏輝 | * | |
| PWH004E | NAFTIFINE CREAM 1%, 15GM/TUBE | 36 | 十全 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|-----------|----|----|
| PWH006E | CICLOPIROXOLAMINE 1% CREAM 10GM/PC | 105 | 雙正 | | |
| PWH008E | CLOTRIMAZOLE CREAM 5GM/TUBE | 11 | 杏輝 | | |
| PWH010E | SULCONAZOLE NITRATE SOLN 1%, 10ML/BOT | 62 | Tanabe | | |
| PWH016E | BUTENAFINE CREAM 1%, 15GM/TUBE | 58 | 十全 | | |
| PWH024E | KETOCONAZOLE CREAM 2%, 10GM/PC | 17 | 杏輝 | | |
| PWH029E | SULCONAZOLE NITRATE CREAM 1% 10 GM/TUBE | 55 | Tanabe | | |
| PWH031E | PASCA GEL (TOLNAFTATE+METHYL SALICYLATE) 10GM/TUBE | 35 | 塩野義 | | |
| PWH032E | SERTACONAZOLE NITRATE CREAM 2%, 15GM/TUBE | 94 | 科進 | | |
| PWH033E | SERTACONAZOLE NITRATE GEL 2%, 30ML/BOT | 174 | 科進委託五洲 | | |
| PWI006E | CLOTRIMAZOLE 100MG/VAGINAL TAB | 6.2 | 瑞安委優良 | | |
| PWI009E | DINOPROSTONE VAG TAB 3MG/PC | 338 | Pfizer | | |
| PWI018E | PROGESTERONE VAG. GEL 8%, 1.125GM/PC | 295 | Merck | * | |
| PWI020E | NYSTATIN VAG TAB 100000U/TAB | 5.5 | 永信 | | |
| PWI023E | LADIOL杏輝(ESTRADIOL)TRANSDERMAL GEL 30GM/TUBE | 97.9 | 杏輝 | | |
| PWI030E | ESTRIOL VAGINAL TABLETS 0.5MG | 14 | 健喬信元 | | |
| PWI040E | SERTACONAZOLE NITRATE 500MG/VAGINAL SUPP | 102 | 科進 | | |
| PWI042E | METRONIDAZOLE VAG SUPP 250MG/TAB | 6 | 永信 | | |
| PWI044E | ESTRADIOL GEL 0.1%, 1GM/PACK | 11 | Orion | | |
| PWI045E | CONJUGATED ESTROGEN VAGINAL CREAM 0.625MG/GM, 14GM/TUBE | 241 | Pfizer | | |
| PWI046E | POLICRESULEN 90MG VAG SUPP | 12 | 培力 | | |
| PWI048E | FENTICONAZOLE 200MG/VAGINAL CAPSULE (PC) | 39 | Recordati | | |
| PWI049E | PROGESTERONE VAGINAL GEL 8%, 1.125 GM/TUBE | 270 | 精廣/培力 | * | |
| PWK001E | BENZOYL PEROXIDE GEL 5% 10GM/TUBE | 37 | 杏輝 | | |
| PWK016E | SALICYLIC ACID 30MG+FM 0.2MG/GM , OINT 15GM/TUBE | 39 | 杏輝 | | |
| PWK018E | SALICYLIC ACID IN COLLODION 15ML/BOT | 191 | Stada | | |
| PWK038E | ADAPALENE CREAM 0.1%, 15GM/TUBE | 82 | Galderma | | |
| PWK041E | ADAPALENE GEL 0.1%, 15GM/TUBE | 75 | 杏輝 | | |
| PWK042E | AZELAIC ACID CREAM 20% 12GM/TUBE | 52 | 壽元 | | |
| PWK044E | UREA CREAM 40% 10GM/TUBE | 34 | 杏輝 | | |
| PWK045E | MINOXIDIL 5% FOAMING SOLUTION 50MG/ML, 90ML/PC | 1,800 | 仙台 | * | |
| PWK046E | UREA CREAM 10% 30GM/TUBE | 33 | 杏輝 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|-----------|----|----|
| PWL022E | NITROFURAZONE OINT 450GM/BOT | 696 | 人生製藥 | * | |
| PWL044E | CADEXOMER IODINE 3GM/PACK | 76 | Perstrop | | |
| PWL047E | POVIDONE IODINE AQ SOLN 10%, 30ML/PC | 30 | 杏輝 | * | |
| PWL067E | FRADIOMYCIN GAUZE 10CMX10CM/PC | 25 | 皇佳 | * | |
| PWL070E | ZINIC OXIDE OINT 20% 28.4GM/TUBE(EXT. USE | 50 | 華盛頓 | | |
| PWL080E | SOD. FUSIDATE CREAM 2%, 5GM/TUBE | 31 | 杏輝 | | |
| PWL084E | MUPIROCIN ACID OINT 2% 15GM/TUBE | 136 | 西德有機 | | |
| PWL095E | SILVER SULFADIAZINE CREAM 50GM/TUBE | 48 | 人人化學 | | |
| PWL099E | ALCOHOL 75% , 200ML/BOT (PC) | 46 | 醫強/克司博/唐鑫 | * | |
| PWL102E | SILVER SULFADIAZINE CREAM 500GM/BOT | 358 | 杏輝 | | |
| PWL105E | MINOCYCLINE DENTAL OINTMENT 2%, 0.5GM/SYRINGE/PC | 2,000 | Sunstar | * | |
| PWL106E | NITROFURAZONE GAUZE 0.2%, 10CMX10CM/PC | 20 | 皇佳 | | |
| PWL108E | METRONIDAZOLE 0.75% EXT. GEL 15GM/TUBE | 37 | 寶齡富錦 | | |
| PWL114E | CHLORHEXIDINE GLUCONATE 2% SOLUTION, 200ML/BOT | 105 | 寶齡富錦 | * | |
| PWL115E | FUSIDIC ACID CREAM 2%, 15GM/TUBE (PC) | 156 | LEO | | |
| PWL116E | FESPIXON 15GM/TUBE (PLECTRANTHUS AMBOINICUS 0.25%+CENTELLA ASIATICA 1%) | 10,780 | 合一生技 | | |
| PWM002E | HYDROQUINONE 4%, 7GM/TUBE | 120 | 寶齡富錦 | * | |
| PWM003E | COLOR CREAM(HYDROQUINONE 50+TRETINOIN 0.3+DEXAMETHASONE 0.3)MG/G, 5G/TUBE | 120 | 瑞安 | * | |
| PWM008M | METHOXSALEN 10MG/CAP | 25 | 瑞士葯廠 | | |
| PWM020E | CALCIPOTRIOL OINT 30GM/TUBE | 481 | LEO | | |
| PWM024E | TAZAROTENE CREAM 0.1%, 30GM/TUBE | 350 | 中生製藥 | | |
| PWM032E | DAIVOBET OINT(CALCIPOTRIOL 50MCG+BETAMETHASONE 0.5MG)/GM, 30GM/TUBE | 590 | LEO | | |
| PWM034E | CALCITRIOL OINT 3MCG/GM, 30GM/TUBE | 392 | Galderma | | |
| PWM036E | XAMIOL GEL(CALCIPOTRIOL 50MCG+BETAMETHASONE 0.5MG/GM)30GM/BOT | 590 | LEO | | |
| PWN004E | BENZYL BENZOATE LOTION 25% , 60ML/BOT | 90 | 人人化學 | * | |
| PWN005E | CROTAMITON H CREAM 10GM/TUBE | 19 | 杏輝 | | |
| PWN009M | IVERMECTIN 3MG/TAB | 214 | MSD | | |
| PWP002E | IMIQUIMOD CREAM 5%, 250MG/包 | 320 | iNova | * | |
| PWP010E | PIMECROLIMUS CREAM 1%, 15GM/TUBE | 413 | Mylan | | |
| PWP012E | TACROLIMUS OINT 0.1%, 10GM/TUBE | 407 | LEO | | |
| PWP014E | TACROLIMUS 0.03%, 10GM/TUBE | 432 | LEO | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|-------|--------------|----|----|
| PWP018E | ACYCLOVIR CREAM 5%, 5GM/TUBE | 44 | Kotra Pharma | | |
| PWP019E | CRISABOROLE OINTMENT 2%, 30G/TUBE | 1,580 | Pfizer | * | |
| PWP020M | ZINC GLUCONATE 78MG(ZINC 10MG)/TAB | 4 | 皇佳 | | |
| PWP028E | ESCIN GEL 1.5%, 30G/TUBE | 123 | 培力 | | |
| PYA003P | ROPIVACAINE 10MG/ML, 20ML/AMP | 300 | 南光 | | |
| PYA009E | LIDOCAINE HCL 2%, 20ML/VIAL | 60 | 安星 | | |
| PYA016E | EMLA CREAM 5% 5GM/TUBE PC | 194 | Aspen | * | |
| PYA018E | LIDOCAINE 10% 50ML PUMP SPRAY/BOT | 715 | 齊山(美西) | * | |
| PYA024P | BUPIVACAINE SPINAL HEAVY 0.5%, 4ML/AMP | 144 | Aspen | | |
| PYA025P | BUPIVACAINE SPINAL 0.5%, 4ML/AMP(PC) | 144 | Aspen | | |
| PYA030E | LIDIPRINE (LIDOCAINE 25MG/GM+PRILOCAINE 25MG/GM) CREAM, 35GM/TUBE | 121 | 中生製藥 | * | |
| PYA032P | LIDOCAINE 2% + ADRENALIN(1:50,000) 20ML (LIDOCAINE: 400MG/PC) | 139 | 東洲委壽元 | * | |
| PYA036E | LIDOCAINE 700MG/PATCH, 3片/PC | 99 | 德山 | | |
| PYA039E | LIDOCAINE HCl 1%, 2ML/AMP (局部使用) | 13 | 嘉億-汎生 | | |
| PZA002M | BROMOCRIPTINE 2.5MG/TAB | 16 | 國嘉 | | |
| PZA003M | PENTOXIFYLLINE S.R 400MG/S.C TAB | 5 | 正和 | | |
| PZA004M | CLOMIPHENE CITRATE 50MG/TAB | 6 | 培力 | | |
| PZA006P | GABEXATE MESILATE(IVF) INJ. 100MG/VIAL | 257 | 中化 | | |
| PZA007M | SUMATRIPTAN 50MG/F.C TAB | 166 | GSK | | |
| PZA009M | CABERGOLINE 0.5MG/TAB | 138 | Pfizer | | |
| PZA010M | DANAZOL 200MG/CAP | 10 | 健喬信元 | | |
| PZA013E | LEVONORGESTREL 20MCG/24HRS IUD | 4,391 | Bayer | | |
| PZA014E | CROMOLYN NASAL SOLN 2%, 15ML/BOT | 82 | Ursapharm | | |
| PZA016M | MYCOPHENOLATE MOFETIL 250MG/CAP(CELLCEPT, ROCHE) | 43 | Roche | | |
| PZA017M | MYCOPHENOLATE SODIUM 180MG/TAB | 47 | Novartis | | |
| PZA018M | CILOSTAZOL 50MG/TAB | 6 | 台灣大塚 | | |
| PZA019P | SODIUM CHLORIDE 23.5% 200ML/BOT | 240 | 中國化學 | * | |
| PZA021M | PIRACETAM 1200MG/F.C TAB | 4 | 健喬委優良 | | |
| PZA023M | MODAFINIL 200MG/TAB(S-IV) | 183 | TEVA | | |
| PZA024M | GLUCOSAMINE SULFATE 250MG/CAP | 9 | Rottapharm | * | |
| PZA025M | PENTOSAN POLYSULFATE SODIUM 100MG/CAP | 67 | 十全 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|--|--------|--------------|----|----|
| PZA026M | FINASTERIDE 5MG/TAB | 14 | 永信 | | |
| PZA027M | SILDENAFIL CITRATE 100MG/F.C TAB | 390 | Viatrix | * | |
| PZA028M | RILUZOLE 50MG/TAB | 145 | Sanofi | | |
| PZA029M | TADALAFIL 20MG/TAB | 432 | Lilly | * | |
| PZA030M | UBIDECARENONE 10MG/F.C TAB | 4 | 衛采 | | |
| PZA031P | PIRACETAM 200MG/ML, 60ML/VIAL | 172 | 瑩碩委託杏林新生 | | |
| PZA033P | HYALURONATE SODIUM 25MG/2.5ML/SYRINGE | 576 | 科妍 | | |
| PZA034P | APOMORPHINE HCL(SC)10MG/ML, 3ML/PEN INJ. | 1,268 | 美強 | | |
| PZA036M | SILDENAFIL CITRATE 50MG/F.C TAB | 268 | Viatrix | * | |
| PZA037M | NICOTINE 2MG/CHEWING GUM | 9 | GSK | | |
| PZA040P | PHOSPHOLIPIDS SUSP. 25MG/ML, 8ML/VIAL | 14,960 | Abbvie | | |
| PZA042E | NICOTINE TRANSDERMAL PATCH 31.2MG/PC | 62 | 信東 | | |
| PZA043M | ALFUZOSIN XL 10MG/TAB | 5.5 | Sanofi | | |
| PZA044M | FINASTERIDE 1MG/FC.TAB | 59 | Organon | * | |
| PZA045P | TIROFIBAN CON. FOR IVF 12.5MG/50ML/VIAL | 8,352 | Aspen | | |
| PZA059E | FLURBIPROFEN 40MG(14CMX10CM/PATCH), 4' S/PC | 26 | 得生 | | |
| PZA061E | STERILE WATER(D.W) FOR IRRIGATION 1,000ML/BOT | 54 | 濟生 | * | |
| PZA068M | ANAGRELIDE 0.5MG/CAP(罕見用藥) | 169 | Takeda | | |
| PZA070P | BETA FERON(SC) 0.3MG(9.6MIU)/VIAL | 1,938 | Bayer | | |
| PZA071M | DUTASTERIDE 0.5MG/SOFT CAP | 18 | GSK | | |
| PZA073M | MONTELUKAST SOD. 10MG/TAB | 14 | 健喬信元 | | |
| PZA074M | MONTELUKAST SOD. (小兒用)5MG/CHEWABLE TAB | 10 | Organon | | |
| PZA076M | MONTELUKAST SOD. (六歲以下)4MG/CHEWABLE TAB | 10 | Organon | | |
| PZA078P | OCTREOTIDE LONGACTING(IM) 20MG/VIAL | 39,851 | Novartis | | |
| PZA079M | TACROLIMS (FK506) 0.5MG/CAP | 72 | Astellas | | |
| PZA080M | TACROLIMUS 1MG/CAP | 125 | Astellas | | |
| PZA086M | SIROLIMUS 1MG/TAB | 141 | Pfizer | | |
| PZA089P | INTERFERON BETA-1A INJ, 44MCG(12MIU)/0.5ML/SYRINGE | 1,976 | Merck Serono | | |
| PZA098P | LIPOSOMAL AMPHOTERICIN B 50MG/VIAL | 5,767 | Gilead | | |
| PZA110M | APANO(MIFEPRISTONE) 200MG/TAB | 900 | 美時 | * | |
| PZA114P | ETANERCEPT 25MG/SYRINGE | 3,491 | Wyeth | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|---------|-------------|----|----|
| PZA120M | L-CARNITINE 1GM/CHEWABLE TAB (罕見用藥) | 157 | Alfasigma | | |
| PZA121M | THALIDOMIDE 50MG/CAP | 241 | 台灣東洋 | | |
| PZA122P | FABRAZYME(AGALSIDASE BETA)INJ, 35MG/VIAL(罕見用藥) | 159,740 | Genzyme | | |
| PZA124M | SOD. BENZOATE 250MG/CAP | 37 | 科進 | | |
| PZA126P | VERTEPORFIN 15MG/VIAL | 42,090 | Cheplapharm | | |
| PZA127M | ZINC ACETATE 50MG/CAP | 54 | 健亞 | | |
| PZA130M | SODIUM PHENYL BUTYRATE 500MG/TAB | 265 | 旭能醫藥 | | |
| PZA132P | LARONIDASE 0.58MG/ML, 5ML/VIAL | 37,200 | Genzyme | | |
| PZA133E | ILOPROST 10MCG/1ML, 2ML/AMP | 1,031 | Bayer | | |
| PZA135P | HUMAN HEMIN 250MG/10ML/AMP | 28,946 | Recordati | | |
| PZA161P | BUPIVACAINE 0.5%, 20ML/VIAL | 200 | Aspen | | |
| PZA182P | ALCOHOL INJ 99.5%, 5ML/VIAL | 290 | 信東 | * | |
| PZA185E | GLIADEL WAFER(POLIFEPROSAN 20 WITH CARMUSTINE IMPLANT) | 37,500 | Eisai | * | |
| PZA192M | LEFLUNOMIDE 20MG/TAB | 39 | 美時 | | |
| PZA195P | ALGLUCOSIDASE ALFA 50MG/VIAL | 22,090 | Sanofi | | |
| PZA202M | CYCLOSPORIN 100MG/CAP | 124 | 意欣 | | |
| PZA203P | RANIBIZUMAB 10MG/ML SOLUTION FOR INJ, 1.65MG/0.165ML/PRE-FILLED SYRINGE | 19,735 | Novartis | | |
| PZA210M | TRIENTINE 300MG/CAP(罕見用藥) (METACU) | 854 | 旭能醫藥 | | |
| PZA216M | SILDENAFIL CITRATE 20MG/F.C TAB | 220 | Viartis | | |
| PZA226M | PIRACETAM GRANULES FOR ORAL SOLUTION 2400MG/PC | 7 | 健喬委優良 | | |
| PZA228P | PALIVIZUMAB 50MG/VIAL | 12,477 | AstraZeneca | | |
| PZA232M | TACROLIMUS PROLONGED-RELEASE 0.5MG/CAP | 55 | Astellas | | |
| PZA234M | TACROLIMUS PROLONGED-RELEASE 1MG/CAP | 102 | Astellas | | |
| PZA236M | TACROLIMUS PROLONGED-RELEASE 5MG/CAP | 459 | Astellas | | |
| PZA237P | GLYCYRRHIZIN 2MG/ML, 20ML/AMP | 300 | 衛采 | * | |
| PZA238M | TADALAFIL 5MG/TAB | 123 | Lilly | * | |
| PZA239M | ELTROMBOPAG 25MG/TAB | 1,186 | Novartis | | |
| PZA240P | OCTREOTIDE LAR 30MG/2.5ML/VIAL | 52,439 | Novartis | | |
| PZA241P | TOCILIZUMAB 200MG/10ML/VIAL | 9,424 | Chugai | | |
| PZA242E | SUMATRIPTAN NASAL SPRAY 20MG/0.1ML/PC | 157 | GSK | | |
| PZA243M | MONTELUKAST SOD. ORAL GRANULES 4MG/PACK | 11 | 健喬信元委優良 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|----------------------|----|----|
| PZA245P | ABATACEPT 250MG/VIAL | 7,168 | Bristol Myers Squibb | | |
| PZA246P | AGALSIDASE ALFA 1MG/ML, 3.5ML/VIAL | 73,204 | Takeda | | |
| PZA247P | GOLIMUMAB 50MG/0.5ML/PRE-FILLED SYRINGE | 22,021 | Janssen | | |
| PZA248P | DENOSUMAB 60MG/ML/SYRINGE (治療骨鬆及骨質流失) | 6,591 | Amgen | | |
| PZA249P | USTEKINUMAB 45MG/0.5ML/SYRINGE | 79,309 | Janssen | | |
| PZA252M | CILOSTAZOL 50MG/TAB | 4.8 | 中國化學 | | |
| PZA253P | L-CARNITINE 1GM/5ML/AMP | 250 | 旭能醫藥 | * | |
| PZA254P | LANREOTIDE 120MG PROLONGED RELEASE SOLN FOR INJ./PRE-FILLED SYRINGE | 45,287 | IPSEN | | |
| PZA255M | DUODART (DUTASTERIDE 0.5MG + TAMSULOSIN 0.4MG /CAP) | 32 | GSK | | |
| PZA258P | DENOSUMAB 120MG/1.7ML/VIAL (實體腫瘤骨轉移) | 9,502 | Amgen | | |
| PZA259E | FIBRIN SEALANT 2ML/PREFILLED SYRINGE | 11,550 | Baxter | * | |
| PZA261P | DEXAMETHASONE INTRAVITREAL IMPLANT 0.7MG/SYRINGE | 31,944 | Abbvie | | |
| PZA262P | BELIMUMAB 120MG/VIAL | 4,461 | GSK | | |
| PZA264P | BELIMUMAB 400MG/VIAL | 14,622 | GSK | | |
| PZA265P | SUGAMMADEX 200MG/2ML/VIAL | 5,000 | MSD | * | |
| PZA266M | TAMSULOSIN PROLONGED RELEASE 0.4MG/TAB | 14 | Astellas | | |
| PZA267P | POLYSACCHARIDES OF ASTRAGALUS MEMBRANACEUS 500MG/VIAL (PC) | 12,650 | 懷特生技 | | |
| PZA269E | NICOTINE TTS 30 PATCH(52.5MG/PC) | 86 | GSK | | |
| PZA270P | AFLIBERCEPT(黃斑部病變) 40MG/ML SOLUTION FOR INTRAVITREAL INJ | 19,287 | Bayer | | |
| PZA271M | MYCOPHENOLATE MOFETIL 250MG/CAP | 42 | 健亞 | | |
| PZA272M | DAPOXETINE 30MG/TAB, 3' S/BOX | 1,000 | Menarini | * | |
| PZA273M | RAMELTEON 8MG/TAB | 40 | Celltrion | * | |
| PZA274E | POLYPHENON E 10%, 10GM/TUBE (PC) | 3,000 | 杏輝 | * | |
| PZA275P | TOCILIZUMAB 80MG/4ML/VIAL | 3,974 | CHUGAI | | |
| PZA276P | ETANERCEPT 50MG/PRE-FILLED SYRINGE | 6,973 | Pfizer | | |
| PZA278M | FINGOLIMOD 0.5MG/CAP (PC) | 2,126 | Novartis | | |
| PZA279M | TOFACITINIB 5MG/TAB (PC) | 439 | Pfizer | | |
| PZA280M | IVABRADINE 5MG/TAB | 26 | Servier | | |
| PZA281P | ROMIPLOSTIM 250MCG/VIAL | 11,343 | Kyowa Kirin | | |
| PZA282P | PASIREOTIDE 0.9MG/ML/AMPOULE (PC) | 2,604 | Recordati | | |
| PZA285M | TAMSULOSIN PROLONGED-RELEASE 0.2MG/ORODISPERSIBLE TAB (PC) | 5.3 | 生達 | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|--------|----------------------|----|----|
| PZA286P | DEXMEDETOMIDINE HCL 100MCG/ML, 2ML/VIAL | 573 | EVER Pharma | | |
| PZA288M | RIOCIGUAT 1.5 MG/TAB | 1,405 | Bayer | | |
| PZA289M | RIOCIGUAT 2 MG/TAB | 1,405 | Bayer | | |
| PZA290M | RIOCIGUAT 2.5 MG/TAB | 1,405 | Bayer | | |
| PZA291P | SECUKINUMAB 150MG/ML SOLUTION FOR INJ. | 15,655 | Novartis | | |
| PZA292E | TISSEEL SOLUTION FOR SEALANT 2CC AS("百特"組織修復凝合劑) | 17,250 | Baxter | * | |
| PZA293E | TISSEEL SOLUTION FOR SEALANT 4CC AS("百特"組織修復凝合劑) | 26,640 | Baxter | * | |
| PZA295P | ADALIMUMAB 40MG/0.4ML/PRE-FILLED SYRINGE | 10,745 | Abbvie | | |
| PZA296P | INFLIXIMAB 100MG/VIAL | 9,807 | CILAG AG | | |
| PZA297M | RIZATRIPTAN 5MG/TAB | 52 | 保瑞聯邦 | | |
| PZA298P | CERTOLIZUMAB PEGOL 200MG/ML/SYRINGE | 12,569 | UCB | | |
| PZA300P | IXEKIZUMAB 80MG/PREFILLED AUTOINJECTOR | 29,533 | Lilly | | |
| PZA301M | BARICITINIB 4MG/TAB | 1,066 | Lilly | | |
| PZA302P | ABATACEPT 125MG(SC)/PREFILL SYRINGE (PEN) | 4,695 | Bristol Myers Squibb | | |
| PZA304P | GLATIRAMER ACETATE 40MG/ML/PRE-FILLED SYRINGE | 2,173 | TEVA | | |
| PZA305M | TERIFLUNOMIDE 14MG/TAB | 1,000 | Sanofi | | |
| PZA306P | GUSELKUMAB 100MG/PRE-FILLED SYRINGE (PEN) | 69,122 | Janssen | | |
| PZA307P | BRODALUMAB 210MG/1.5ML/SYRINGE (PC) | 14,488 | Kyowa Kirin | | |
| PZA308M | DIMETHYL FUMARATE 120MG /GASTRO-RESISTANT HARD CAP. | 277 | Eisai | | |
| PZA309M | DIMETHYL FUMARATE 240MG /GASTRO-RESISTANT HARD CAP (PC) | 499 | Eisai | | |
| PZA311P | HYRUAN ONE (HYALURONIC ACID 60MG BDDE/3ML/PREFILL-SYRINGE) | 2,613 | 和聯生技 | | |
| PZA312P | DUPILUMAB 300MG/2ML/PRE-FILLED SYRINGE | 17,256 | Sanofi | | |
| PZA313P | SODIUM HYALURONATE 25MG/2.5ML/SYRINGE (PC) | 440 | Aragan | | |
| PZA314P | GALCANEZUMAB 120MG/ML, 1ML/PREFILLED PEN | 12,475 | Lilly | | |
| PZA315M | TOFACITINIB EXTENDED RELEASE 11MG/TAB | 882 | Pfizer | | |
| PZA316P | LANREOTIDE PROLONGED RELEASE 90MG/PRE-FILLED SYRINGE | 39,255 | IPSEN | | |
| PZA317P | SODIUM HYALURONATE 20MG/ML, 3ML/SYRINGE (PC) | 5,226 | 科妍 | | |
| PZA318P | USTEKINUMAB 90MG/ML SOLUTION FOR INJECTION IN PRE-FILLEDPRE-FILLED SYRINGE (PC) | 52,873 | Janssen | | |
| PZA319P | USTEKINUMAB 130MG/26ML/VIAL CONCENTRATE FOR SOLUTION FORINJECTION (PC) | 46,527 | Janssen | | |
| PZA321P | ROMOSUZUMAB 105MG/1.17ML/PREFILLED SYRINGE | 4,290 | Amgen | | |
| PZA323M | UPADACITINIB EXTENDED-RELEASE 15MG/TAB | 832 | Abbvie | | |

註記欄有"*"註記者，為健保不給付項目

長庚醫療財團法人收費標準(藥品)

| 編號 | 品項名稱及規格 | 收費金額 | 廠牌 | 註記 | 備註 |
|---------|---|---------|----------------------|----|----|
| PZA324P | FREMANEZUMAB 225MG/1.5ML/PRE-FILLED SYRINGE (PC) | 10,723 | TEVA | | |
| PZA326M | AVANAFIL 200MG/TAB (PC) | 350 | Menarini | * | |
| PZA327P | BROLUCIZUMAB 120MG/ML, 19.8MG/0.165ML/PRE-FILLED SYRINGE | 22,223 | Novartis | * | |
| PZA329P | HYALURONIC ACID (CROSS-LINKED) 30MG/3ML/SYRINGE (HYLINK, SEIKAGAKU) | 2,613 | Seikagaku | | |
| PZA330P | ICATIBANT 30MG/3ML/PREFILLED SYRINGE (罕藥) | 27,078 | Takeda | | |
| PZA331M | ABROCITINIB 200MG/TAB | 898 | Pfizer | | |
| PZA332M | FILGOTINIB 100 MG/TAB | 730 | Eisai | | |
| PZA333M | FILGOTINIB 200 MG/TAB | 730 | Eisai | | |
| PZA334M | OZANIMOD (0.23MG/CAP*4CAPS + 0.46MG/CAP*3CAPS), 7'S/BOX(罕藥) | 6,650 | Bristol Myers Squibb | | |
| PZA335M | OZANIMOD 0.92MG/CAP (罕藥) | 950 | Bristol Myers Squibb | | |
| PZA336P | RISANKIZUMAB 150MG/1ML/PRE-FILLED PEN | 103,005 | Abbvie | | |
| PZA337P | FARICIMAB 6MG/0.05ML/VIAL (PC) | 20,053 | Roche | | |
| PZA338S | RILUZOLE ORAL SUSPENSION 5MG/ML, 300ML/BOT | 3,465 | ITALFARMACO | | |
| PZA339S | RISDIPLAM POWDER FOR ORAL SOLUTION 0.75MG/ML, 60MG/80ML/BOT (PC) | 243,762 | Roche | | |
| PZAB01P | REMSIMA(BS) (INFLIXIMAB, CELLTRION) 100MG/VIAL | 7,827 | Celltrion | | |
| PZAB02P | IDACIO (BS) (ADALIMUMAB, FRESENIUS KABI) 40MG/0.8ML/PRE-FILLED PEN (PC) | 7,437 | Fresenius Kabi | | |
| PZAB03P | YUFLYMA (BS) (ADALIMUMAB, CELLTRION) 40MG/0.4ML/PEN | 7,437 | Celltrion | | |
| PZAB04P | ERELZI(BS) (ETANERCEPT, SANDOZ) 50MG/PEN | 4,254 | Sandoz | | |